

Produmex Operator Database Structure version 18.3.

| Table name | Table description | | PK Table | PK Column |
|-----------------|-------------------|---|----------|-----------|
| Field name | Field description | Data type | | |
| BXPAUDIT | Audit | | | |
| BXPAONam | Add On Name | nvarchar(100) | | |
| BXPAOVer | Add On Version | nvarchar(100) | | |
| BXPDate | Date | datetime | | |
| BXPMsg | Message | ntext(8) | | |
| BXPMsgTa | Message Table | nvarchar(100) | | |
| BXPMsgTy | Message Type | char(1), not null, default: D D Delete I Insert N None U Update | | |
| BXPRowTy | Row Type | char(1), not null, default: D D DB Modification N None T Transact W Warning | | |
| BXPSeqNo | Sequence Number | nvarchar(50), not null | | |
| BXPsrc | Source Machine | nvarchar(100), not null | | |
| BXPStack | Stack Trace | ntext(8), not null | | |
| BXPTime | Time | int, not null | | |
| BXPTrxID | TransactionID | nvarchar(100), not null | | |
| BXPTrxIn | Transaction Input | ntext(8), not null | | |
| BXPTrxNm | Transaction Name | nvarchar(100), not null | | |
| BXPTrxTy | Transaction Type | nvarchar(100), not null | | |
| BXPUsrNm | User Name | nvarchar(100), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------------|----------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPCONFIG | Configuration | | | |
| BXPDescr | Description | ntext(8), not null | | |
| BXPValue | Value | nvarchar(100), not null | | |
| BXPVType | Value Type | char(1), not null, default: 1 1 String 2 Float 3 Integer 4 Boolean 5 Path 6 Date 7 Time 8 Valid Values 9 File Name A File Name Must Exists | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|---------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPCTRLPREFS | ControlPreferences | | | |
| BXPCapt | Caption | nvarchar(100), not null | | |
| BXPColID | ColumnID | nvarchar(100), not null | | |
| BXPFrmID | FormID | nvarchar(100), not null | | |
| BXPIsVis | Is Visible | char(1), not null, default: N N No Y Yes | | |
| BXPitmID | ItemID | nvarchar(100), not null | | |
| BXPUser | User Sign | int, not null | | |
| BXPVindx | Visual Index | int, not null | | |
| BXPWidth | Width | int, not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------------|----------------------------|---|----------|-----------|
| Field name | Field description | Data type | | |
| BXPCUSTFD | CustomizationFields | | | |
| BXPDREP | Data Repeater | nvarchar(32), not null | | |
| BXPDecP | Decimal Places | int, not null | | |
| BXPDEF | Default Value | nvarchar(100), not null | | |
| BXPESIZE | Edit Size | int, not null | | |
| BXPFDType | Field Display Type | int, not null, default: 0 0 None 1 Address 2 GPS Coordinate 3 Link To Web 4 Telephone 5 Email 6 Photo 7 Signature | | |
| BXPFName | Field Name | nvarchar(32), not null | | |
| BXPFType | Field Type | int, not null, default: 0 0 String 1 Date 10 File Name 11 Folder 12 Image 13 Button 2 Time 3 Value 4 Measurement 5 Quantity 6 Percent 7 Price 8 Integer 9 Boolean | | |
| BXPFold | Folder Name | nvarchar(100), not null | | |
| BXPLBL | Label | nvarchar(250), not null | | |
| BXPLang | Language Code | nvarchar(16), not null | | |
| BXPMod | Module | nvarchar(100), not null | | |
| BXPOnExt | On External Form | char(1), not null, default: N N No Y Yes | | |
| BXPPOSD | Position Data | nvarchar(250), not null | | |
| BXPPROT | Protected | char(1), not null, default: N N No Y Yes | | |
| BXPOnly | Read Only | char(1), not null, default: N N No Y Yes | | |
| BXPScr | Screen | nvarchar(100), not null | | |
| BXPOrder | Sort Order | int, not null | | |
| BXPTable | Table Name | nvarchar(32), not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------|-------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPVVS | Valid Values | ntext(8), not null | | |
| BXPVis | Visible | char(1), not null, default: Y N No Y Yes | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-----------------------|-------------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPCUSTSORTDEF | CustSortingMethodDefinitions | | | |
| BXPDREP | Data Repeater | nvarchar(32), not null | | |
| BXPDes | Description | nvarchar(64), not null | | |
| BXPF1 | Field1 | nvarchar(100), not null | | |
| BXPF2 | Field2 | nvarchar(100), not null | | |
| BXPF3 | Field3 | nvarchar(100), not null | | |
| BXPF4 | Field4 | nvarchar(100), not null | | |
| BXPInd | Index | int, not null | | |
| BXPSoM | Mode | char(1), not null, default: A A Ascending D Descending | | |
| BXPMod | Module | nvarchar(100), not null | | |
| BXPScr | Screen | nvarchar(100), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPFORMPREFS | FormPreferences | | | |
| BXPCliID | ClientID | nvarchar(100), not null | | |
| BXPFormID | FormID | nvarchar(100), not null | | |
| BXPKey | Key | nvarchar(100), not null | | |
| BXPUser | User Sign | int, not null | | |
| BXPVal | Value | nvarchar(100), not null | | |
| BXPVindx | Visual Index | int, not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|------------------------|----------|-----------|
| | | | | |
| BXPKEYSEQUENCE | Key Sequences | | | |
| Value | Value | nvarchar(16), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|------------------------|----------|-----------|
| | | | | |
| BXP | LicensingService | | | |
| BXPActTI | Active Till | datetime, not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|-------------------------|----------|-----------|
| | | | | |
| BXPLICIP | LicenseableIPs | | | |
| BXPCmnt | Comment | nvarchar(100), not null | | |
| BXPIPAdd | IP Address | nvarchar(100), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-------------------|-------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| BXPPLICSET | LicenseSets | | | |
| BXPDscp | Description | nvarchar(200), not null | | |
| BXPExpDt | Expiration Date | datetime, not null | | |
| BXPHwKey | Hardware And Other Keys | nvarchar(100), not null | | |
| BXPLECod | License Ext Code | nvarchar(30), not null | | |
| BXPLFVer | License Format Version | int, not null | | |
| BXPLTyp | License Type | nvarchar(30), not null | | |
| BXPModTk | Module Token List | ntext(8), not null | | |
| BXPNumEm | Number Of Employees | int, not null | | |
| BXPNumTe | Number Of Terminals | int, not null | | |
| BXPNumUs | Number Of Users | int, not null | | |
| BXPSig | Signature | ntext(8), not null | | |
| BXPSkeyF | Signature KeyID | nvarchar(32), not null | | |
| BXPStDt | Start Date | datetime, not null | | |
| BXPVersn | Version | int, not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------------|-------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPLICTER | LicenseTerminals | | | |
| BXPComm | Comment | nvarchar(200), not null | | |
| BXPIPAdd | IP Address | nvarchar(200), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-------------------------|-------------------------|------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPLMSEMPPRINTER | EmployeePrinters | | | |
| BXPEmplD | EmployeeID | int, not null | | |
| BXPVisOr | Visual Order | int, not null | | |
| BXPPrnCd | Printer Code | nvarchar(50), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|----------------------------|------------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBINVCNTDONE | MobileInventoryCountingDone | | | |
| BXPBinCd | Bin Code | nvarchar(254), not null | | |
| BXPContrID | Counter UserID | int, not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPISyn | Is Synchronized | char(1), not null, default: N N No Y Yes | | |
| BXPWHCod | Warehouse Code | nvarchar(254), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|--------------------------|--------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBINVCOUNT | MobileInventoryCounting | | | |
| BXPBatA1 | Batch Attribute1 | nvarchar(32), not null | | |
| BXPBatA2 | Batch Attribute2 | nvarchar(32), not null | | |
| BXPBatDe | Batch Details | ntext(8), not null | | |
| BXPBatNm | Batch Number | nvarchar(32), not null | | |
| BXPBinCd | Bin Code | nvarchar(254), not null | | |
| BXPBinNm | Bin Internal Number | int, not null | | |
| BXPCntd | Counted | char(1), not null, default: N N No Y Yes | | |
| BXPCQty1 | Counted Quantity1 | numeric(16), not null | | |
| BXPCQty2 | Counted Quantity2 | numeric(16), not null | | |
| BXPctrID | Counter UserID | int, not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPExpDt | Expiry Date | datetime, not null | | |
| BXPFreez | Freeze | char(1), not null, default: N N No Y Yes | | |
| BXPitmCd | Item Code | nvarchar(254), not null | | |
| BXPLoc | Location | nvarchar(254), not null | | |
| BXPPrdDt | Production Date | datetime, not null | | |
| BXPserA1 | Serial Attribute1 | nvarchar(32), not null | | |
| BXPserA2 | Serial Attribute2 | nvarchar(32), not null | | |
| BXPserDe | Serial Details | ntext(8), not null | | |
| BXPserExpDt | Serial Expiry Date | datetime, not null | | |
| BXPserNm | Serial Number | nvarchar(32), not null | | |
| BXPserPrdDt | Serial Production Date | datetime, not null | | |
| BXPuomEn | UoM Abs Entry | int, not null | | |
| BXPuomCd | UoM Code | nvarchar(254), not null | | |
| BXPWHCod | Warehouse Code | nvarchar(254), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|---------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBLOG | MobileLog | | | |
| BXPActn | Action | nvarchar(254), not null | | |
| BXPBsDcE | Base Doc Entry | int, not null | | |
| BXPBsDcL | Base Doc Line | int, not null | | |
| BXPBsDcN | Base Doc Num | nvarchar(254), not null | | |
| BXPBsDcT | Base Doc Type | int, not null, default: 0 0 None 125000001 Inventory Transfer Reques 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns 163 A/P Correction Invoice 164 A/R Correction Invoice Re 165 A/R Correction Invoice 166 A/R Correction Invoice Re 17 Sales Orders 18 A/P Invoice 19 A/P Credit Memo -2 Opening Balance 20 Goods Receipt PO 202 Production Orders 21 Goods Returns 22 Purchase Orders 23 Sales Quotations -5001 Receipt From Production -5002 Issue For Production -5003 Return From Production 58 Stock Update 59 Goods Receipt 60 Goods Issue 67 Inventory Transfer 68 Work Orders | | |
| BXPBtSrN | Batch Serial Number | nvarchar(32), not null | | |
| BXPBinCd | Bin Code | nvarchar(254), not null | | |
| BXPBinTo | Bin Code To | nvarchar(254), not null | | |
| BXPCrDEn | Created Doc Entry | int, not null | | |
| BXPCrDTy | Created Doc Type | int, not null, default: 0 0 None 125000001 Inventory Transfer Reques 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns 163 A/P Correction Invoice 164 A/R Correction Invoice Re 165 A/R Correction Invoice 166 A/R Correction Invoice Re | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------|-------------------|-------------------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | 17 Sales Orders | | |
| | | 18 A/P Invoice | | |
| | | 19 A/P Credit Memo | | |
| | | -2 Opening Balance | | |
| | | 20 Goods Receipt PO | | |
| | | 202 Production Orders | | |
| | | 21 Goods Returns | | |
| | | 22 Purchase Orders | | |
| | | 23 Sales Quotations | | |
| | | -5001 Receipt From Production | | |
| | | -5002 Issue For Production | | |
| | | -5003 Return From Production | | |
| | | 58 Stock Update | | |
| | | 59 Goods Receipt | | |
| | | 60 Goods Issue | | |
| | | 67 Inventory Transfer | | |
| | | 68 Work Orders | | |
| BXPDate | Date | datetime, not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPDocLn | Doc Line | int, not null | | |
| BXPDocNm | Doc Num | nvarchar(254), not null | | |
| BXPDocTy | Doc Type | int, not null, default: 0 | | |
| | | 0 None | | |
| | | 125000001 Inventory Transfer Reques | | |
| | | 13 A/R Invoice | | |
| | | 14 A/R Credit Memo | | |
| | | 15 Delivery | | |
| | | 156 Pick Lists | | |
| | | 16 Returns | | |
| | | 163 A/P Correction Invoice | | |
| | | 164 A/R Correction Invoice Re | | |
| | | 165 A/R Correction Invoice | | |
| | | 166 A/R Correction Invoice Re | | |
| | | 17 Sales Orders | | |
| | | 18 A/P Invoice | | |
| | | 19 A/P Credit Memo | | |
| | | -2 Opening Balance | | |
| | | 20 Goods Receipt PO | | |
| | | 202 Production Orders | | |
| | | 21 Goods Returns | | |
| | | 22 Purchase Orders | | |
| | | 23 Sales Quotations | | |
| | | -5001 Receipt From Production | | |
| | | -5002 Issue For Production | | |
| | | -5003 Return From Production | | |
| | | 58 Stock Update | | |
| | | 59 Goods Receipt | | |
| | | 60 Goods Issue | | |
| | | 67 Inventory Transfer | | |
| | | 68 Work Orders | | |
| BXPEmpID | EmployeeID | int, not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------|-------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| BXPitmCd | Item Code | nvarchar(50), not null | | |
| BXPModul | Module | nvarchar(254), not null | | |
| BXPQty | Quantity | numeric(16), not null | | |
| BXPSec | Second | int, not null | | |
| BXPTime | Time | int, not null | | |
| BXPWHCod | Warehouse Code | nvarchar(8), not null | | |
| BXPWHTo | Warehouse Code To | nvarchar(8), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|----------------------|--------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBPICK | MobilePickingData | | | |
| BXPBtNm | Batch Number | nvarchar(32), not null | | |
| BXPBinCd | Bin Code | nvarchar(254), not null | | |
| BXPBinNm | Bin Internal Number | int, not null | | |
| BXPisFld | Is Failed | char(1), not null, default: N N No Y Yes | | |
| BXPisSyn | Is Synchronized | char(1), not null, default: N N No Y Yes | | |
| BXPitmCd | Item Code | nvarchar(50), not null | | |
| BXPPkQty | Picked Quantity | numeric(16), not null | | |
| BXPPkLEn | Pick List Abs Entry | int, not null | | |
| BXPPkLLn | Pick List Line Number | int, not null | | |
| BXPRBtNm | Rec Batch Number | nvarchar(32), not null | | |
| BXPRBnCd | Rec Bin Code | nvarchar(254), not null | | |
| BXPRBnNm | Rec Bin Internal Number | int, not null | | |
| BXPRSrNm | Rec Serial Number | nvarchar(32), not null | | |
| BXPSaOEn | Sales Order Doc Entry | int, not null | | |
| BXPSaOLn | Sales Order Line Number | int, not null | | |
| BXPSerNm | Serial Number | nvarchar(32), not null | | |
| BXPWHCod | Warehouse Code | nvarchar(8), not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|--------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBTEN | MobileTransactionEntry | | | |
| BXPBAdDt | Batch Admission Date | datetime, not null | | |
| BXPBatA1 | Batch Attribute1 | nvarchar(32), not null | | |
| BXPBatA2 | Batch Attribute2 | nvarchar(32), not null | | |
| BXPBExDt | Batch Expiry Date | datetime, not null | | |
| BXPBMfDt | Batch Manufacturing Date | datetime, not null | | |
| BXPBNot | Batch Notes | ntext(8), not null | | |
| BXPBatNm | Batch Number | nvarchar(32), not null | | |
| BXPBWAdD | Batch Write Admission Date | char(1), not null, default: N N No Y Yes | | |
| BXPBWExD | Batch Write Expiry Date | char(1), not null, default: N N No Y Yes | | |
| BXPBWMfD | Batch Write Manufacturing Date | char(1), not null, default: N N No Y Yes | | |
| BXPBWNot | Batch Write Notes | char(1), not null, default: N N No Y Yes | | |
| BXPBinCd | Bin Code | nvarchar(228), not null | | |
| BXPBinNm | Bin Code Internal Number | int, not null | | |
| BXPCmmnt | Comments | nvarchar(254), not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPDocLn | Doc Line | int, not null | | |
| BXPDocTy | Doc Type | int, not null, default: 0 0 None 1250000001 Inventory Transfer Request 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns 163 A/P Correction Invoice 164 A/R Correction Invoice Re 165 A/R Correction Invoice 166 A/R Correction Invoice Re 17 Sales Orders 18 A/P Invoice 19 A/P Credit Memo -2 Opening Balance 20 Goods Receipt PO 202 Production Orders 21 Goods Returns 22 Purchase Orders 23 Sales Quotations -5001 Receipt From Production | | |

Produmex Operator Database Structure

| Table name | Table description | Data type | PK Table | PK Column |
|------------|-----------------------------|--|----------|-----------|
| | | -5002 Issue For Production -5003 Return From Production 58 Stock Update 59 Goods Receipt 60 Goods Issue 67 Inventory Transfer 68 Work Orders | | |
| BXPEmpID | EmployeeID | int, not null | | |
| BXPHdCd | Head Code | nvarchar(50), not null | | |
| BXPIsRej | Is Rejected | char(1), not null, default: N N No Y Yes | | |
| BXPItmCd | Item Code | nvarchar(50), not null | | |
| BXPItmPU | Items Per Unit | numeric(16), not null | | |
| BXPLoc | Location | nvarchar(228), not null | | |
| BXPQty | Quantity | numeric(16), not null | | |
| BXPSerA1 | Serial Attribute1 | nvarchar(32), not null | | |
| BXPSerA2 | Serial Attribute2 | nvarchar(32), not null | | |
| BXPSExDt | Serial Expiry Date | datetime, not null | | |
| BXPSMfDt | Serial Manufacturing Date | datetime, not null | | |
| BXPSNot | Serial Notes | ntext(8), not null | | |
| BXPSerNm | Serial Number | nvarchar(32), not null | | |
| BXPToBin | To Bin Code | nvarchar(228), not null | | |
| BXPToBNm | To Bin Code Internal Number | int, not null | | |
| BXPTrxSt | Transaction Status | int, not null, default: 20 20 UnderPreparation 40 Pending 60 Processed 80 Canceled | | |
| BXPUoMAb | UoM Abs Entry | int, not null | | |
| BXPUoMCd | UoM Code | nvarchar(228), not null | | |
| BXPLnCod | Line Code | nvarchar(50), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBTHD | MobileTransactionHead | | | |
| BXPBLUID | Business Logic UnitID | nvarchar(254), not null | | |
| BXPCrdCd | Card Code | nvarchar(254), not null | | |
| BXPCreDt | Creation Date | datetime, not null | | |
| BXPCreTm | Creation Time | int, not null | | |
| BXPDocDt | Doc Date | datetime, not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPDocNm | Doc Number | int, not null | | |
| BXPDocTy | Doc Type | int, not null, default: 0 0 None 125000001 Inventory Transfer Reques 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns 163 A/P Correction Invoice 164 A/R Correction Invoice Rev 165 A/R Correction Invoice 166 A/R Correction Invoice Rev 17 Sales Orders 18 A/P Invoice 19 A/P Credit Memo -2 Opening Balance 20 Goods Receipt PO 202 Production Orders 21 Goods Returns 22 Purchase Orders 23 Sales Quotations -5001 Receipt From Production -5002 Issue For Production -5003 Return From Production 58 Stock Update 59 Goods Receipt 60 Goods Issue 67 Inventory Transfer 68 Work Orders | | |
| BXPExDcN | External Doc Number | nvarchar(254), not null | | |
| BXPIsDft | Is Draft | char(1), not null, default: N N No Y Yes | | |
| BXPOrigS | Originator System | nvarchar(254), not null | | |
| BXPPosDt | Posting Date | datetime, not null | | |
| BXPPosTm | Posting Time | int, not null | | |
| BXPPrcDt | Processing Date | datetime, not null | | |
| BXPPrcMs | Processing Error Message | ntext(8), not null | | |
| BXPPrcEr | Processing Has Error | char(1), not null, default: N N No | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------|------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | Y Yes | | |
| BXPRetry | Processing Retry Count | int, not null | | |
| BXPPrcTm | Processing Time | int, not null | | |
| BXPRef2 | Ref2 | nvarchar(254), not null | | |
| BXPRemrk | Remarks | nvarchar(254), not null | | |
| BXPTrxSt | Transaction Status | int, not null, default: 20 20 UnderPreparation 40 Pending 60 Processed 80 Canceled | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|------------------------------|---|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLMSMOBTLN | MobileTransactionLine | | | |
| BXPActCd | Account Code | nvarchar(254), not null | | |
| BXPBsCrd | Base Card Code | nvarchar(254), not null | | |
| BXPBsDcE | Base Doc Entry | int, not null | | |
| BXPBsDcL | Base Doc Line | int, not null | | |
| BXPBsDcT | Base Doc Type | int, not null, default: 0 0 None 1250000001 Inventory Transfer Reques 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns 163 A/P Correction Invoice 164 A/R Correction Invoice Re 165 A/R Correction Invoice 166 A/R Correction Invoice Re 17 Sales Orders 18 A/P Invoice 19 A/P Credit Memo -2 Opening Balance 20 Goods Receipt PO 202 Production Orders 21 Goods Returns 22 Purchase Orders 23 Sales Quotations -5001 Receipt From Production -5002 Issue For Production -5003 Return From Production 58 Stock Update 59 Goods Receipt 60 Goods Issue 67 Inventory Transfer 68 Work Orders | | |
| BXPCisLn | Close Source Line | char(1), not null, default: N N No Y Yes | | |
| BXPCurcy | Currency | nvarchar(254), not null | | |
| BXPocrCd | Distribution Rule Code | nvarchar(254), not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPDocLn | Doc Line | int, not null | | |
| BXPDocTy | Doc Type | int, not null, default: 0 0 None 1250000001 Inventory Transfer Reques 13 A/R Invoice 14 A/R Credit Memo 15 Delivery 156 Pick Lists 16 Returns | | |

Produmex Operator Database Structure

| Table name | Table description | Data type | PK Table | PK Column |
|------------|--------------------|----------------------------|----------------------------|-----------|
| Field name | Field description | | | |
| | | 163 | A/P Correction Invoice | |
| | | 164 | A/R Correction Invoice Rev | |
| | | 165 | A/R Correction Invoice | |
| | | 166 | A/R Correction Invoice Rev | |
| | | 17 | Sales Orders | |
| | | 18 | A/P Invoice | |
| | | 19 | A/P Credit Memo | |
| | | -2 | Opening Balance | |
| | | 20 | Goods Receipt PO | |
| | | 202 | Production Orders | |
| | | 21 | Goods Returns | |
| | | 22 | Purchase Orders | |
| | | 23 | Sales Quotations | |
| | | -5001 | Receipt From Production | |
| | | -5002 | Issue For Production | |
| | | -5003 | Return From Production | |
| | | 58 | Stock Update | |
| | | 59 | Goods Receipt | |
| | | 60 | Goods Issue | |
| | | 67 | Inventory Transfer | |
| | | 68 | Work Orders | |
| BXPItmCd | Item Code | nvarchar(50), not null | | |
| BXPPcLst | Price List Number | int, not null | | |
| BXPToWH | ToWH Code | nvarchar(8), not null | | |
| BXPTrxSt | Transaction Status | int, not null, default: 20 | | |
| | | 20 | UnderPreparation | |
| | | 40 | Pending | |
| | | 60 | Processed | |
| | | 80 | Canceled | |
| BXPUPric | Unit Price | numeric(16), not null | | |
| BXPUoMab | UoM Abs Entry | int, not null | | |
| BXPUoMCd | UoM Code | nvarchar(228), not null | | |
| BXPWHCod | WH Code | nvarchar(8), not null | | |
| BXPHdCd | Head Code | nvarchar(50), not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|----------------------|--------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPLMSPRINTER | Printers | | | |
| BXPDescr | Description | nvarchar(254), not null | | |
| BXPIPAdd | IP Address | nvarchar(254), not null | | |
| BXPisAct | Is Active | char(1), not null, default: N N No Y Yes | | |
| BXPisNet | Is Network Printer | char(1), not null, default: N N No Y Yes | | |
| BXPPrnNm | Local Printer Name | nvarchar(254), not null | | |
| BXPPort | Port Number | int, not null | | |
| BXPPrnTy | Printer Type | nvarchar(254), not null, default: CR CR Crystal ZC ZebraCPCL ZZ ZebraZPL | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|------------------------|----------|-----------|
| | | | | |
| BXPLMSPRINTLAYOUT | PrinterLayouts | | | |
| BXPVisOr | Visual Order | int, not null | | |
| BXPLayCd | Layout Set Code | nvarchar(50), not null | | |
| BXPPrnCd | Printer Code | nvarchar(50), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|--------------------------|--------------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPLMSPRINTLAYSET | PrintingLayoutSet | | | |
| BXPBinCd | Bin Code Layout File | nvarchar(254), not null | | |
| BXPDescr | Description | nvarchar(254), not null | | |
| BXPStBLb | Stock Batch Label Layout File | nvarchar(254), not null | | |
| BXPStkLb | Stock Normal Label Layout File | nvarchar(254), not null | | |
| BXPStSLb | Stock Serial Label Layout File | nvarchar(254), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|----------------------|--------------------------|-------------------------|-----------------|------------------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPLMSUSRPREF | UserPreferences | | | |
| BXPEmplID | EmployeeID | int, not null | | |
| BXPMnuCd | Main Menu Code | nvarchar(254), not null | | |
| BXPVisOr | Visual Order | int, not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------|-------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| BXPLOG | Log | | | |
| BXPAONam | Add On Name | nvarchar(100), not null | | |
| BXPAOver | Add On Version | nvarchar(100), not null | | |
| BXPDate | Date | datetime, not null | | |
| BXPDev | Device | nvarchar(100), not null | | |
| BXPDocEn | Doc Entry | int, not null | | |
| BXPDocNm | Doc Number | int, not null | | |
| BXPDocTy | Doc Type | int, not null | | |
| BXPitmCd | Item Code | nvarchar(100), not null | | |
| BXP LnNum | Line Number | int, not null | | |
| BXPMsg | Message | ntext(8), not null | | |
| BXPMilSc | Milli Seconds | int, not null | | |
| BXPOptID | OptionallD | nvarchar(100), not null | | |
| BXPPars | Parameters | ntext(8), not null | | |
| BXPPrice | Price | numeric(16), not null | | |
| BXPQty | Quantity | numeric(16), not null | | |
| BXPRes | Result | ntext(8), not null | | |
| BXPSec | Seconds | int, not null | | |
| BXPStack | Stack Trace | ntext(8), not null | | |
| BXPTime | Time | int, not null | | |
| BXPType | Type | nvarchar(100), not null | | |
| BXPUsrNm | User Name | nvarchar(100), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|----------------------|------------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPMWBOOKCONF | PMX Operator Booking Config | | | |
| EPIStp | Enforce Planned Setup | char(1), not null, default: N N No Y Yes | | |
| FillMQ | Prefill Material Quantities | char(1), not null, default: N N No Y Yes | | |
| MatQryTyp | Material Query Type | char(1), not null, default: A A All B All Above M Resource as Milestone U User Query | | |
| ActUpTxt | Activity Update Text | ntext(8), not null | | |
| ActCrTxt | Activity Create Text | ntext(8), not null | | |
| ActErTxt | Activity Error Text | ntext(8), not null | | |
| ActRemark | Remark | ntext(8), not null | | |
| ResPickAllwd | Resource Picking Allowed | char(1), not null, default: Y N No Y Yes | | |
| FillBPQ | Preffill ByProduct Quantities | char(1), not null, default: N N No Y Yes | | |
| ActErrSub | Activity Error Subject Code | int, not null | | |
| ActJobSub | Activity Job Subject Code | int, not null | | |
| ActSetSub | Activity Setup Subject Code | int, not null | | |
| ActStrtSt | Activity Started Status Code | int, not null | | |
| ActPartSt | Activity Partial Status Code | int, not null | | |
| InsNewMat | Can Insert New Materials | char(1), not null, default: Y N No Y Yes | | |
| StpAllwd | Setup Bookings Allowed | char(1), not null, default: Y N No Y Yes | | |
| ActCompSt | Activity Completed Status Code | int, not null, default: -3 | | |
| RFPFMainProd | RFP For Main Product | char(1), not null, default: Y N No Y Yes | | |
| LogOutAB | Log Out After Booking | char(1), not null, default: N N No Y Yes | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|------------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPMWGENCONF | PMX Operator General Config | | | |
| IdleTOut | Idle Time Out in Seconds | int, not null, default: 30 | | |
| LogInPP | Login Is Password Protected | char(1), not null, default: N N No Y Yes | | |
| ScreenTOut | Screen Time Out in Seconds | int, not null, default: 30 | | |
| AAddTer | Auto Add Terminal Licences | char(1), not null, default: Y N No Y Yes | | |
| AAddEmp | Auto Add Employee Licences | char(1), not null, default: Y N No Y Yes | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------------|---------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPREPORT | ReportModule | | | |
| BXPFILE | File | nvarchar(100), not null | | |
| BXPPrnNm | Printer Name | nvarchar(254), not null | | |
| BXPRPTCD | Rpt Code | nvarchar(50), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-----------------|-------------------------|------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPRPTPF | ReportLayoutPref | | | |
| BXPLayCd | Layout Code | nvarchar(50), not null | | |
| BXPRptCd | Rtp Code | nvarchar(50), not null | | |
| BXPUsrID | UserID | int, not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|------------------------|----------|-----------|
| | | | | |
| BXPRPTP | ReportType | | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|---------------------------|----------|-----------|
| | | | | |
| BXPSEQUENCE | Sequence | | | |
| BXPLstNm | Last Number | int, not null, default: 0 | | |
| BXPLtNmH | Last Number Hi | int, not null, default: 0 | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|--------------------|-------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPSYNCOBJC | SyncObjectConfig | | | |
| BXPAddOn | Add On | nvarchar(100), not null | | |
| BXPOType | Obj Type | nvarchar(20), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-----------------|-------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPSYNCQ | SyncQueue | | | |
| BXPAddOn | Add On | nvarchar(100), not null | | |
| BXPDate | Created Date | datetime, not null | | |
| BXPTime | Created Time | int, not null | | |
| BXPErrMsg | Error Message | nvarchar(240), not null | | |
| BXPKeyCol | Key Columns | nvarchar(254), not null | | |
| BXPKeyVal | Key Values | nvarchar(254), not null | | |
| BXPModDate | Modify Date | datetime, not null | | |
| BXPModTime | Modify Time | int, not null | | |
| BXPObjType | Obj Type | nvarchar(20), not null | | |
| BXPPrsd | Processed | char(1), not null, default: N N No Y Yes | | |
| BXPPrStat | Process State | char(1), not null | | |
| BXPPrData | Retry Data | nvarchar(70), not null | | |
| BXPTranType | Transaction Type | char(1), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|------------------|--------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPTCCONF | ThinClientConfiguration | | | |
| BXPCCode | Config Code | nvarchar(100), not null | | |
| BXPDefV | Default Value | nvarchar(250), not null | | |
| BXPDesc | Description | nvarchar(250), not null | | |
| BXPLDesc | Long Description | ntext(8), not null | | |
| BXPMod | Module | nvarchar(100), not null | | |
| BXPOFUS | Only For Users | nvarchar(250), not null | | |
| BXPSMod | Sub Module | nvarchar(100), not null | | |
| BXPUEdit | User Editable | char(1), not null, default: Y N No Y Yes | | |
| BXPVVAL | Valid Values | nvarchar(250), not null | | |
| BXPValue | Value | nvarchar(250), not null | | |
| BXPVType | Value Type | char(1), not null, default: 1 1 String 2 Float 3 Integer 4 Boolean 5 Path 6 Date 7 Time 8 Valid Values 9 File Name A File Name Must Exists | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|--------------------|---------------------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| BXPTRANCUST | TranslationCustomization | | | |
| BXPAddOn | Add On | nvarchar(254), not null | | |
| BXPComm | Comments | nvarchar(254), not null | | |
| BXP Cust | Customized | char(1), not null, default: N N No Y Yes | | |
| BXPKey | Key | nvarchar(254), not null | | |
| BXP Lang | Language | nvarchar(10), not null | | |
| BXP ResNm | Resource File Name | nvarchar(254), not null | | |
| BXP User | User Code | nvarchar(8), not null | | |
| BXP Value | Value | ntext(8), not null | | |
| BXP RowVr | Last Modif. | nvarchar(20), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|---------------------|------------------------|-------------------------|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPUPDSCRIPT | Upgrade Scripts | | | |
| ScrpNm | Script Name | nvarchar(254), not null | | |
| Hash | Script Hash | nvarchar(32), not null | | |
| Module | Module | nvarchar(30), not null | | |
| | | | | |

Produmex Operator Database Structure

| Table name | Table description | | PK Table | PK Column |
|-----------------|--------------------|--|----------|-----------|
| Field name | Field description | Data type | | |
| | | | | |
| BXPUSRLC | UserLicense | | | |
| BXPEmpID | EmployeeID | int, not null | | |
| BXPLcSN | License Set Name | nvarchar(50), not null | | |
| BXPTermC | Terminal Code | nvarchar(8), not null | | |
| BXPUsrn | User Name | nvarchar(25), not null | | |
| BXPRowVr | Last Modif. | nvarchar(20), not null | | |
| BXPisIP | IsIP | char(1), not null, default: N N No Y Yes | | |
| | | | | |

Produmex Operator Database Structure

| Table name Field name | Table description Field description Data type | | PK Table | PK Column |
|--------------------------|--|---------------|----------|-----------|
| | | | | |
| BXPVERSIONS | Module Versions | | | |
| Version | Version | int, not null | | |
| | | | | |