

# Special customization

**Produmex Manufacturing is a legacy product and Boyum IT Solutions no longer sells new installations for it.**

## 1. User queries for validation

The user queries for validation should return two columns:

- RowTy: row type can be E (error) or W (warning)
- Msg: the error/warning description

An error message will appear in red on the bottom of the screen, and block the current process. A warning message will be displayed in a separate window, asking a confirmation from the user to continue. For more information about the message types please see: [Supported message types](#)

Only the first row of the result is taken into account.

### 1.1. User identification

User query name: *bxtc\_pdc\_user\_identification*

Parameters:

- [%0]: Action code (1 = OK)=/
- [%1]: Employee ID (OHEM.empID)
- [%9]: Terminal ID (IP address)

### 1.2. Production Operation Selection

User query name: *bxtc\_pdc\_production\_operation\_selection*

Parameters:

- [%0]: Action code ; possible values are:
  - 1 = Complete/Stop
  - 2 = Break/Partial
  - 3 = Resume (only available in old web/tomcat PDC client)
  - 4 = New Op
  - 5 = Admin
  - 6 = Materials (not available yet in BX Mobile PDC client)
- [%1]: Employee ID (OHEM.empID)
- [%2]: Operation ID (WOR1.U\_BXPBxID)
- [%3]: Job/Setup (0 = Job, 1 = Setup)
- [%9]: Terminal ID (IP address)

If more than one operations are selected, then parameters [%2] and [%3] are a coma-separated list of values.

### 1.3. Completed/Partial Job Quantities

User query name: *bxtc\_pdc\_job\_quantities*

Parameters:

- [%0]: Action code (1 = OK)
- [%1]: Employee ID (OHEM.empID)
- [%2]: Operation ID (WOR1.U\_BXPBxID)
- [%3]: Completed Quantity
- [%4]: Rejected Quantity
- [%5]: PDC Booking Code
- [%6]: Duration (calculated) in seconds (not supported yet)
- [%7]: Work Center Code
- [%9]: Terminal ID (IP address)

### 1.4. Start New Operation

User query name: *bxtc\_pdc\_start\_operation*

Parameters:

- [%0]: Action code (1 = OK)
- [%1]: Employee ID (OHEM.empID)
- [%2]: Operation ID (WOR1.U\_BXPBxID)
- [%3]: Job/Setup (0 = Job, 1 = Setup)
- [%9]: Terminal ID (IP address)

## 2. Other user queries

### 2.1. Product serial/batch number

This query is used when the serial/batch selection is disabled for products by enabling the 'Skip product serial/batch quantities screen' option on the [Thin client 2](#) tab. In that case, the operation quantities can be entered without selecting batches/serial numbers, and the user query will automatically create them when the PDC booking is being processed.

User query name: *bxtc\_pdc\_serial\_batch\_products*

Parameters	Returned columns
[%1]: Employee ID (OHEM.empID) [%2]: Operation ID (WOR1.U_BXPBxID) [%3]: PDC Booking Code [%4]: Product Code (OITM.ItemCode) [%5]: Quantity [%6]: Is Rejected? (0 = Completed, 1 = Rejected) [%7]: Purchase Order Line Extension Code (outsourcing only) [%8]: Product Type (outsourcing only) (1 = Main Product, 2 = By-Product, 3 = Unfinished Product)	SBNum: Serial or batch number Qty: Quantity

## 2.2. Material serial/batch number

This query is used when the serial/batch selection is disabled for materials by enabling the 'Skip material serial/batch quantities screen' option on the [Thin client 2](#) tab. In that case, the operation quantities can be entered without selecting batches/serial numbers, and the user query will automatically create them when the PDC booking is being processed.

User query name: *bxtc\_pdc\_serial\_batch\_materials*

Parameters	Returned columns
[%1]: Employee ID (OHEM.empID) [%2]: Operation ID (WOR1.U_BXPBxID) [%3]: PDC Booking Code [%4]: Material Code (OITM.ItemCode) [%5]: Quantity [%7]: Purchase Order Line Extension Code	SBNum: Serial or batch number Qty: Quantity

## 2.3. PTM Log

User query name: *bxtc\_pdc\_ptm\_log\_query*

Example query:

```
EXECUTE sp_executesql N'
BEGIN

DECLARE @RowNum INT, @IsStarted VARCHAR(1), @StartDate VARCHAR(20)

SET NOCOUNT ON

CREATE TABLE #EmpLog (RowNum INT, IsStarted VARCHAR(1), StartDate
VARCHAR(50), EndDate VARCHAR(50), Employee INT)
INSERT INTO #EmpLog SELECT ROW_NUMBER() OVER(ORDER BY U_BXPStam0) AS RowNum,
U_BXPActn AS IsStarted, U_BXPStam0 AS StartDate, NULL AS EndDate, U_BXPEmpID
AS Employee
FROM [dbo].[@BXPATTLOG]
WHERE U_BXPEmpID = 1

DECLARE log_cursor CURSOR FOR
SELECT RowNum, IsStarted, StartDate
```

```
FROM #EmpLog

OPEN log_cursor
FETCH NEXT FROM log_cursor
INTO @RowNum, @IsStarted, @StartDate;
WHILE @@FETCH_STATUS = 0
BEGIN
    IF @IsStarted = 'N'
    BEGIN
        UPDATE #EmpLog SET EndDate = @StartDate
    WHERE RowNum = @RowNum - 1
    END
    FETCH NEXT FROM log_cursor
    INTO @RowNum, @IsStarted, @StartDate;
END
CLOSE log_cursor;
DEALLOCATE log_cursor;

SELECT
CAST(LEFT(StartDate, 8) AS DATE) AS Date,
CAST(LEFT(StartDate, 8) AS DATE) AS StartDate,
CAST(LEFT(RIGHT(StartDate, 6), 4) AS INT) AS StartTime,
CAST(LEFT(EndDate, 8) AS DATE) AS EndDate,
CAST(LEFT(RIGHT(EndDate, 6), 4) AS INT) AS EndTime,
NULL AS BreakTime,
NULL AS JobTime,

DATEDIFF(MINUTE,
CAST(LEFT(StartDate, 8) AS DATETIME)
+ CAST(DATEADD(HOUR, (CAST(SUBSTRING(StartDate, 9, 2) AS INT)),
DATEADD(MINUTE, (CAST(SUBSTRING(StartDate, 11, 2) AS INT)),
DATEADD(SECOND, CAST(SUBSTRING(StartDate, 13, 2) AS INT), CAST('00:00:00'
AS TIME(3)))))) AS DATETIME),
CAST(LEFT(EndDate, 8) AS DATETIME)
+ CAST(DATEADD(HOUR, (CAST(SUBSTRING(EndDate, 9, 2) AS INT)),
DATEADD(MINUTE, (CAST(SUBSTRING(EndDate, 11, 2) AS INT)),
DATEADD(SECOND, CAST(SUBSTRING(EndDate, 13, 2) AS INT), CAST('00:00:00' AS
TIME(3)))))) AS DATETIME)) AS WorkTime,

CASE WHEN DATENAME(dw, CAST(LEFT(StartDate, 8) AS DATETIME)) IN
('Saturday', 'Sunday') OR EXISTS (SELECT 1 FROM HLD1 WHERE StrDate =
CAST(LEFT(StartDate, 8) AS DATETIME)) THEN 'N' ELSE 'Y' END AS
IsWorkingDay,

NULL AS InfoText1,
NULL AS InfoText2

FROM #EmpLog WHERE IsStarted = 'Y' AND StartDate IS NOT NULL AND EndDate
IS NOT NULL
```

```
DROP TABLE #EmpLog
END '
```

## 2.4. Workshop Monitor

User query name: *bxtc\_pdc\_workshop\_monitor\_query*

Example query:

```
SELECT TOP 30
    T0.Code as Code,
    T0.Name as Name,
    T1.ItemCode as ProductCode,
    T3.ItemName as ProductName,
    T0.U_BXPOpCod as OperationCode,
    T0.U_BXPOpNam as OperationName,
    T5.U_BXPPrfWC as PreferredWorkCenter,
    T5.U_BXPFeat as PreferredFeature,
    T0.U_BXPPlQty as PlannedQuantity,
    T0.U_BXPCoQty as CompletedQuantity,
    T0.U_BXPRejQt as RejectedQuantity,
    T2.IssuedQty AS IssuedQuantity,
    T1.DocEntry as DocEntry,
    T1.DocNum as DocNum,
    T2.LineNum as LineNum,
    T0.U_BXPBSetu as SetupTime,
    T0.U_BXPEDuDt as DueDate,
    T0.U_BXPPDueT as DueTime,
    T4.U_BXPPstCd AS PDCPostingCode,
    T4.U_BXPPstDt as PDCPostingDate,
    T4.U_BXPPstTm as PDCPostingTime,
    T4.U_BXPWCent as PDCWorkCenter,
    T4.Code as PDCBookingID,
    T6.firstName as EmployeeFirstName,
    T6.lastName as EmployeeLastName,
    T6.empID as EmployeeID
FROM
    [@BXPPRODORDEROPER] T0
    INNER JOIN [OWOR] T1 ON T0.U_BXPPrODE = T1.DocEntry AND
T1.[Status] <> N'L'
    INNER JOIN WOR1 T2 ON T2.U_BXPBxID = T0.Code
    INNER JOIN OITM T3 ON T3.ItemCode = T1.ItemCode
    LEFT OUTER JOIN [@BXPPDCBOOKING] T4 ON T4.U_BXPPr00I =
T0.Code AND T4.Code IN
    (SELECT TX.Code FROM [@BXPPDCBOOKING] TX WHERE
TX.U_BXPIsUnd = 'N' AND TX.U_BXPPr00I = T0.Code AND
    TX.U_BXPPstDt = (SELECT MAX(U_BXPPstDt) FROM
[@BXPPDCBOOKING] TX1 WHERE TX1.U_BXPIsUnd = 'N' AND TX1.U_BXPPr00I =
T0.Code) AND
    TX.U_BXPPstTm = (SELECT MAX(U_BXPPstTm) FROM
```

```
[@BXPPDCBOOKING] TX2 WHERE TX2.U_BXPIsUnd = 'N' AND TX2.U_BXPPr00I = T0.Code
AND TX2.U_BXPPstDt = TX.U_BXPPstDt)
      LEFT OUTER JOIN [@BXPPRODORDERREQU] T5 ON T5.U_BXPPr00I =
T0.Code AND T5.U_BXPResTy = 1
      LEFT OUTER JOIN OHEM T6 ON T6.empID = T4.U_BXPEmpID
WHERE
      T0.U_BXPPlQty > T0.U_BXPCoQty + T0.U_BXPREjQt AND
      T0.U_BXPCoQty + T0.U_BXPREjQt > 0 AND
      T0.U_BXPIsOuS = 'N'
ORDER BY
      T0.U_BXPEndDt DESC,
      T0.U_BXPEndTm DESC
```

When using the example query, operations with completed jobs are listed where the booked quantity is less than the planned quantity and there is at least one booking on it. Outsourced operations are not displayed.

## 2.5. Personal duration factor for multiple PDC bookings

This query is used when reporting a completion (either partial or complete) for more than one running jobs at the same time. In that case, the machine duration will be the full duration for all PDC bookings, however the person duration will be split among the PDC bookings according to the logic defined in this user query.

User query name: *bxtc\_pdc\_multiple\_pdc\_person\_duration\_factor*

Parameters	Returned columns
[%1]: Employee ID (OHEM.empID)	OpCod: operation code PsDur: person duration
[%2]: List of operation codes, coma-separated	
[%3]: List of work center codes, coma-separated (in the same order)	
[%4]: List of completed quantities, coma-separated (in the same order)	
[%5]: List of rejected quantities, coma-separated (in the same order)	
[%9]: Terminal ID (IP address)	

*Please note: This query has a default implementation which divides the total duration by the number of PDC bookings processed together for each PDC booking.*

## 2.6. Order Recommendation Custom Grouping

This query is used to customize the auto grouping function for [MTO planning](#).

The query runs when:

- If you click on Auto-Group button on the [Group Recommendations form](#)
- Order recommendations are being created and the 'Auto Group' option is set to true on the [MTO tab](#) of Produmex Manufacturing settings

User query name: *BXPPS\_MTO\_QueryNonGroupableItems*

## Parameters:

- [%0]: MTO scenario code

## Example query:

```
SELECT Code FROM [@BXPMT0ORDRSOLREF]
WHERE U_BXPMT0Sc = '[%0]' AND U_BXPitmCd IN (
    SELECT OITM.ItemCode
    FROM OITM, itt1
    WHERE oitm.itemcode = itt1.father and (itt1.code='ITEM01' or
    itt1.code='ITEM02' or itt1.code='ITEM03') )
```

From:

<https://wiki.produmex.name/> - **Produmex**

Permanent link:

[https://wiki.produmex.name/doku.php?id=implementation:manufacturing:customization\\_special](https://wiki.produmex.name/doku.php?id=implementation:manufacturing:customization_special)Last update: **2021/04/20 09:23**