
2025/04/19 02:42 1/11 3. Produmex Scan Settings

3. Produmex Scan Settings

To configure the settings for the system go to Administration > Add-Ons > Produmex Scan > Produmex Scan Settings.

3.1. General tab

The following table describes the fields on the General tab of the Produmex Scan Settings screen.



Field	Description/Activity
Don't translate trace	Obsolete setting.
Advanced Progress Bar	If this checkbox is checked, the system will display the Produmex Scan Advanced Progress Bar instead of the Business One Progress Bar. We recommend using the Produmex Scan progress bar, as at long processes SBO progress bar can stop.
DisplayTimeUoM	This setting is not in use in Produmex Scan.


Last u	ndate:	2024/0	6/24	12.10

Field	Description/Activity
Company Logo	The company's own logo, used in reports. Path to image file requested.
BxBackOffice Server URL	Obsolete setting.
Chart XML Folder	This setting is not in use in Produmex Scan.
Produmex Support Business Partner	If an error occurs, a message box is displayed with the error details. You can send the error message to Support from this message box. You will need to set a Business Partner first, and set the Contact Person's email address. Set this Contact Person's code for the Produmex Support Business Partner field. You have to set up SBO Mailer for this function to work.
Name of last started AddOn	Internal field, not editable.
Date of last started AddOn	Internal field, not editable.
Time of last started AddOn	Internal field, not editable.
Use Message Board	The message board lets add-ons communicate with each other. In some cases, events are forwarded to non-Produmex add-ons. In this case, turn this setting off, but in this case communication between Produmex add-ons will stop.
TxSyncServer URL	This setting is not in use in Produmex Scan.
Seconds of last started AddOn	Internal field, not editable.
Grid Row Count Decrease Number	Decrease height of form grid to allow buttons being correctly seen at the bottom of the window. Positive integer needed. Useful if you have SAP 8.8 or higher with a low resolution monitor and the buttons are in the grids.
Close Stucked AddOns	If enabled, the add-on kills any other instance of BXWH9AddOn.exe on start. It means that only one Produmex Scan add-on can run at a time. On terminal server environments it is recommended to disable this setting as it kills Produmex Scan add-ons run by other users as well.
Enabe Produmex statusbar (SBO 8.8 or above)	Obsolete setting
Do Not Use GetAsXml	When Produmex Scan request table information, we can use GetAsXml SAP function. Sometimes there were SAP DI errors, in this case we can use a Produmex Scan function to request the data.
Password for DI Connection	Modify DI connection mode to work around for SAP 9.0 pl9 hotfix 1 bug by direct DI connection
Copy Bitmaps Manually	If enabled, the icon image files will not be copied from the SBO installation folder when the add-on starts. Enable this setting if the user do not have writing permission for the folder set as the Pictures Folder on the Path tab of General Settings.
Boyum License URL	Boyum IT Offline Licensing webpage For more information see Licensing: Offline Solution.

3.2. SQL tab

The following table describes the fields on the SQL tab of the Produmex Scan Settings screen.


2025/04/19 02:42 3/11 3. Produmex Scan Settings



Field	Description/Activity
ADO.NET SQL Username	The User name for the MS SQL database (usually sa). Scripts use this setting (for example for upgrading a database).
SQL Time out in seconds	SQL Timeout setting for SQL queries.
SQL execution duration alert in milliseconds	If the execution of a query exceeds the time defined in this setting, a warning is added to the log file.

3.3. Logs tab

The following table describes the fields on the Logs tab of the Produmex Scan Settings screen.




Field	Description/Activity
Auto Purge Audit Logs in days	The add-on logs each database transaction in the Audit Log table. This log can be deleted automatically in the interval set here. The default setting is 30 days.
Keep Audit Logs in days	The system deletes the log entries, which are older than the number of days set here.
Log resource strings	If this checkbox is checked, the system logs every Resource String from open forms to a log file. By default log files are located in: %ProgramData%\Boyum IT\Produmex Scan (for pre-2023.06 versions it is %AppData%\Roaming\BX\Logs).
Logging Level	Sets which events are logged. Possible values: Errors Only Errors and Warnings Errors, Warnings, Information Debug (everything) By default log files are located in: %ProgramData%\Boyum IT\Produmex Scan (for pre-2023.06 versions it is %AppData%\Roaming\BX\Logs).
Log Table - max number of days to keep	Log entries that exceed the specified number of days will be deleted from the "@BXPLOG" table.

Field	Description/Activity
Log Table - max number of rows to keep	Defines the maximum number of rows that are kept in the "@BXPLOG" table.

3.4. Reports tab

The following table describes the fields on the Reports tab of the Produmex Scan Settings screen.



Field	Description/Activity
Report Layout Folder	The folder which contains the RPT files for reports.
Report Output Folder	The folder which will contain the generated PDF files for reports.
Paper Size (Reports)	Paper size for reports. Example: A4, A3
Paper Orientation (Reports)	Paper orientation for reports. Example: portrait, landscape
Printer Name (Reports)	Printer name for reports.
	If enabled, the <i>Preview before print</i> checkbox is checked by default on the Select Report Layout screen.
Preview with Watermark	If enabled, the watermark is printed on print previews as well.

3.5. **UIP** tab

The Usability Improvement Program (UIP) aims to give all Boyum IT customers the ability to contribute to the design and development of Boyum IT products. For more information about UIP click here.

×

Field	Description/Activity
Usability Improvement Program	If the Usability Improvement Program is setting is enabled, the add-on automatically sends information to Boyum IT about how the product is used. The information is used to improve the related features. The gathered data sent to Boyum IT can be: (1) feedback (generic information e.g. SAP version, resolution and add-on specific information e.g. number of configurations) (2) error UIP does not send any business data, confidential information or user / customer information.

https://wiki.produmex.name/ Printed on 2025/04/19 02:42

2025/04/19 02:42 5/11 3. Produmex Scan Settings

Field	Description/Activity
Scheduled Time to Send Data	The exact time of the day when information is sent
Send Errors Only	If the setting is enabled, only errors are sent to Boyum IT.
Last Date Data was Sent	
Last Time Data was Sent	

3.6. Produmex Scan General tab

The following table describes the fields on the Produmex Scan General tab of the Produmex Scan Settings screen.

×		
Field	Description/Activity	
Maximum number of documents to display per page (more than 20 may cause performance issues)	Defines the maximum number of lines displayed on one screen. If the number of the lines to be listed exceeds this number, page navigator buttons are displayed on the screen. Use these buttons to navigate between pages. Please note: The Refresh button must be pressed in order to apply the added filters even though the navigation buttons are displayed.	
Maximum number of serials/batches to display (more than 100 may cause performance issues)	If you work with serial/batches numbers, with this setting you can limit the number of the displayed items.	
Maximum number of lines for stock queries to display (more than 100 may cause performance issues)	Defines the maximum number of lines displayed in the Query Stocks/Stock Info screens.	
Don't close screens with completed quantity	If you picked all quantities on quantity screens, then Produmex Scan falls back to the document line screen by default. In this case you cannot use any customization after a 'ButtonAdd' event. With this setting you can configure Produmex Scan to stay on the quantity screens, and you have to close it manually. This setting doesn't work in Picking function, since the quantity screen is different.	
Don't close screen after picking delivery	After the delivery is created in Picking, Produmex Scan falls back to the select a pick list screen by default. If this checkbox is enabled, Produmex Scan stays on the pick list lines screen after the delivery is created.	
Allow issuing more items for production than planned	If this setting is disabled, only the production order lines that have open quantities to issue are listed in the 'Issue for production' function.	
Allow reception for production of more products than planned	If this setting is disabled, only production orders that have open quantities to receive are listed in the 'Receipt form Production' and 'By-Product' functions.	

Last update: 2024/06/24 12:	1 N	

Field	Description/Activity
Enable multi-item Stock Transfers	This function allows to park transactions before you post them, that is, you can add multiple items to a stock transfer before posting. Once you click the Post button, however, it is possible that not only your transactions will be posted. If there is another user creating a stock transfer to the same warehouse/bin location, the user's transactions will be posted as well. (If you are supposed to be allowed to post only your own transactions, please consult with the description of function <i>Transaction Separation for Warehouse Scanners</i> available in this table.) If function <i>Enable multi-item Stock Transfers</i> is disabled, only single-scan-transactions are possible, that is, you are allowed to post transactions only one by one.
Ignore special lines when creating Documents	It is enable, the text lines of a sales order won't be copied to a delivery.
Exclude Sales Orders when checking allocated quantities	If enabled, stock allocated to sales orders cannot be used when issuing stock during outgoing processes.
Sales return document location must be the same	Items can only be returned to the same bin location.
Credit note document location must be the same	Items can only be returned to the same bin location.
Keep base document line order for Delivery (instead of picking order)	If enabled, the Delivery document lines are added in the order of the base document, otherwise they will be added in the order of the picking.
Real-time Stock Counting	If enabled, Produmex Scan automatically updates the Inventory Counting document with the result of the counting after pressing the Finish button in the end of Stock counting or Quick counting. If this setting is disabled, the counting result will be stored in a user table. The synchronization can be initiated from the right-click menu on the SBO Inventory Counting document. The synchronization works if the counter employee is linked to the SAP user account and the Finish button is pressed to finish the counting.
Show all Stock Counting data on scanners	If enabled, already counted items are listed on the Stock Counting screen. Please note: Items with different batch or serial number will be listed in separate lines. If disabled, only the number of the counting records is displayed.
Display all sheet bin locations for Quick Counting	It is enable all bin location will be displayed for quick counting.
Guided Quick Counting (Y/N)	If enabled, the Guided Count process can be started instead of Quick Counting.
Restricted zone handling in Quick Counting (Y/N)	If enabled, the counter is only allowed to count locations included in the Inventory Counting document during Quick Counting and Guided Counting.
Sticky destination location for Stock Transfer Requests	If enabled, the last To: location will be remembered during processing Stock Transfer Request, this can be convenient if STR items are put in the same destination location (maybe a cart, pallet, etc.)
Keep focus on prepared line (all processes)	If enabled: The item that just was full picked remain in focus even if it jumps to the end of the list.
Display completed Stock Transfer Request lines at the end of the list	At Stock Transfer Request process the processed lines will be shown in the bottom of the list.

2025/04/19 02:42 7/11 3. Produmex Scan Settings


Field	Description/Activity
Goods Receipt PO quick refresh mode	During reception, Goods Receipt PO lines can be set to refresh data only on the current line, not the whole list.
Copy user fields from base line to Serial/Batch Details (Goods Receipt PO only)	Enable this setting to copy the UDF value from the purchase order lines to the matching Serial/Batch detail field when the Goods Receipt PO is created. Please note: The value will be copied only if the UDF and the Serial/Batch detail has the exact same name.
Timeout for messages (except for errors, seconds)	Warnings, Information messages, are closed automatically after the time set at this field.
Diagnostic Client Log settings	Special option for collecting error logs from the mobile client. Only use when instructed by Produmex support.
Don't show icons on main menu (use buttons instead)	Display only simply buttons with no icons.
Detailed mobile log	Only for picking and stock transfer. More details are recorded in to table: @BXPLMSMOBLOG
Enable SAP DI API logging	If this setting is enabled, a new log file is created under "c:\ProgramData\Boyum IT\Produmex Scan\Service Broker\". The file name is SAP-DIAPI-yyyy-mm-dd.log
Alternative Item Name field	To display alternative item names on the scanner, add the OITM table field name where the alternative name of the item is stored to this field. Please note: In order to add user defined fields, insert the 'U_' prefix. Restart the Service Broker to apply the Alternative Item Name.
Transaction Separation for Warehouse Scanners	Using this function is reasonable only if you enable function <i>Enable multi-item Stock Transfers</i> (the description of the function is available in this table). If function <i>Transaction Separation for Warehouse Scanners</i> is enabled, you can add multiple items to a stock transfer before posting, however, when you click the Post button, only your transactions will be posted .
Transaction Separation for Production Receipt	The setting is recommended to be used if more than one employee works on the same purchase order. If the setting is enabled, the Receipt from Production Flow separates the transactions based on the employees who have been working on the purchase order. Produmex Scan displays the number of purchase order lines that have been received by the given employee and the purchase order lines can be posted based on the separate transactions. E.g. 6/9/10 pack means that altogether 10 packs should be received, out of which 9 packs have already been received and 6 packs have been received by the given employee. It means that 3 other packs have been received by (an)other employee(s). These transactions now can be posted separately.
Transaction Separation for Production Issue	The setting is recommended to be used if more than one employee works on the same production order. If the setting is enabled, the Issue for Production Flow separates the transactions based on the employees who have been working on the production order. Produmex Scan displays the number of production order lines that have been issued by the given employee and the production order lines can be posted based on the separate transactions. E.g. 6/9/10 pack means that altogether 10 packs should be issued, out of which 9 packs have already been issued and 6 packs have been issued by the given employee. It means that 3 other packs have been issued by (an)other employee(s). These transactions now can be posted separately.

Last update:	2024/06	/24 12:10

Field	Description/Activity
Copy UDF Values to Target Document (workaround for an SAP Business One bug, for more information click here)	If the setting is enabled, the UDF values of the base document are copied to the target document when the target document is being created. The data copy is applied on a head and line level as well. The setting applies to the following cases: * Purchase Order > Goods Receipt PO * A/P Reserve Invoice > Goods Receipt PO * Sales Order > Delivery * A/R Reserve Invoice > Delivery * Pick List > Delivery * Inventory Transfer Request > Inventory Transfer * Sales Order > Inventory Transfer * Delivery > Sales Return * A/R Invoice > A/R Credit Memo Exception: If a UDF is filled in on the base document and it is also configured as a custom field on the Produmex Scan client, user queries must be created to have the default value of the UDF copied from the base document to the target document. Important: By default, the setting is disabled because it causes a loss in performance. If you use UDF values on a head and/or line level and they are copied while using Produmex Scan, make sure that you enable the setting to avoid potential data loss.

3.7. Produmex Scan Scanning tab

The following table describes the fields on the Produmex Scan Scanning tab of the Produmex Scan Settings window.




2025/04/19 02:42 9/11 3. Produmex Scan Settings

Field	Description/Activity	
Item code or item barcode must be scanned during Picking	If this option is enabled, then the item code or the item's bar code must be scanned during picking; otherwise the item is prefilled and doesn't need to be scanned.	
Prefill quantities for Goods Receipt PO		
Prefill quantities for Stock Transfer Request	Prefill quantities (separate options for different processes): None: No prefill will be used for this task.	
Prefill quantities for Picking Prefill quantities for Issue for Production	Open: The system will fill in the quantities of all receives as the full expected or full remaining expected quantity. For example: if the order is 20 and 5 have been received, the system will default the next receive for 15. Unit: The system will fill in the quantities with one unit.	
Prefill quantities for Receipt from Production		
Prefill quantities for Return Components		
Prefill unique batches (outgoing processes)	If this setting is enabled, an there is only one batch in stock for the item, the batch is automatically filled during outgoing processes.	
Prefill unique batches for Stock Counting	If this setting is enabled, an there is only one batch in stock for the item, the batch is automatically filled during stock counting.	
Post the corresponding quantity when scanning item bar code in quantity field	When scanning an item's bar code into a quantity field, a quantity of 1 for the corresponding UoM is pre-filled; if this option is enabled, the quantity is automatically posted/added, otherwise the user has to press the Add/Update/Post button.	
Auto book unit when scanning normal item for Stock Counting	When doing inventory counting, scanning a barcode automatically counts a unit (eg. 1 piece, 1 carton) for the item	
Barcode scanner prefix Barcode scanner suffix	If the barcodes contain prefix/suffix characters that should be removed before processing it, you can specify it here. Eg. if you have a (and) prefix/suffix, the printed item barcode can look like (A1000) which will be processes as A1000.	
GS1-128 barcode group separator	Group separator character for GS1-128 type barcodes. Example: \$	
Code ID type	For GS1-128, there are two international standards, the Symbol standard and the AIM standard. With Symbol CodeID, the scanned input text is prefixed with (K for GS1128. Currently only None value is supported.	
Allow selecting locations from Find Stocks screen (outgoing processes)	If enabled, the Find Stocks button allows to select an location.	
Allow selecting batches from Find Stocks screen (outgoing processes)	If enabled, the Find Stocks button allows to select an existing batch.	
Optimized mixed serial/bin handling (Goods Receipt PO, Stock Transfer Request)	If enabled, the bin location and the serial number can be added on the GR/PO lines screen.	
Audio directory for scanning (Service Broker directory)	The path of the sound files that Produmex Scan can use for playing a sound when scanning barcodes. See the related settings here.	

3.8. Produmex Scan Picking tab

The following table describes the fields on the Produmex Scan Picking tab of the Produmex Scan

Settings screen.



Field	Description/Activity
Allow working on already taken Pick Lists	It is advised for an extend pick list. More than one user is allowed to pick the items included in the list.
Real-time Picking (post instantly after picking an item)	If enabled (default) every picking action instantly updates the SAP Pick List document.
Allow changing bin/batch/serial allocations for Picking	If enabled, the bin/batch/serial numbers are allowed to be different than what is specified in the Pick List.
Speed Picking (Real-time Picking must be disabled)	If it is enabled, the lines from the selected picklist are loaded only once, when the Picking screen is first opened for that pick list. The selection automatically jumps onto the next un-picked line following the line last picked; this is another improvement to simplify the picking process.
Sequential Picking ('Speed Picking' must be enabled)	If it is enabled, the entire control stays basically in the Picking Line Details screen, and the control jumps back to the Pick List screen only after the last line has been picked. The user can always jump back with the Back button, of course.
Streamlined Picking	Enables a special POS-like mode for picking where all items are picked from a single bin location or non-bin warehouse. In this case, scanning an item code or barcode automatically adds a quantity of 1 (can be changed on the screen) to the picked quantity. The settings is applicable for normal items.
Pick List lines quick refresh mode	When picking from a non-bin warehouse the Pick List - lines screen can be set to only refresh the current line data (quantities), not the whole list.
Release active Pick List on timeout	During picking, the Pick List is allocated to the working employee. If there is a timeout and the worker is forced to the main menu, if this option is set the pick list will be reset to be available to others.
Timeout interval for Picking (seconds)	If specified, the worker is forced to the main menu from picking after this many seconds of inactivity.

3.9. Produmex Scan Strategies tab

The following table describes the fields on the Produmex Scan Strategies tab of the Produmex Scan Settings screen.

2025/04/19 02:42 11/11 3. Produmex Scan Settings



Field	Description/Activity
Incoming strategies user query name	The user query name used for the incoming strategy.
Incoming strategies frequency (seconds)	Number of seconds to run the incoming strategy periodically. $0 = disabled$.
Replenishment strategies user query name	The user query name used for the replenishment strategy.
Replenishment strategies frequency (seconds)	Number of seconds to run the replenishment strategy periodically. 0 = disabled.
Allow changing target Bin Location allocation for Stock Transfer Draft	If the function is enabled, you are allowed to use a target bin location different from the one that is allocated on the Stock Transfer Draft.

From:

https://wiki.produmex.name/ - Produmex

Permanent link:

https://wiki.produmex.name/doku.php?id=implementation:scan:settings

Last update: 2024/06/24 12:10

