

5.1.3.3. Batchnumber 1 on company

Generates batch number for reception based on format (BGRF)



Can the user change the generated batch number? (Y/N)

Option to whether or not the user will be able to change the generated batch number during the reception process.

Must batch number be overwritten by scanned batch number of GS1 label? (Y/N)

Can the entered batch number be overwritten by the batch number that is present in the barcode on the GS1 label (if any) of the received items.

The current sequential number

Field that holds the current sequential number.

The date format to reset sequential number

Defines the date format on what the sequential number will be reset. In the example above the sequential number will be reset when the year changes.

The format

Defines the format of the generated batch numbers.

A tag starts with '[' and ends with ']'. Inside a tag the first part is the identifier of the type of value that needs to be entered. Next is a ':' to split the identifier and the value of the identifier.

Possible tags in the format:

[Date:yyMMdd] or [D:yyMMdd]

Date: This will be replaced by the date format provided in the value of the identifier. All windows allowed formats are allowed. It will perform the method `DateTime.ToString(string value)` of Windows.

[DayOfYear:3] or [DY:3]

Date: This will be replaced by the day of year. The value indicates the minimum length the processed value should have. The fill character is '0'. So if the day of year is 99, and value is 3, the processed value will be 099.

[X:4]

Sequential number: This will be replaced by the sequential number. The value indicates the minimum length the processed value should have. The fill character is '0'. So if the sequential number is 99, and value is 4, the processed value will be 0099.

The update date for sequential number

The last update date in the specified format. This is used to know when the sequential number needs to be reset.

Generates prefix-year-month-serial batch number for reception XXXYYYYMMSSSS



Can the user change the generated batch number? (Y/N)

Option to whether or not the user will be able to change the generated batch number during the reception process.

Must batch number be overwritten by scanned batch number of GS1 label? (Y/N)

Can the entered batch number be overwritten by the batch number that is present in the barcode on the GS1 label (if any) of the received items.

The current month

Field that holds the current month.

The current serial

Field that holds the current serial number.

The current year

Field that holds the current year.

The length of the serial

Defines the length of the serial number

The prefix

Defines the prefix of the generated batch number.

BatchNumberGeneratorReception - Generates empty batch number for reception



The user will have to enter the batchnumber manually.

Must batch number be overwritten by scanned batch number of GS1 label? (Y/N)

Must the entered batch number be overwritten by the batch number that is present in the barcode on the GS1 label (if any) of the received items.

BatchNumberGeneratorReception - Generates year-serial batch number for reception YYYYSSSSS



Generates an automatic batch number based on the specified criteria: i.e. year + serial number of a specific length. It can furthermore be defined whether or not the user will be able to change the generated batch number.

Can the user change the generated batch number? (Y/N)

Option to whether or not the user will be able to change the generated batch number during the reception process.

Must batch number be overwritten by scanned batch number of GS1 label? (Y/N)

Can the entered batch number be overwritten by the batch number that is present in the barcode on the GS1 label (if any) of the received items.

The current serial

Field that holds the current serial number.

The current year

Field that holds the current year.

The length of the serial

Defines the length of the serial number.

Prefix-year-month-day-salesordernum batch number for reception PPPYYYYMMDD-SSSSSS (BGR-YMDS)



Generates an automatic batch number based on the specified criteria: prefix + year + month + date + linked sales order. It can furthermore be defined whether or not the user will be able to change the generated batch number.

Can the user change the generated batch number? (Y/N)

Option to whether or not the user will be able to change the generated batch number during the reception process.

Default postfix if no sales order link

Defines the postfix of the generated batch number, if there is no sales order linked to the purchase order.

Must batch number be overwritten by scanned batch number of GS1 label? (Y/N)

Can the entered batch number be overwritten by the batch number that is present in the barcode on the GS1 label (if any) of the received items.

Prefix

Defines the prefix of the generated batch number.

From:

<https://wiki.produmex.name/> - Produmex

Permanent link:

<https://wiki.produmex.name/doku.php?id=implementation:wms:bn1company&rev=1563874184>

Last update: 2019/07/23 09:29

