

Produmex Manufacturing Functional Guide

Quick Start Tutorial

1. Overview

1.1. Produmex Manufacturing

Produmex Manufacturing is an add-on for SAP Business One that extends the Production module of SAP Business One with new factor: manufacturing resources. The incorporation of this new concept required a myriad of modifications to the system forms and databases and new forms, reports and database tables.

A major strategic decision was that wherever SAP Business One has a solution for manufacturing concept, Produmex Manufacturing will re-use or extend that solution. For example, the original forms and database tables for Item Master Data, Bill of Material, Production Orders, MRP Scenarios and Recommendations have been reused and extended. The Material Resource Planning logic had to be completely rewritten, and when the user presses the Run button in the MRP Wizard screen, the Produmex Manufacturing Advanced MRP logic executed, and not the original simple MRP. The architecture of the add-on is backward compatible with the SAP Business One original simple Production Module; this make migration very simple and straightforward.

1.2. Business Benefits

From business perspective the major benefits the user of the add-on may get are as follows:

- The technology of manufacturing process can be defined with the operations and material requirements. The entire production process can be scheduled at the minute level. This way the company will have an exact schedule of the manufacturing resource consumption. Eventually it may come to light that the old processes were not efficient and fewer resources may produce the same results, or the same amount of resources could produce more products.
- Since the manufacturing process is scheduled the material requirements can be ordered just-in-time. That is it is not needed to purchase all materials long before the materials are actually needed. This way warehousing costs can be significantly reduced and the money needed to finance the manufacturing process could be reduced.
- Since the manufacturing resources of limited capacity are taken into consideration when planning or scheduling the process, the result will be much more realistic.
- Since the add-on is fully and completely integrated with SAP Business One, there is no gap between the manufacturing system and the enterprise information (inventory, sales, purchasing, accounting, etc) system.

2. Setup and Installation of the Company

2.1. Installing the Produmex Manufacturing Add-On

Produmex Manufacturing is packaged and distributed as a regular SAP Business One add-on with an .ard and a self-installing .exe file. For more information about the installation process please see: [Installation Guide](#)

2.2. Setup initial data

Produmex Manufacturing extended the standard SAP production module with manufacturing resources. Work centers are the primary resources. When using the multi-dimensional allocation strategy, supplementary resources such as employees, tools and constraints can be defined as well.

Before setting up the resources, create Shift Day Types and Shift Plans.

The shift day types are used when shift plans are defined for resources. A shift day type can contain multiple shifts. It is possible to add overtime and nonproductive shifts for administrative reasons, but such shifts are never used by the resource scheduling logic. The productive ratio determines how much of a shift is used by the resource allocation logic.

On shift plans a shift day type can be assigned for each calendar day.

The screenshot displays the SAP Business One Administration console with the 'Setup' menu open. The 'Shift Plans' option is highlighted. The main window shows the 'Shift Day Type' configuration for 'nORMSDT' (Normal Working Days). Below this, the 'Shift Plan Year' window is open for 'REGSP' (Regular Shift Plan) for the year 2017, showing a table of dates and assigned shift day types. A third window, 'Shift Plan', is also visible, showing the configuration for the 'REGSP' shift plan.

Shift	Description	From Time	To Time	Is Productive	Is Overtime	Productive Ratio
mOROT	Morning Overtime	06:00	08:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.700
mOR	Morning Shift	08:00	12:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.750
lNCBR	Lunch Brake Shift	12:00	13:00	<input type="checkbox"/>	<input type="checkbox"/>	
aNN	Afternoon Shift	13:00	17:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
nGHTOT	Night Overtime	17:00		<input type="checkbox"/>	<input type="checkbox"/>	

Date	Month	Week	Day	Shift Day Type	Comment
01/01/17	January	52	Sunday	Normal Working Days	
01/02/17	January	1	Monday	Normal Working Days	
01/03/17	January	1	Tuesday	Normal Working Days	
01/04/17	January	1	Wednesday	Normal Working Days	

Then define the Resource Features. A feature in the resource context is a kind of capability a specific resource has. A resource may support multiple features. A feature is used by the resource scheduling logic to find the appropriate resource for a manufacturing operation.

Code	Name	Resource Type
aSS	Assembly	Work-Center
aSSU	Assembly Unlimited	Work-Center
cRF	Constraint	Constraint
cUT	Cutting	Work-Center
dRY	Drying	Work-Center
eRF	Employee Resource Feature	Employee
pNT	Painting	Work-Center
pNTDRY	Painting and Drying	Work-Center
qUA	Quality Checking	Work-Center
TRF	Tool Resource Feature	Tool
wLD	Welding	Work-Center

Buttons: OK, Cancel, Resources, Cost Amounts

Then define Work Centers. A work center is an individual production area or sub-process of an overall manufacturing process. It is a section of a production facility where all tasks associated with a particular process (such as assembling, painting, welding) are performed. A work center may represent a single machine, a group of machines, a single person, a group of persons.

The job scheduler will only take into account 'Active' work centers. The assigned shift plan defines the working schedule of the work center.

Work centers must support at least one feature. Features can be switched off individually with the 'Is Active' checkbox. With the 'Job Time Scale' setting the efficiency of the work center regarding the feature can be set.

Code: wPD
Name: SX Painter and Dryer Machine
Active: ☒
Unlimited: ☐

ShiftPlan: pNTSP
Profit Center:
Bin Location: 01-SYSTEM-BIN-LOCATION

Resource Features

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
dRY	Drying	<input checked="" type="checkbox"/>	1.000	1.000	1.000
pNT	Painting	<input checked="" type="checkbox"/>	1.000	1.000	1.000
pNTDRY	Painting and Drying	<input checked="" type="checkbox"/>	1.000	1.000	1.000

Buttons: OK, Cancel, Allocations

When using the multi-dimensional allocation strategy, you can define Employees, Tools and Constraints too.

Administration

- Choose Company
- Exchange Rates and Indexes
- System Initialization
- Setup
 - General
 - Financials
 - Opportunities
 - Purchasing
 - Business Partners
 - Banking
 - Inventory
 - Resources
 - Service
 - Production
 - Shift Day Types
 - Shift Plans
 - Resource Features
 - Work Centers
 - Employees**
 - Tools
 - Constraints
 - Reasons
 - Data Import/Export
 - Utilities

Employee

Code: 1, Name: Doe, John, Active: ☒ ShiftPlan: rEGSP, Profit Center: , Bin Location: 01-SYSTEM-BIN-LOCATION, Employee ID: 1, Doe, John

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
eRF	Employee Resource Feature	<input checked="" type="checkbox"/>	1.000	1.000	1.000

Tool

Code: tMH, Name: Machine, Active: ☒ ShiftPlan: rEGSP, Profit Center: , Bin Location: 01-W2-W2-S2, Quantity: 2.000

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
tRF	Tool Resource Feature	<input checked="" type="checkbox"/>	0.000	0.000	0.000

Constraint

Code: cCO, Name: Constraint, Active: ☒ ShiftPlan: rEGSP, Profit Center: , Bin Location: 01-SYSTEM-BIN-LOCATION, Quantity: 1.000

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
cRF	Constraint	<input checked="" type="checkbox"/>	1.000	1.000	1.000

OK Cancel Allocations

Resources can be linked to the BoM/production order with operations. Operations are special items that represent manufacturing processes.

First create a [Manufacturing Operation](#). When a manufacturing operation is created, an 'Operation' item is automatically added. The parameters of the operation can be set on the Item Master Data and the Manufacturing Operations form. The operation will be more meaningful in the context of a Bill of Material (BoM) or Production Order. All the parameters (except Is Outsourceable) for an operation can be redefined in a BoM or Production Order.

An operation has a number of parameters, the most important of which is the 'Job Time'. The 'Job Time' defines the resource capacity the operation requires. The setup, job and teardown times consume resource capacity while the before, safety and after times do not consume capacity but are taken into account when calculating the beginning of the jobs in the sequence of operations. The job time for some operation cannot be defined for a single unit; the 'Time Base' is the number of the units of the operation the job time refers to.

The second most important parameter of an operation is the Work Center Feature. For each operation a Work Center Feature must be selected. This parameter is used extensively by the job scheduler; when the scheduler tries to find work center capacities for an operation, it will search for work centers that have the selected feature for the operation. It is possible to define a preferred work center. When the 'Is Mandatory Work Center' checkbox is checked, the job scheduling logic will always allocate the operation on the preferred work center. When using the multi-dimensional allocation, supplementary resources can be defined for the operation on the grid.

If an operation is a parallel operation, it means that it can be performed by multiple work centers at the same time if there are enough resource capacities available. Operation break types define

whether more than one allocation for an operation is allowed or not.

As mentioned earlier operations are items from the perspective of SAP Business One, and some of their parameters can be defined in the item Master Data form. An operation item is never an inventory item. If the operation is outsourceable the item is set as 'Purchased' item.

The screenshot displays two SAP Business One windows. The 'Manufacturing Operations' window shows details for an operation named 'Bike Assembly' (Operation Code: cPAS). It includes fields for time-based parameters (Before Time, Safety Time, Setup Time, Job Time, Teardown Time, After Time, Time Base) and allocation parameters (Is Outsourceable, Item Group, Operation Break, Operation Time UoM, Is Parallel Operation, Max Parallel Operations, Allocation Window, Min Job Quantity). Below this is a table for 'Resource Features' with columns for Res. Type, Feature, Feat. Name, Pref. Res., Pref. Res. Name, Is Mand. Res., Amount, Setup, Job, and Teardown. The table lists resources like Employee (eRF), Tool (tRF), and Employee (tMH) with their respective amounts and setup/job/teardown flags. The 'Item Master Data' window is also visible, showing the 'Bike Assembly' item with its description, item type (Manual), item group (Operation), and various flags (Inventory Item, Sales Item, Purchase Item). The 'Item Role' dropdown is set to 'Operation'.

Operations are used extensively in production Bill-of-Materials. The standard SAP Business One BoMs are extended by Produmex Manufacturing add-on with operation items.

The role of an item can be indicated with row types. A row in a BoM may be of type:

- Material (Purchased and own-manufactured items are differentiated with row icons)
- Operation
- By-Product (A material with negative quantity)
- Unfinished Product (For [Outsourcing.](#))
- Unfinished Material (For [Outsourcing.](#))
- Phantom (Virtual item in SAP Business One.)
- Cost (Any non-inventory item can be defined as 'Cost')

The sequence of materials and operations are important: materials required for an operation should come above (from top down) the operation.

Milestones connect the operations with the belonging materials. The issue method of an operation should always be 'Backflush'. Items with 'Manual' issue type can be set with the following Milestones:

- *Depends on Begin*: The item will be issued when a Start Job is reported for the subsequent operation.
- *Depends on Every*: The item will be issued/received at every PDC booking for the subsequent operation where a quantity is booked.
- *Depends on End*: The item will be issued/received at every complete job booking for the subsequent operation.

We recommend to only use the 'Depends on End' milestone type if the base quantity of the material is 1 and only 'Completed' job bookings are used.

The quantity of an operation is the same as the job time. The initial parameters of an operation are

copied from the manufacturing operation, and these parameters may be customized for the BoM. The operation details form can be opened by clicking the row image icon.

#	Row Type	R. Type	No.	Description	Quantity	UoM	N...	Warehouse	Issue Method	Milestone Type	Production Std...	Total Production...	Price List
1	Material	Item	mH1001	Painted Bike Fr	1	pcs		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
2	Material	Item	m3	Chain	1	pcs		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
3	Material	Item	m4	Wheel	2	pcs		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
4	Operation	Item	oPAS	Bike Assembly	180	min		01	Backflush	Milestone	\$ 0.00	\$ 0.00	Selling Price
5	Cost	Item	cOST1	Project Manag	1			01	Backflush		\$ 0.00	\$ 0.00	Selling Price
6	Unfinished Prc	Item	uP1001-0	Red Bike (Basic	-1	pcs		01	Backflush	Depends On End	\$ 0.00	\$ 0.00	Selling Price
7	Unfinished Ma	Item	uP1001-0	Red Bike (Basic	1	pcs		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
8	Operation	Item	oPQA	Quality Assur	3	min		01	Backflush	Milestone	\$ 0.00	\$ 0.00	Selling Price
9	Material	Item	m5	Bell	1	pcs		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
10	Material	Item	m6	Screw 8mm (N	1	pair		01	Manual	Depends On Begin	\$ 0.00	\$ 0.00	Selling Price
11	Operation	Item	oPB1	Bell Installation	5	min		01	Backflush	Milestone	\$ 0.00	\$ 0.00	Selling Price
12	Cost	Item	cOST2	Energy	1			01	Backflush		\$ 0.00	\$ 0.00	Selling Price
13		Item											Price List 01


To calculate the estimated price of a product based on the Bill of Materials, configure the [Cost Calculation](#) settings.

2.3. Install initial data

In most cases when SAP Business One is installed for a company, the company has already had some computerized information system. Therefore, typically the first job for a SAP Business One installation project is to migrate or import the startup data for the company database of SAP Business One. The tools that may help in this job are Test Script Executor and Test Script Creator. Download the Test Script Executor and the Test Script Creator from: [TxTestScriptCreator.zip](#)

For more information about how to use the Test Script executor for installing initial data please see: [Test Script Executor](#)

3. Everyday Work - Business Process



3.1. Receiving Sales Orders and Sales Quotations

3.1.1. Receiving Sales Orders

The requirements for the manufacturing process in most businesses are driven by sales orders. The Sales Order form is extended by Produmex Manufacturing with a new field 'MRP Date'. The MRP Date calculated by the planning logic of Produmex Manufacturing is the earliest possible date to

accomplish/fulfill the sales order.

Please note: Only the Bill of Materials of the product is considered during the MRP Date calculation. The Bill of Materials of lower level assembly materials are not considered during the calculation.

Sales Order

Customer

bBC

Big Bike Mart

Contact Person

Customer Ref. No.

Local Currency

No. Primary 515

Status Open

Posting Date 02/02/17

Delivery Date 02/08/17

Document Date 02/02/17

Contents

Logistics

Accounting

Attachments

Item/Service Type

Item

Summary Type

No Summary

#	Item No.	Quantity	Unit Price	Disc...	Total (LC)	Del. Date	Delivery Time	Ready For Deliv...	Ready For De...	Manual Planning
1	p1001-1	10	\$ 482.01	0.000	\$ 4,820.10	02/08/17	3:30PM	02/07/17	10:00AM	No
2	mM1001	5	\$ 300.00	0.000	\$ 1,500.00	02/08/17	3:30PM	02/07/17	12:15PM	Yes
3				0.000		02/08/17				No

Sales Employee

-No Sales Employee-

Owner

Remarks

Total Before Discount

\$ 6,320.10

Discount

%

☐ Rounding

\$ 0.00

Tax

Total

\$ 6,320.10

MRP Date

Update

Cancel

Copy From

Copy To

Produmex Manufacturing supports just-in-time manufacturing; a new 'Delivery Time' column is added to the items matrix, which is the time of date of the 'Delivery Date' (a standard SAP Business One field). Since Production Orders extended by Produmex Manufacturing support 'Due Time', the recommendations created by MRP support 'Due Time' as well.

In a number of cases the 'Delivery Date' and 'Delivery Time' is the time when the customer wants the products on her premises. In such a case if the shipping time is significant, the manufacturing should accomplish the production before shipping. This is where the 'Ready for Delivery' and 'Ready for Delivery Time' fields are important: if they are defined, the MRP logic uses them as the expected due date and time for the Production (or Purchase) Order Recommendations.

In some situations some of the Sales Order lines should be ignored by the MRP. If the 'Manual Planning' flag is set to 'Yes', the MRP ignores this and the fulfillment of the sales order line should be managed manually. This setting allows the combined running of the MRP and the MTO.

3.1.2. Receiving Sales Quotations

The earliest fulfillment date can also be calculated for Sales Quotations. The form is extended by Produmex Manufacturing with a new '*MRP Date*' field. Click on the button next to the MRP Date field. Starting from the current date, the planning logic of Produmex Manufacturing will calculate the earliest possible date to fulfill the sales quotation.

Please note: Only the Bill of Materials of the product is considered during the MRP Date calculation. The Bill of Materials of lower level assembly materials are not considered during the calculation.

If the '*Advanced MTO Recommendation*' option is enabled on the [MTO tab](#) of Produmex Manufacturing settings, a '*Sales Quotation Simulation Parameters*' form will open.

The screenshot shows the 'Sales Quotation' form with the 'Sales Quotation Simulation Parameters' dialog box open. The dialog box contains the following fields and controls:

- Scenario:** SQ_20171115110405
- Run MRP now:** ☒
- Table:**

Select	MRP Scenario Code	IsMTO	Is Quotation
<input type="checkbox"/>	mrp_01011	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170209114711	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170120095819	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170209114711	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170220131541	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	SQ_20170707121902	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
- Buttons:** Calculate, Show, Cancel
- MRP Date:** A text field with a button next to it, highlighted with a red rectangle.
- Footer:** OK, Cancel, Copy From, Copy To

The background 'Sales Quotation' form shows the following details:

- Customer:** bBC
- Name:** Big Bike Mart
- Contact Person:** Lauren
- Customer Ref. No.:**
- Local Currency:**
- No.:** Primary, 4
- Status:** Open
- Posting Date:** 11/15/17
- Valid Until:** 12/22/17
- Document Date:** 11/15/17
- Contents Tab:**

#	Item No.	Quantity	Unit Price	Discount %	Tax Code	Total (LC)	BxID	MTO Scenario	MRP Mark	Manual Pla...
1	MGB10	20	\$ 6.00	0.000	TAX	\$ 120.00			No	No
2	WBR05	40	\$ 10.00	0.000	TAX	\$ 400.00		SQ_20171115110405	Yes	No

On this form a separate [MTO](#) scenario can be created for the sales quotation. It is possible to adjust the scenario name and select additional MRP scenarios to include in the allocation simulation. The type of the scenarios that can be included is defined by the '*Sales Quotation Simulation Type filter*' setting on the [MTO tab](#) of Produmex Manufacturing settings.

Click on the '*Calculate*' button to calculate the earliest MRP Begin Date/Time and MRP End Date/Time for the sales quotation lines. The '*MRP Mark*' column determines which lines are taken into account in

the simulation:

- If the 'MRP Mark' is set to 'No' for each line, every sales quotation line will be taken into account.
- If there is at least one line with enabled 'MRP Mark', only lines where the 'MRP Mark' is set to 'Yes' will be taken into account.

These fields will be populated with the begin/due date/time of the order recommendation of the item created by the [MTO](#).

To also see the simulation results on the [Job Scheduling Control Panel](#), click on the 'Show' button.

3.2. Detect Requirements

3.2.1. Advanced MRP

Material Resource Planning (MRP) is the tool in SAP Business One to find the purchasing and production requirements driven by sales orders, advance/reserve invoices, forecasts and inventory level requirements.

In SAP Business One MRP can be run with a number of parameters; the parameters and the purchasing and production recommendations are saved in scenarios. Produmex Manufacturing simply extends the scenario concept of SAP Business One.

MRP Wizard - Red Bike

Documents Data Source
Define the data sources as well as the documents to include in the MRP calculation.

Time Range

☒ Within Planning Horizon
☐ Include Historical Data

Sources of Demand and Supply to Be Included in MRP Calculation

<input type="checkbox"/> Purchase Requests	<input type="checkbox"/> Restrict Purchase Requests	...
<input type="checkbox"/> Purchase Quotations	<input type="checkbox"/> Restrict Purchase Quotations	...
<input checked="" type="checkbox"/> Purchase Orders	<input type="checkbox"/> Restrict Purchase Orders	...
<input checked="" type="checkbox"/> Blanket Purchase Agreements	<input type="checkbox"/> Restrict Purchase Agreements	...
<input checked="" type="checkbox"/> Sales Quotations	<input type="checkbox"/> Restrict Sales Quotations	...
<input checked="" type="checkbox"/> Sales Orders	<input type="checkbox"/> Restrict Sales Orders	...
<input checked="" type="checkbox"/> Blanket Sales Agreements	<input type="checkbox"/> Restrict Sales Agreements	...
<input checked="" type="checkbox"/> Production Orders	<input type="checkbox"/> Restrict Production Orders	...
<input type="checkbox"/> Inventory Transfer Requests	<input type="checkbox"/> Restrict Transfer Requests	...
<input type="checkbox"/> Recurring Order Transactions		
<input type="checkbox"/> Reserve Invoices	<input type="checkbox"/> Restrict Reserve Invoices	...

Inventory Level

Forecast

Recommendations

☒ Purchase
☒ Purchase Requests
☐ Purchase Orders

☒ Production Orders

☐ Inventory Transfer Requests

☐ Show detailed summary report

☒ Use Produmex Manufacturing MRP

☒ Generate to Default Warehouse for Item
☐ Generate to Warehouse with the Demand

Save Scenario

Step 5 of 6

Cancel Back Next Run

When the Run button is pressed on the MRP Wizard screen, the advanced MRP logic of Produmex Manufacturing is executed suppressing the built-in simple MRP logic of SAP Business One. The advanced MRP logic of Produmex Manufacturing uses exactly the same parameters of a scenario as SAP Business One, but the algorithm is much more complex because it takes the available resource capacities into account.

The results of the advanced MRP are displayed in an overview matrix. When the buttons are clicked a form is shown that explains the driving factors behind that recommendation.

MRP Results
 This window shows the results of the MRP run. Click on the buttons to see the requirements/recommendations, click on Expand all to show the results of the rows or Collapse all to show only the head rows. Enter a text into Find item field to search for an item number.

Planning horizon
 Find Item

01/25/17 - 01/31/17
 Period

Day

Calculated at: 01/25/17 12:10
☒ Display After MRP

Item Code	Item Description	Σ	Historic data	Past Due	1/25	1/26	1/27	1/28	1/29	1/30	1/31	2/1
▼ ➔ p1001-1	Red Bike	4					30				30	
	Initial Stock				62	59	49					29
	+ Receipts		69				30					30
	- Gross Requirem...											
	= Final Stock											
▶ ➔ mM1001	Pa											
▶ ➔ mM1101	Ra											
▶ ➔ m1	Sm											
▶ ➔ m3	Ch											
▶ ➔ m4	Wh											
▶ ➔ m5	Be											
▶ ➔ m6	Scr											

Pegging Information


Item Code ➔ p1001-1
 Item Name Red Bike
 Period From 01/02/01
 Period To 01/02/01

Source	Pic	Type	Due Date	Due Time	Quantity	Ware...
➔ 2		Production Order	12/23/16	00:00	30,000	01
➔ 61		Production Order	01/23/17	00:00	1,000	01
		Stock	01/25/17	12:10	38,000	01

Trace Close

Close Expand All Collapse All


If there are requirements that cannot be fulfilled on time, a list of error is displayed after MRP has completed running. In many cases the reason of the error is that the MRP cannot find available capacity for the operation of a production order recommendation. Click on the red x to see the detailed explanation.



The problematic figures are displayed in red on the overview matrix. The pegging information window shows the production or purchase order recommendation.

3.2.2. Manage MRP scheduling on a graphic board

To see the simulated resource allocations for the production orders recommended by the MRP, open the [Job Scheduling Control Panel](#). Click on the 'Query' button. Check 'MRP recommendations' as a Data Source and select the MRP scenario from the dropdown list.



3.2.3. Make To Order

Produmex Manufacturing also supports procurement planning strictly based on production orders and incoming sales orders. With [Make To Order](#) planning a separate MRP scenario can be created for the triggering production/sales order. Production and purchase orders created from MTO recommendations will be linked to the top order.

In order to take into account an item during the MTO planning, set the 'MTO Planning' UDF to 'Yes' on

the Item Master Data.

Initiate the MTO from the right click menu of the top order.

The screenshot shows the 'Sales Order' window. A right-click context menu is open over the first order line, with 'MTO Planning' highlighted. The background form displays the following data:

Customer		No.		Status	
Customer	bBC	Primary	515	Status	Open
Name	Big Bike Mart	Posting Date	02/02/17	Delivery Date	02/08/17
Contact Person		Document Date	02/02/17		

Item #	Disc...	Tax C...	Total (LC)	Del. Date
1	0.000		\$ 4,820.10	02/08/17
2	0.000			02/08/17

Summary Type	
Total Before Discount	\$ 4,820.10
Discount	%
Tax	
Total	\$ 4,820.10

On the opening 'Top Order Picker' form select the top order line. It is possible to combine more than one orders in one MTO scenario. Click on the 'Load Top Orders' button to load every order that can be included in the MTO scenario. Select the orders with the 'Selected' checkbox then click on the 'Add' button to add the new MTO scenario.

3.2.4. Combine MRP and MTO

Manufacturing companies that produce complex and customizable products might want to run MRP and MTO simultaneously. ProDumex Manufacturing supports the combined use of MRP and MTO.

To plan the procurement of an element with MTO only, enable the 'Skip MTO from Normal MRP' option on the [MTO tab of ProDumex Manufacturing settings](#). Every item with the 'MTO planning' option set to 'Yes' will be excluded from the MRP run.

To exclude certain sales order lines from the MRP run, set the 'Manual Planning' field of the line to 'Yes' on the sales order.

3.3. Creating Production and Purchase Orders from Recommendations

Order recommendations created by the Produmex Advanced MRP and MTO are saved into the same database as used by the SAP Business One's original simple MRP logic. This way the standard Order Recommendation form extended by the Produmex Manufacturing add-on is used to review the recommendations for a scenario. From this form the user may create both production orders and purchase orders.

Create	Order Type	Item Number	Item Description	Quantity	UoM Code	UoM...	MRP ...	MRP ...	MRP Order Mu...	MRP ...	MRP Lead Time
<input type="checkbox"/>	Production Order	p1001-1	Red Bike	10	Manual	pcs	Make		10,000	5,000	
<input type="checkbox"/>	Production Order	p1001-1	Red Bike	10	Manual	pcs	Make		10,000	5,000	
<input type="checkbox"/>	Production Order	mM1001	Painted Bike Frame	10	Manual	pcs	Make		1,000	5,000	
<input type="checkbox"/>	Production Order	mM1001	Painted Bike Frame	10	Manual	pcs	Make		1,000	5,000	
<input type="checkbox"/>	Production Order	mM1101	Raw Bike Framewo	10	Manual	pcs	Make		1,000	5,000	
<input type="checkbox"/>	Production Order	mM1101	Raw Bike Framewo	10	Manual	pcs	Make		1,000	5,000	
<input type="checkbox"/>	Purchase Request	m3	Chain	20	Manual	pcs	Buy		5,000	5,000	2
<input type="checkbox"/>	Purchase Request	m4	Wheel	40	Manual	pcs	Buy		2,000	10,000	2
<input type="checkbox"/>	Purchase Request	m5	Bell	15	Manual	pcs	Buy		5,000	5,000	3
<input type="checkbox"/>	Purchase Request	m5	Bell	5	Manual	pcs	Buy		5,000	5,000	3
<input type="checkbox"/>	Purchase Request	m6	Screw 8mm (Nut +	20	Manual	pair	Buy		10,000	10,000	3

After the production orders have been created from the recommendations, they are created in 'Planned' status initially. The production order can be modified in any manner.


For planned production orders only temporary allocations are made. Permanent allocations will only be created after the production order has been released.

As mentioned earlier, Produmex Manufacturing extended the production order 'Due Date' with a time component. With the 'Due Time' UDF the production planning is detailed at the time-of-day level.

3.4. Detect missing components

At this point the components needed for the production may be missing. The Missing Parts Report shows the components that are not on stock for the planned or released manufacturing, and this way they need special attention.

To see the material flow of a given item, open the Material Account Grid/Diagram from the right-click menu of the Item Master Data.




When the mouse cursor is moved over the circled arrow icons, a bubble shows details about that transaction; if the icon is clicked the appropriate production, purchase, etc. order form is opened. The up arrow shows incoming, the down arrow outgoing inventory transactions.

When all the purchased components are on stock the production can be started.


3.5. Manage scheduling

For the operations of production order recommendations and planned production orders, no actual resource capacities have been allocated. In the case of such orders, the resource allocations are only temporarily made as a simulation. Permanent allocations are only created when a production order is released.


On the [Job Scheduling Control Panel](#) not just the allocations for recommendations but the simulated allocations for planned production orders and the temporarily allocations for released orders can be monitored. To reschedule an operation, simply drag it and replace it on a free slot. To reschedule every allocation for a resource, use the semi-automatic rescheduling functions.



The Job Scheduling Control Panel has special functions for MTO scenarios. If a scenario is highlighted, the sequence of the operations is indicated with arrows. When the system detects discrepancy, an MTO message is shown and the discrepancy is marked with a red arrow.




To review the operation sequence of only one production order, open the Operation sequence diagram from the right-click menu of the order. On the diagram resource allocation are displayed in separate lines with the completion percentage.



One of the goals of a manufacturing company is to optimize the usage of resources.

The Resource Usage Chart may be used even with planned or recommended production orders. Keep in mind that resource capacities are allocated for the operations in production orders based on the resource feature settings.

When no work center is selected, the combined usage of all work centers of the company is shown. The available capacities of the resources are determined by the associated shift model.



Produmex Manufacturing also offers a [Production Management Cockpit](#). On this cockpit production orders can be released, closed or rescheduled in groups. To release multiple production orders, select the lines of the production orders then click on the 'Change Selected' button. Select the new status from the dropdown menu. After pressing 'Update' recalculate the production orders.

Production Management Cockpit

Planned ☒ Released ☒ Cancelled ☐ Closed ☐ Sort by: Item Code ☐ Date Type ☐ Due Date Item Group
 Date From Date To Product From Product To
 Production Order From Sales Order From Project Code From
 Production Order To Sales Order To Project Code To
 MTO Scenario Start Date

Select	Changed	St.	Pr. Ord. No.	Pr. Ord. Status	Priority	Item No.	Item Name	Planned Quantity	Allocation Strategy	Begin Date	End Date	Latest Begin Date	Due Date
<input checked="" type="checkbox"/>	<input type="checkbox"/>	566	Released		p1001-1	Red Bike	10.000	Forward From Earliest Date	02/08/17 10:34 AM	02/15/17 01:22 PM	02/20/17 02:45 PM	02/28/17	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	571	Planned		m1101	Raw Bike Framework	5.000	Forward From Preferred Date	02/21/17 08:00 AM	02/21/17 09:01 AM	02/22/17 04:09 PM	02/23/17	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	572	Planned		p1001-1	Red Bike	5.000	Forward From Preferred Date	02/12/17 12:00 AM	02/20/17 04:20 PM	02/14/17 11:40 AM	02/22/17	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	573	Planned		m1101	Painted Bike Framework	5.000	Forward From Preferred Date	02/09/17 08:00 AM	02/09/17 05:04 PM	02/10/17 03:04 PM	02/12/17	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	574	Planned		m1101	Raw Bike Framework	5.000	Forward From Preferred Date	02/08/17 01:00 PM	02/08/17 01:51 PM	02/09/17 04:09 PM	02/10/17	

Buttons: Load, Recalculate, Change Selected, Missing Capacity Report, Close

When a production order has been released, the scheduling logic of the Produmex Manufacturing add-on finds resource capacities for the operations and a number of reports are available including the Resource Allocations report.

The allocations for a selected resource, resource feature, product, production order or time period can also be viewed on a grid. Open the Resource Allocations form.

Resource Allocations

Resource Type: Work-Center Date From: 02/08/17 Date To:
 Feature: Pr. Ord. No.: 566 Pr. Ord. Line: p1001-1 * 02// Primary
 Resource: wAS Assembler Team Capacity UoM: min
 Product Code: Operation Code:

AllocID	Allocation Type	Resource Type	Resource Code	Resource Name	From Date	From Time	To Date	To Time	Duration	Pr.Ord.No
00034888	Released	Work-Center	wAS	Assembler Team	02/08/17	10:34	02/08/17	12:00	86.000	566
00034889	Released	Work-Center	wAS	Assembler Team	02/08/17	13:00	02/08/17	17:00	240.000	566
00034890	Released	Work-Center	wAS	Assembler Team	02/09/17	08:00	02/09/17	12:00	240.000	566
00034891	Released	Work-Center	wAS	Assembler Team	02/09/17	13:00	02/09/17	17:00	240.000	566
00034892	Released	Work-Center	wAS	Assembler Team	02/10/17	08:00	02/10/17	12:00	240.000	566
00035034	Released	Work-Center	wAS	Assembler Team	02/10/17	13:00	02/10/17	13:21	21.000	566
00035036	Released	Work-Center	wAS	Assembler Team	02/15/17	11:14	02/15/17	11:54	40.000	566
00035037	Released	Work-Center	wAS	Assembler Team	02/15/17	13:00	02/15/17	13:22	22.000	566

Buttons: Refresh, Cancel

To see the capacity usage of a given work center, open the Work Center Capacity Usage form. On the 'Allocation Rate' field the work center usage percentage for the given work center with the selected parameters is shown.

Work Center Capacity Usage

Work Center: wAS Assembler Team Date From: 02/08/17 Date To: 02/10/17
 Feature: Productive: Yes Capacity UoM: min Period: Day Show Shifts: ☒
 Overtime: Both

Resource	Work Center Name	Shift	Shift Description	From Date	To Date	Total Capacity	Allocated Capacity	Productive Ratio	Allo...
wAS	Assembler Team	mOROT	Morning Overtime	02/08/17	02/08/17	120.000	0.000	0.700	
wAS	Assembler Team	mOR	Morning Shift	02/08/17	02/08/17	154.000	0.000	0.750	
wAS	Assembler Team	mOR	Morning Shift	02/08/17	02/08/17	86.000	86.000	0.750	
wAS	Assembler Team	aNN	Afternoon Shift	02/08/17	02/08/17	240.000	240.000	0.950	
wAS	Assembler Team	nGHTOT	Night Overtime	02/08/17	02/08/17	300.000	0.000	0.600	
wAS	Assembler Team	mOROT	Morning Overtime	02/09/17	02/09/17	120.000	0.000	0.700	
wAS	Assembler Team	mOR	Morning Shift	02/09/17	02/09/17	240.000	240.000	0.750	
wAS	Assembler Team	aNN	Afternoon Shift	02/09/17	02/09/17	240.000	240.000	0.950	
wAS	Assembler Team	nGHTOT	Night Overtime	02/09/17	02/09/17	300.000	0.000	0.600	
wAS	Assembler Team	mOROT	Morning Overtime	02/10/17	02/10/17	120.000	0.000	0.700	
wAS	Assembler Team	mOR	Morning Shift	02/10/17	02/10/17	240.000	240.000	0.750	
wAS	Assembler Team	aNN	Afternoon Shift	02/10/17	02/10/17	21.000	21.000	0.950	
wAS	Assembler Team	aNN	Afternoon Shift	02/10/17	02/10/17	219.000	0.000	0.950	
wAS	Assembler Team	nGHTOT	Night Overtime	02/10/17	02/10/17	300.000	0.000	0.600	

Allocation Rate: 39.519

Refresh Cancel

3.6. Create outsourcing orders

After the production order has been released, purchase quotations and purchase orders can be created for the outsourced operations on the [Production Order Operations Details](#) form.

For more information about the Outsourcing please see: [Outsourced Manufacturing](#)

Production Order Operation Details - [DocNum: 569, Line: 9]

Operation Code: cPAS Operation Name: Bike Assembly
 Before Time: 0.000 min Safety Time: 0.000 min Setup Time: 0.000 min Job Time: 180.000 min Teardown Time: 0.000 min After Time: 0.000 min Time Base: 1.000
 Planned Quantity: 5.000 Completed Quantity: 0.000 Rejected Quantity: 0.000

Operation Break: Allowed Operation Time UoM: Minutes
 Is Parallel Operation: ☐ Is Overlapping Operation: ☐
 Max Parallel Operations: 0 Overlapping Quantity: 0.000
 Allocation Window: 0.000 Min Job Quantity: 0.000
 Message:
 Is Pinned: ☐ Pinned Start Date: Pinned Start Time: 00:00

Resource Requirements Dates Outsourcing PDC Bookings Documentation Cost Amounts Parameters

Is Outsourced: ☒ Outsourcing Lead Time: 0 Days
 In House Quantity: 2.500
 Outsourcing UoM:
 Items Per Outsourcing Unit: 1.000
 In House Ratio: 0.500

New Purchase Order
 New Purchase Quotation

Supplier Code	Supplier Name	Planned Qty.	Supp. Ratio	Quantity To Order	Qty. On Order	Qty. Received	Quantity Quoted
bGU	Bike Gurus	2.500	0.500	0.00	2.500	0.000	0.000

Document Type	Pu.Ord.No	Pu.Ord.ID	Pu.Quot.No	Pu.Quot.ID	Supplier	Supplier Name	Qty. On Order	Qty. Received	Pu.Ord. Due Date	Purchase OrderID	Pu.Ord.Cancelled	Pu.Or...
Purchase Order	506	7			bGU	Bike Gurus	2.500	0.000	02/08/17	00034025	<input type="checkbox"/>	Open

OK Cancel Allocations

3.7. Print production reports

Before starting the production on the shopfloor, print the Requirements Reports for the operations and materials. The Job/Material Requirements Report is meant to be distributed to the workers who do the jobs. These reports are a kind of daily work orders for the workers. The [production data collection](#) is done with the help of these reports.

The screenshot shows two overlapping dialog boxes. The background dialog is 'Job Requirements Report Parameters' with fields for Date From, Date To, Workcenter From, Work Center To, Operation From, Operation To, Product From, Product To, Pr. Ord. From (566), Pr. Ord. To (p1001-1 * 02/1 Primary), Feature, and Inc. Material Requirements (checked). The foreground dialog is 'Select Report Layout' with a Report dropdown set to 'JobReq', Language set to 'In_English', and a 'Preview before print' checkbox checked. It contains a table with columns 'Report Layout', 'File', and 'Printer Name'. The first row is 'Job Requirements (base)', 'RL_JobRequirements', and an empty printer name. At the bottom are buttons: New, Rename, Delete, Edit Layout, Set Default, Print, and Cancel.


Define the parameters of the report. To print the material requirements among the job requirements, check the 'Inc. Material Requirements' checkbox. After pressing the 'Print' button, the printing is directed to the default printer. To print the report in PDF file, check the 'Preview before Print' checkbox. The report is built with Crystal Reports and can be [customized](#).

Operation: oPAS - Bike Assembly		Operation ID: 00030709	
Begin Date&Time: 02/08/17 10:34 AM Before Time: 0.00 [min] After Time: 0.00 [min]		Production Order: 566 / 4 Product Code: p1001-1 - Red Bike	
mM1001 Painted Bike Framework 10.00 00030706			
m3 Chain 10.00 00030707			
m4 Wheel 20.00 00030708			
Work Center: OP: oPAS	wAS - Assembler Team Allocation ID: 00034888		67-3
Start Date&Time: 02/08/17 10:34 AM Setup Time: 0.00 [min] Quantity: 0.36 Job Time: 86.00 [min] Feature: aSS - Assembly		End Date&Time: 02/08/17 12:00 PM Teardown Time: 0.00 [min] Identification Code: 67-3-wAS Total Duration: 86.00 [min]	


3.8. Production on the shopfloor

3.8.1. Personal Time Management

Produex Manufacturing can be extended with an employee [attendance data collecting](#) solution. At the beginning and end of their shift, employees can login/logout on a terminal. This transaction is recorded in SAP Business One in real time which allows to monitor arrivals and leaves directly from the office.



On the [office module of PTM](#) monthly and ad-hoc attendance reports can be generated.



3.8.2. Production Data Collection

[Production Data Collection](#) is when the workers report back to the system how their work is progressing.

With the standard PDC application employees first have to start the setup/job then they can report

partial/full completion. The duration of the operation is measured in real time and cannot be modified. With the simple job function employees can report the operation duration, setup and job completion in one step.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 12/21/16 02:10 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Running Jobs (00:30)

Operation

Job	Description	Duration	Date
<input checked="" type="checkbox"/> Job	6-1 (oPCU - Cutting) #505 mM1101 (Raw Bike Framework) Open: 1 Planned: 1 Workcenter: wJD	02:07 PM	12/21/16
<input type="checkbox"/> Job	5-10 (oPBI - Bell Installation) #504 p1001-1 (Red Bike) Open: 0 Planned: 1 Workcenter: wAS	01:58 PM	12/21/16

Start F1 Stop F2 Partial F3 Admin F4 Logout Esc

According to the milestone settings of the production order lines and the production order, material consumption and product and by-product completion can be reported during the PDC booking. The appropriate material issue or product receipt inventory transactions will be committed as well.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 12/20/16 02:26 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Materials (00:30)

Production Order #501 p1001-1 (Red Bike)

Operation 2-3 (oPAS - Bike Assembly)

Item

Quantity

Add F9 Update F10

Item	Description	Quantity
mM1001	Painted Bike Framework	30 of 30 pcs
m3	Chain	30 of 30 pcs
m4	Wheel	60 of 60 pcs

Done F1 Cancel Esc Serial / Batch F2

Unplanned work center unavailability or machine failure can be reported with the Workcenter Journal

and Workcenter Ticket functions.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - John Doe

12/22/16 03:47 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Workcenter Ticket Entry (00:30)

Information

John Doe - 12/22/16 03:46 PM

Work Center

wPD (5X Painter and Dryer Machine)

Comment

Entry Type

Accident

BearningFailure

Cancel

Done

On the PDC office terminal, PDC bookings can be monitored, canceled or created.

PDC Bookings Administration

Employee ID

Identification Code

Work Center

Operation Code

Item Code

Pr. Ord. No From

Pr. Ord. No To

Pr. Ord. Op. ID From

Pr. Ord. Op. ID To

Date Time From

Date Time To

Errors Only

Hide Undone

Code	Posting Code	Posting Date	Posting Time	Inv. Proc. State	Inv. Proc. Error	Inv. Proc. Date	Inv. Proc. Time	Compl. Qty.	Reg. Qty.	Mach. Duration	Pers. Duration	Main Product Code	Pr.Ord.No	Pr.Ord.Op.ID	Emp. ID	Emp. N...
0001715	Start Job	01/03/17	16:19	Processed		01/03/17	16:39	0.000	0.000	0.000	0.000	mM1001	529	00013681	1	Doe, John
0001718	Completed Job	01/03/17	16:36			01/03/17	20:00	1.000	0.000	181.000	181.000	m4	523	00012075	1	Doe, John
0001716	Completed Job	01/03/17	16:39	Processed		01/03/17	16:39	1.000	0.000	25.000	25.000	mM1001	529	00013681	1	Doe, John
0001717	Start Job	01/04/17	10:38	Processed		01/04/17	10:38	0.000	0.000	0.000	0.000	Item01	520	00012009	1	Doe, John
0001718	Completed Job	01/04/17	10:39	Processed		01/04/17	10:39	0.000	0.000	1.000	1.000	Item01	520	00012009	1	Doe, John
0001789	Start Setup	01/04/17	10:40	Processed		01/04/17	10:44	0.000	0.000	0.000	0.000	Item01	530	00013732	1	Doe, John
0001790	Completed Setup	01/04/17	10:45	Processed		01/04/17	10:45	0.000	0.000	0.000	0.000	Item01	530	00013732	1	Doe, John
0001791	Start Job	01/04/17	10:46	Processed		01/04/17	10:46	0.000	0.000	0.000	0.000	Item01	530	00013732	1	Doe, John
0001792	Problem	01/04/17	11:03	Processed		01/04/17	11:04	0.000	0.000	0.000	0.000	Item01	530	00013732	1	Doe, John

Mat.ID

Mat.Code

Mat.Name

Mat.Type

Used Qty.

Bin Location Name

Parameter Name

Name

Parameter Value

Comment

00012074	mM1001	Painted Bike Framework	Material	1.000	01-WJ2-VJ2-S1					
----------	--------	------------------------	----------	-------	---------------	--	--	--	--	--

Op.Prod.ID

Prod. Code

Prod. Name

Prod. Type

Compl. Qty.

Reg. Qty.

Bin Location Name

00012072	m4	Wheel	Main Product	1.000	0.000	01-SYSTEM-BIN-LOCATION
00012077	m1	Em Steel Pipe	By-Product	2.000	0.000	
00012078	m3	Chain	By-Product	1.000	0.000	

Related

Redo Inv. Tr.

Modify

Set to Unprocessed

Undo

Close

Many manufacturing companies do not need the full-fledged data collection terminal. Instead, they could do very well with the much simpler PDC Bookings Office Terminal. In this scenario, the production data is collected (mostly) on paper, and the data is entered at the end of the day by an office assistant.

PDC

PDC Bookings Office Terminal

PDC Sheet Generator

PDC Administration

Simple PDC Shop-Floor Wizard

Managing Rejected Batched PDC Transactions

Update Parent Item Prices Globally

Production Cost Recalculation Wizard

Bill of Materials - Component Management

Production Std Cost Management

Production Reports

Cost Calculation

PDC Bookings Office Terminal


Auto-Update Rows


☐

Inserted	Emp. ID	Emp. Name	Alloc. Code	Posting Date	Posting Time	Posting Code	Reason Name	Compl. Qty.	Rej. Qty.	Mach. Duration	Pers. Duration	Time UoM
<input type="checkbox"/>	1	Doe, John	00034888	02/06/17	12:45	Partial Setup		0.000	0.000	10.000	10.000	min
<input type="checkbox"/>	2	Morrison, Fred	00034889	02/06/17	13:01	Completed Job		2.000	0.000	20.000	17.000	min
<input type="checkbox"/>								0.000	0.000	0.000	0.000	
							</					

3.8.3. Quality Control

The early detection of defects reduces product risk and helps to identify delay in an early stage. With the [Quality Control](#) function the appointed inspector can report quality assurance data for own-manufactured and outsourced products.


Mobile PDC


TEST_WMSMF (PMX_BUDTOSH2) - John Doe

12/22/16 01:07 PM

Server: 17.05.31007.16920
Client: 17.05.31007

Check Results (00:30)

Operation	12-10 (oPBI - Bell Installation - 511)
Work Center	wAS (Assembler Team)
Employee	2 (Fred Morrison)
Quantity	0/0/0

0 IsApproved	Y (OK)
0 WeldThickness	40
0 SurfaceQuality	5
0 ApprovalComment	Approved

Checked Quantity

Set Value F1

Good F2

Rejected F3

Repairable F4

Cancel Esc

To appoint an inspector, add the Employee Quality Control Role defined on [Produmex Manufacturing settings](#) as the Role for employee.

To setup quality control parameters, enable the 'Use Operation Parameters' option on [Produmex Manufacturing settings](#). Define the parameter types on the Operation Parameter Types UDW. Link the quality control parameters to an operation on the Operation Details form.

The image shows two overlapping software windows from the Produmex system. The background window is titled "Produmex Manufacturing Settings" and has a tabbed interface with tabs for General, SQL, Logs, Reports, MRP, PDC, Prod.Order, Master Data, MTO, Thin Client, Thin Client 2, Food, and Scheduled Real. The "General" tab is active, displaying a list of settings such as "Worker can modify bookings", "Approver can modify bookings", "Global idle timeout (seconds)", "Global screen timeout (seconds)", "Employee approver role", "Employee Workshop Monitor Role", "Employee Quality Control Role", "Workcenter Admin Role", "Enable PDC", "Enable PTM", "Enable QC", "Enable Workshop Monitor", "Enable Workcenter Journal", "Enable Workcenter Tickets", "Enable Legacy Mode in PDC", "Pre-fill planned material quantities", "Pre-fill planned by-product quantities", "Pre-fill the bin locations quantities with available quantities", "Skip material quantities screen", "Skip by-product quantities screen", "Skip material serial/batch quantities screen", "Skip product serial/batch quantities screen", "Logout after PDC bookings", "Enable Partial Book & Stay", "Can insert new materials into production orders", "Login Is Password Protected", "Only Job Bookings On Running Jobs Screen", and "Force enter product serial/batch numbers and quantities". Each setting has a corresponding input field or checkbox. At the bottom are "Update" and "Cancel" buttons.

The foreground window is titled "Employee Master Data" and has tabs for Address, Membership, Administration, Personal, Finance, Remarks, and Attachments. The "Administration" tab is active, showing fields for "First Name" (John), "Middle Name", "Surname" (Doe), "Employee No." (1), "Ext. Employee No." (JD), and a checked "Active Employee" checkbox. Below these are fields for "Job Title", "Position", "Department", "Branch", "Manager", "User Code", "Sales Employee" (set to "-No Sales Employ"), and "Cost Centre". To the right are fields for "Office Phone", "Ext.", "Mobile Phone", "Pager", "Home Phone", "Fax", "E-Mail", and "Linked Supplier". At the bottom, there are two tables: "Roles" and "Teams". The "Roles" table has columns "#", "Role", and a dropdown menu, with rows for "1 Approver", "2 QC Inspector" (highlighted), "3 Workshop Monitor", and "4". The "Teams" table has columns "#", "Team", and "Team Role", with row "1" showing "Member". A "Set Role as Default" button is located below the "Roles" table. At the bottom of the window are "Update" and "Cancel" buttons.

Operations

Manufacturing operations are special items that represent the operations in production orders. An operation item is never an 'Inventory' item, but can be a 'Purchase' item if outsourceable.

The operation will be more meaningful in the context of a Bill of Material (BoM) or Production Order. All the parameters (except 'Is Outsourceable') for an operation can be redefined in a BoM or Production Order.

Manufacturing Operations

On the Manufacturing Operations form the manufacturing details of an operation type item can be defined and new operations type items can be added. New operations should be created from the Manufacturing Operations screen and not directly from the Item Master Data.

Open the form via:

- Production module> Manufacturing operations.
- Right-click menu on the Item Master Data of an operation.

Manufacturing Operations

Operation Code	oPPD		Is Outsourcable	<input checked="" type="checkbox"/>
Operation Name	Painting and Drying		Item Group	Operation
Before Time	min	0.000	Operation Break	Allowed
Safety Time	min	0.000	Operation Time UoM	Minutes
Setup Time	min	5.000	Is Parallel Operation	<input type="checkbox"/>
Job Time	min	20.000	Max Parallel Operations	0
Teardown Time	min	5.000	Allocation Window	0.000
After Time	min	400.000	Min Job Quantity	0.000
Time Base	1.000			

Resource Features Cost Amounts Parameters

Work Center Feature: pNTDRY Painting and Drying

Is Mandatory Work Center: ☒

Preferred Work Center: wPD 5X Painter and Dryer

Res. Type	Feature	Feat. Name	Pref. Res.	Pref. Res. Name	Is Mand. Res.	Amount	Setup	Job	Teardown
Employee	eRF	Employee resource feature			<input type="checkbox"/>	1.000	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Tool	tRF	Tool resource feature			<input type="checkbox"/>	1.000	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

OK Cancel

Header

Operation code

The code of the operation item.

Operation name

The name of the operation.

Time Values

The duration each operation step requires, displayed in the selected 'Operation Time UoM'.

The safety, setup, job and teardown time consume the capacity of the work center. Before and after times do not consume work center capacity but the job scheduling logic will take them into account when calculating the beginning of the jobs in the sequence of operations.

- Before time: The duration of the tasks to be done before allocating the work center for the operation. No work center is allocated for the before time period.
- Safety time: Duration of the time buffer. No PDC bookings can be created for the safety time.
- Setup time: Duration of the tasks to be done before the production starts.
- Job time: The actual production time for the amount of units defined in time base.
- Teardown time: The duration of the tasks after the production finished but before the work center is released.
- After time: The duration of the tasks to be done after releasing the work center. The work center is released and available for other operations.

Time Base

The number of the units of the operation the job time refers to.

Is outsourceable? (Y/N)

Indicates whether the operation is outsourceable or not. This option cannot be changed after the

operation was created. If the operation is outsourceable the item is set as Purchased Item.

Item Group

The item group the operation belongs to. Item groups with 'Standard' valuation method can be selected. When changing the 'Item Group' either on the Item Master Data or on the Manufacturing Operations form, the 'Item Group' on the other form will be changed too.

Operation break

During manufacturing, an operation can be stopped and restarted or the work center can be changed. With the Operation Break setting the user can define whether these break types are allowed or not.

- Allowed: Intermissions and work center changes are allowed during the operation.
- Denied: No breaks are allowed during the operation.
- Allowed WC: Other operations may get in between the sequence of the operation, but the work center cannot be changed during the operation.
- Allowed NBP: The work center can be changed, but intermissions are not allowed during the operation, therefore other operations cannot get in between the sequence of the operation.
- Allowed WCNBP: Neither the change of the work center, nor intermissions are allowed. It is recommended to use this option instead of the old 'Denied' option.

The 'Allowed WC', 'Allowed NBP' and 'Allowed WCNBP' operation break types are not allowed in multi-dimensional allocation environment and do not work with parallel operations.

Operation Time UoM

The unit of measurement of the operation time. Possible values: Days, Hours, Minutes, Seconds, Weeks.

Is Parallel Operation (Y/N)

Indicates whether an operation can be performed on multiple work centers at the same time or not. This way the overall duration of an actual manufacturing operation may be much shorter if enough resource capacities are available.

Max Parallel Operations

The maximum number of work centers where the operation can be performed if it is a parallel operation.

Allocation Window

Defines the horizon of the allocation. 'Weeks', 'Days', 'Hours', 'Minutes' and 'Seconds' can be selected as the time scale.

Min Job Quantity

The minimum quantity that must be produced during an allocation.

Resource Features tab

Work Center Feature

Select a work center feature for the operation. This is a mandatory field. The parameter is used extensively by the job scheduler; when the scheduler tries to find work center capacities for an operation, it will search for work centers that have the selected feature for the operation.

Is Mandatory Work Center (Y/N)

Indicates whether the operation must take place on the preferred work center or not.

Preferred Work Center

A preferred work center can be set. Every work center with the feature linked to the operation can be selected.

The work center set here will be preferred during the allocation process. If the work center is free, the operation will be allocated there. If the work center is busy, the system will calculate the delay the usage of this work center could cause. If this delay exceeds the maximum delay set on the 'MRP Max Delay For Pref. WC (s)' option on [Produmex Manufacturing settings](#), the operation will be allocated to another work center, otherwise the system will schedule it to the preferred work center.

When using the multi-dimensional allocation strategy, employee, tool and constraint requirements can be added to the operation too. Select a resource type then add the feature and a preferred resource. The 'Feature Name' and 'Resource Name' fields will be automatically filled. Only resources linked to the selected feature and features linked to the selected resource type can be added.

Indicate whether the resource is mandatory or not on the 'Is Mand. Res.' cell.

On the 'Amount' field in an employee row indicate the employee capacity the operation uses. If the Amount is set to one, it means that the operation requires 100% of the employee capacity. Therefore the amount set for an employee cannot be greater than one.

On the amount field of a tool set the needed quantity of the tool during an operation.

Additional resources might not being used during the entire operation. On the Setup, Job and Teardown fields mark that the resource is required in which step of the operation. The setup, job and teardown time of a supplementary resource will be the same as the work center time of the respective step.

Cost Amounts tab

Cost types with parameters can be set on this tab for cost calculation purposes.

Cost Type

Select a 'Cost Type'. Multiple cost type rows can be defined for an operation. Define cost types on the 'Cost Type' form that can be reached via: Production > Cost Calculation > Cost Type.

- Setup Amount: The Setup Amount for the given operation from the cost amounts.
- Job Amount: The Job Amount for the given operation from the cost amounts.
- Teardown Amount: The Teardown Amount for the given operation from the cost amounts.
- Cycle Amount: The Cycle Amount for the given operation from the cost amounts.
- Quantity Amount: The Quantity Amount for the given operation from the cost amounts.
- Fix Amount: The Fix Amount for the given operation from the cost amounts.

For more information about cost calculation please see: [Cost and Price Calculations](#)

Parameters tab

When the 'Use Operation Parameters' setting is enabled on the [PDC tab](#) of the Produmex Manufacturing settings, an additional 'Parameter' tab is displayed on the form.

On this tab parameters for shopfloor [Quality Controlling](#) can be set. Parameters types can be set up on the *OperationParameterTypes* UDT.

BoM Order Operation Details

Open the form from the Bill of Materials by clicking on the operation icon on the Row type field.

On this form the operation details can be modified and specialized for the particular BoM. The BoM Order Operation Details inherits data from the operation item's Manufacturing Operations form.

Header

Operation code

The code of the operation item.

Operation name

The name of the operation.

Time Values

The duration each operation step requires, displayed in the selected 'Operation Time UoM'.

The safety, setup, job and teardown time consume the capacity of the work center. Before and after times do not consume work center capacity but the job scheduling logic will take them into account when calculating the beginning of the jobs in the sequence of operations.

- Before time: The duration of the tasks to be done before allocating the work center for the operation. No work center is allocated for the before time period.
- Safety time: Duration of the time buffer. No PDC bookings can be created for the safety time.
- Setup time: Duration of the tasks to be done before the production starts.
- Job time: The actual production time for the amount of units defined in time base.
- Teardown time: The duration of the tasks after the production finished but before the work center is released.
- After time: The duration of the tasks to be done after releasing the work center. The work center is released and available for other operations.

Time Base

The number of the units of the operation the job time refers to.

Is outsourceable? (Y/N)

Indicates whether the operation is outsourceable or not. This option cannot be changed after the operation was created. If the operation is outsourceable the item is set as Purchased Item.

Item Group

The item group the operation belongs to. Item groups with 'Standard' valuation method can be selected. When changing the 'Item Group' either on the Item Master Data or on the Manufacturing Operations form, the 'Item Group' on the other form will be changed too.

Operation break

During manufacturing, an operation can be stopped and restarted or the work center can be changed. With the Operation Break setting the user can define whether these break types are allowed or not.

- Allowed: Intermissions and work center changes are allowed during the operation.
- Denied: No breaks are allowed during the operation.
- Allowed WC: Other operations may get in between the sequence of the operation, but the work center cannot be changed during the operation.
- Allowed NBP: The work center can be changed, but intermissions are not allowed during the operation, therefore other operations cannot get in between the sequence of the operation.
- Allowed WCNBP: Neither the change of the work center, nor intermissions are allowed. It is recommended to use this option instead of the old 'Denied' option.

The 'Allowed WC', 'Allowed NBP' and 'Allowed WCNBP' operation break types are not allowed in multi-dimensional allocation environment and do not work with parallel operations.

Operation Time UoM

The unit of measurement of the operation time. Possible values: Days, Hours, Minutes, Seconds, Weeks.

Is Parallel Operation (Y/N)

Indicates whether an operation can be performed on multiple work centers at the same time or not. This way the overall duration of an actual manufacturing operation may be much shorter if enough resource capacities are available.

Max Parallel Operations

The maximum number of work centers where the operation can be performed if it is a parallel operation.

Allocation Window

Defines the horizon of the allocation. 'Weeks', 'Days', 'Hours', 'Minutes' and 'Seconds' can be selected as the time scale.

Min Job Quantity

The minimum quantity that must be produced during an allocation.

Main Product Code and Name

The item code and name of the main product.

Is Overlapping Operation

Indicates whether the operation can overlap the previous operation or not. When an operation is an overlapping operation, it can be started right after the previous operation is started, otherwise the earliest start date of an operation is the due date of the previous operation.

Overlapping Quantity

The quantity produced after the following overlapping operation can be started.

Resource Requirements tab

Work Center Feature

Select a work center feature for the operation. This is a mandatory field. The parameter is used extensively by the job scheduler; when the scheduler tries to find work center capacities for an operation, it will search for work centers that have the selected feature for the operation.

Is Mandatory Work Center (Y/N)

Indicates whether the operation must take place on the preferred work center or not.

Preferred Work Center

A preferred work center can be set. Every work center with the feature linked to the operation can be selected.

The work center set here will be preferred during the allocation process. If the work center is free, the operation will be allocated there. If the work center is busy, the system will calculate the delay the usage of this work center could cause. If this delay exceeds the maximum delay set on the '*MRP Max Delay For Pref. WC (s)*' option on [Produmex Manufacturing settings](#), the operation will be allocated to another work center, otherwise the system will schedule it to the preferred work center.

When using the multi-dimensional allocation strategy, employee, tool and constraint requirements can be added to the operation too. Select a resource type then add the feature and a preferred resource. The 'Feature Name' and 'Resource Name' fields will be automatically filled. Only resources linked to the selected feature and features linked to the selected resource type can be added.

Indicate whether the resource is mandatory or not on the '*Is Mand. Res.*' cell.

On the 'Amount' field in an employee row indicate the employee capacity the operation uses. If the Amount is set to one, it means that the operation requires 100% of the employee capacity. Therefore the amount set for an employee cannot be greater than one.

On the amount field of a tool set the needed quantity of the tool during an operation.

Additional resources might not being used during the entire operation. On the Setup, Job and Teardown fields mark that the resource is required in which step of the operation. The setup, job and teardown time of a supplementary resource will be the same as the work center time of the respective step.

Outsourcing tab

Mark the operation as outsourced by ticking the 'Is Outsourced?' box. Add a lead time for the outsourcing on the 'Outsourcing Lead Time' textbox. The time scale of the lead time is in days. If set, this lead time will be taken into account during the scheduling instead of the lead time on the Item Master Data.

An operation can be fully or partially outsourced. Define the non-outsourcable quantity on the 'In

House Quantity' field. The default value is the planned quantity unless the '*Null InHouse Quantity for Outsourcing*' is set to true on the [Master Data Tab](#) of Produmex Manufacturing settings. If this setting is enabled, the default InHouse quantity is zero.

A new UoM for the outsourcing can be defined on the '*Outsourcing UoM*' field. The conversion rate between the inventory UoM and the Outsourcing UoM can be specified on the '*Items Per Outsourcing Unit*' field. The outsourcing UoM can be used when the unit of measurement the sub-contractor uses differs from the UoM the company uses. If an outsourcing UoM is set, it will be the UoM in the purchase order.

Add the potential outsourcing suppliers on the grid:

- **Supplier Code:** Enter the card code of the supplier to the supplier code cell.
- **Supplier Name:** The name of the supplier. The *Supplier Name* will be automatically filled after the *Supplier Code* is entered.
- **Planned Quantity:** The Planned Quantity defines the outsourced quantity. When outsourcing to more than one supplier, the '*Planned Qty*' defines the ratio of the outsourced operation the supplier covers.

Documentation tab

On this tab remarks and images can be added to the operation. Enter the text to the textbox. Click on the camera icon to add an image. Remove the image by clicking on the camera icon with the red x.

The screenshot shows the 'BoM Operation Details' window with the 'Documentation' tab selected. The window contains two main sections: a top section for operation parameters and a bottom section for documentation.

Operation Parameters:

Operation Code	oPPD	Operation Break	Allowed
Operation Name	Painting and Drying	Operation Time UoM	Minutes
Main Product Code	mM1001	Is Parallel Operation	<input type="checkbox"/>
Main Product Name	Painted Bike Framework	Is Overlapping Operation	<input type="checkbox"/>
Before Time	min 0.000	Max Parallel Operations	0
Safety Time	min 0.000	Overlapping Quantity	0.000
Setup Time	min 5.000	Allocation Window	▼ 0.000
Job Time	min 20.000	Min Job Quantity	0.000
Teardown Time	min 5.000		
After Time	min 400.000		
Time Base	1.000		

Documentation Tab:

The bottom section of the window contains a large text area for documentation. Below the text area are two buttons: 'Update' and 'Cancel'. There are also two camera icons (one with a red X) for adding or removing images.

Cost Amounts

Cost types with parameters can be set on this tab for cost calculation purposes.

Cost Type

Select a 'Cost Type'. Multiple cost type rows can be defined for an operation. Define cost types on the 'Cost Type' form that can be reached via: Production > Cost Calculation > Cost Type.

- Setup Amount: The Setup Amount for the given operation from the cost amounts.
- Job Amount: The Job Amount for the given operation from the cost amounts.
- Teardown Amount: The Teardown Amount for the given operation from the cost amounts.
- Cycle Amount: The Cycle Amount for the given operation from the cost amounts.
- Quantity Amount: The Quantity Amount for the given operation from the cost amounts.
- Fix Amount: The Fix Amount for the given operation from the cost amounts.

For more information about cost calculation please see: [Cost and Price Calculations](#)

Parameters

When the 'Use Operation Parameters' setting is enabled on the [PDC tab](#) of the Produmex Manufacturing settings, an additional 'Parameter' tab is displayed on the form.

On this tab parameters for shopfloor [Quality Controlling](#) can be set. Parameters types can be set up on the *OperationParameterTypes* UDT.

Production Order Operation Details

Open the form from the Production order by clicking on the operation icon on the Row type field. On this form the operation details can be modified and specialized further for the particular production order. The form inherits data from the BoM Operation Details.

Header

Operation code

The code of the operation item.

Operation name

The name of the operation.

Time Values

The duration each operation step requires, displayed in the selected 'Operation Time UoM'.

The safety, setup, job and teardown time consume the capacity of the work center. Before and after times do not consume work center capacity but the job scheduling logic will take them into account when calculating the beginning of the jobs in the sequence of operations.

- Before time: The duration of the tasks to be done before allocating the work center for the operation. No work center is allocated for the before time period.
- Safety time: Duration of the time buffer. No PDC bookings can be created for the safety time.
- Setup time: Duration of the tasks to be done before the production starts.
- Job time: The actual production time for the amount of units defined in time base.
- Teardown time: The duration of the tasks after the production finished but before the work center is released.
- After time: The duration of the tasks to be done after releasing the work center. The work center is released and available for other operations.

Time Base

The number of the units of the operation the job time refers to.

Is outsourceable? (Y/N)

Indicates whether the operation is outsourceable or not. This option cannot be changed after the operation was created. If the operation is outsourceable the item is set as Purchased Item.

Item Group

The item group the operation belongs to. Item groups with 'Standard' valuation method can be selected. When changing the 'Item Group' either on the Item Master Data or on the Manufacturing Operations form, the 'Item Group' on the other form will be changed too.

Operation break

During manufacturing, an operation can be stopped and restarted or the work center can be changed. With the Operation Break setting the user can define whether these break types are allowed or not.

- Allowed: Intermissions and work center changes are allowed during the operation.
- Denied: No breaks are allowed during the operation.
- Allowed WC: Other operations may get in between the sequence of the operation, but the work center cannot be changed during the operation.
- Allowed NBP: The work center can be changed, but intermissions are not allowed during the operation, therefore other operations cannot get in between the sequence of the operation.
- Allowed WCNBP: Neither the change of the work center, nor intermissions are allowed. It is recommended to use this option instead of the old 'Denied' option.

The 'Allowed WC', 'Allowed NBP' and 'Allowed WCNBP' operation break types are not allowed in multi-dimensional allocation environment and do not work with parallel operations.

Operation Time UoM

The unit of measurement of the operation time. Possible values: Days, Hours, Minutes, Seconds, Weeks.

Is Parallel Operation (Y/N)

Indicates whether an operation can be performed on multiple work centers at the same time or not. This way the overall duration of an actual manufacturing operation may be much shorter if enough resource capacities are available.

Max Parallel Operations

The maximum number of work centers where the operation can be performed if it is a parallel operation.

Allocation Window

Defines the horizon of the allocation. 'Weeks', 'Days', 'Hours', 'Minutes' and 'Seconds' can be selected as the time scale.

Min Job Quantity

The minimum quantity that must be produced during an allocation.

Is Overlapping Operation

Indicates whether the operation can overlap the previous operation or not. When an operation is an overlapping operation, it can be started right after the previous operation is started, otherwise the earliest start date of an operation is the due date of the previous operation.

Overlapping Quantity

The quantity produced after the following overlapping operation can be started.

Planned Quantity

The planned quantity. *Non-modifiable field.*

Completed Quantity

The completed quantity. *Non-modifiable field.*

Rejected Quantity

The rejected quantity. *Non-modifiable field.*

Message

Operation error messages are displayed on this field. Double-click on the field to see further details.

Is Pinned

Tick the box to pin down the operation to a start date and time. The start date and time can be specified on the 'Pinned Start Date' and the 'Pinned Start Time' fields. When an operation is pinned, all other operations in the same production order are also shifted (either backward or forward) around the pinned operation.

Please note: The allocation strategy of production orders with pinned operations will be automatically set to 'Forward from Earliest Date'.

Resource Requirements

Work Center Feature

Select a work center feature for the operation. This is a mandatory field. The parameter is used extensively by the job scheduler; when the scheduler tries to find work center capacities for an operation, it will search for work centers that have the selected feature for the operation.

Is Mandatory Work Center (Y/N)

Indicates whether the operation must take place on the preferred work center or not.

Preferred Work Center

A preferred work center can be set. Every work center with the feature linked to the operation can be selected.

The work center set here will be preferred during the allocation process. If the work center is free, the operation will be allocated there. If the work center is busy, the system will calculate the delay the usage of this work center could cause. If this delay exceeds the maximum delay set on the '*MRP Max Delay For Pref. WC (s)*' option on [Produmex Manufacturing settings](#), the operation will be allocated to another work center, otherwise the system will schedule it to the preferred work center.

When using the multi-dimensional allocation strategy, employee, tool and constraint requirements can be added to the operation too. Select a resource type then add the feature and a preferred

resource. The 'Feature Name' and 'Resource Name' fields will be automatically filled. Only resources linked to the selected feature and features linked to the selected resource type can be added.

Indicate whether the resource is mandatory or not on the '*Is Mand. Res.*' cell.

On the 'Amount' field in an employee row indicate the employee capacity the operation uses. If the Amount is set to one, it means that the operation requires 100% of the employee capacity. Therefore the amount set for an employee cannot be greater than one.

On the amount field of a tool set the needed quantity of the tool during an operation.

Additional resources might not being used during the entire operation. On the Setup, Job and Teardown fields mark that the resource is required in which step of the operation. The setup, job and teardown time of a supplementary resource will be the same as the work center time of the respective step.

Dates

The planning dates of the operation can be overviewed on this tab. These values cannot be modified on the form.

Outsourcing

Mark the operation as outsourced by ticking the 'Is Outsourced?' box. Add a lead time for the outsourcing on the 'Outsourcing Lead Time' textbox. The time scale of the lead time is in days. If set, this lead time will be taken into account during the scheduling instead of the lead time on the Item Master Data.

An operation can be fully or partially outsourced. Define the non-outsourcable quantity on the 'In House Quantity' field. The default value is the planned quantity unless the '*Null InHouse Quantity for Outsourcing*' is set to true on the [Master Data Tab](#) of Produmex Manufacturing settings. If this setting is enabled, the default InHouse quantity is zero.

A new UoM for the outsourcing can be defined on the '*Outsourcing UoM*' field. The conversion rate between the inventory UoM and the Outsourcing UoM can be specified on the '*Items Per Outsourcing Unit*' field. The outsourcing UoM can be used when the unit of measurement the sub-contractor uses differs from the UoM the company uses. If an outsourcing UoM is set, it will be the UoM in the purchase order.

Add the potential outsourcing suppliers on the grid:

- *Supplier Code*: Enter the card code of the supplier to the supplier code cell.
- *Supplier Name*: The name of the supplier. The *Supplier Name* will be automatically filled after the *Supplier Code* is entered.
- *Planned Quantity*: The Planned Quantity defines the outsourced quantity. When outsourcing to more than one supplier, the '*Planned Qty*' defines the ratio of the outsourced operation the supplier covers.

On the '*In House Ratio*' field the ratio of the in house production is displayed. System calculated

value, the user cannot modify it.

The supplier grid is extended with information regarding the outsourcing order. Additional columns:

- Supplier Ratio: The ratio of the supplier.
- Quantity in Order: The total ordered quantity.
- Quantity Received: The sum of the received quantity.
- Quantity Quoted: The quoted quantity.

Outsourcing purchase orders and purchase quotations are listed on an additional grid. These values are only form information, the user cannot modify them.

Use the 'New Purchase order' or 'New purchase quotations' buttons to create purchase orders or quotations. For more information about the outsourcing process please see: [Outsourcing](#)

PDC Bookings

On this tab the production bookings from the terminal can be overviewed. Select a Time UoM for display.

Planned Job/ Planned Setup/ Planned Teardown

The time planned for each manufacturing step.

Booked Job/ Booked Setup/ Booked Teardown

The total booked time for each manufacturing step.

Open Job/ Open Setup/ Open Teardown

The open time for each manufacturing step.

State

The current status of the operation. Possible values: Created/ Started/ Finished.

When a production order is created, the operation status is set to *Created* by default. The operation status is changed to *Started* when a start PDC booking is processed for the operation. The status is changed to *Finished* in the following scenarios:

- When the employee marks the operation as 'Completed' during a Stop job booking on the terminal
- When a Close PDC booking is performed on the Simple PDC Shop-Floor Wizard or on the PDC Bookings Office Terminal

Booked Completed Quantity

The total booked quantity.

Booked Rejected Quantity

The total rejected quantity.

Production Order Operation Details - [DocNum: 529, Line: 1]

Code	00013681	Operation Break	Allowed
Operation Code	oPPD	Operation Time UoM	Minutes
Operation Name	Painting and Drying	Is Parallel Operation	<input type="checkbox"/>
Before Time	min 0.000	Is Overlapping Operation	<input type="checkbox"/>
Safety Time	min 0.000	Max Parallel Operations	0
Setup Time	min 5.000	Overlapping Quantity	0.000
Job Time	min 20.000	Allocation Window	0.000
Teardown Time	min 5.000	Min Job Quantity	0.000
After Time	min 400.000	Message	
Time Base	1.000	Is Pinned	<input type="checkbox"/>
Planned Quantity	2.000	Pinned Start Date	
Completed Quantity	2.000	Pinned Start Time	00:00
Rejected Quantity	2.000		

Resource Requirements	Dates	Outsourcing	PDC Bookings	Documentation	Cost Amounts	Parameters
Time UoM	Minutes		Open Job	13.333		
Booked Job	40.000		Open Setup	5.000		
Booked Setup	0.000		Open Teardown	5.000		
Booked Teardown	0.000		Planned Job	53.333		
State	Created		Planned Setup	5.000		
Booked Completed Quantity	1.000		Planned Teardown	5.000		
Booked Rejected Quantity	1.000					

Posting Date	Posting Time	Posting Code	Compl. Qty.	Rej. Qty.	Mach. Duration	Pers. Duration	Emp. ID	Emp. Name	Reason ...
01/03/17	10:12	Start Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Completed Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Start Job	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:57	Completed Job	1.000	1.000	40.000	40.000	1	Doe, John	

OK Cancel Allocations

On the grid booking entries are listed.

Documentation

On this tab remarks and images can be added to the operation. Enter the text to the textbox. Click on the camera icon to add an image. Remove the image by clicking on the camera icon with the red x.

BoM Operation Details

Operation Code	oPPD	Operation Break	Allowed
Operation Name	Painting and Drying	Operation Time UoM	Minutes
Main Product Code	mM1001	Is Parallel Operation	<input type="checkbox"/>
Main Product Name	Painted Bike Framework	Is Overlapping Operation	<input type="checkbox"/>
Before Time	min 0.000	Max Parallel Operations	0
Safety Time	min 0.000	Overlapping Quantity	0.000
Setup Time	min 5.000	Allocation Window	0.000
Job Time	min 20.000	Min Job Quantity	0.000
Teardown Time	min 5.000		
After Time	min 400.000		
Time Base	1.000		

Resource Requirements	Outsourcing	Documentation	Cost Amounts	Parameters
<div style="border: 1px solid gray; height: 100px; width: 100%;"></div>				

Update Cancel

Cost Amounts

Cost types with parameters can be set on this tab for cost calculation purposes.

Cost Type

Select a 'Cost Type'. Multiple cost type rows can be defined for an operation. Define cost types on the 'Cost Type' form that can be reached via: Production > Cost Calculation > Cost Type.

- Setup Amount: The Setup Amount for the given operation from the cost amounts.
- Job Amount: The Job Amount for the given operation from the cost amounts.
- Teardown Amount: The Teardown Amount for the given operation from the cost amounts.
- Cycle Amount: The Cycle Amount for the given operation from the cost amounts.
- Quantity Amount: The Quantity Amount for the given operation from the cost amounts.
- Fix Amount: The Fix Amount for the given operation from the cost amounts.

For more information about cost calculation please see: [Cost and Price Calculations](#)

Parameters tab

When the 'Use Operation Parameters' setting is enabled on the [PDC tab](#) of the Produmex Manufacturing settings, an additional 'Parameter' tab is displayed on the form.

On this tab parameters for shopfloor [Quality Controlling](#) can be set. Parameters types can be set up on the *OperationParameterTypes* UDT.

Click on the 'Update' button to apply the changes or click on the 'Cancel' button to close the form without any adjustments.

If the production order is 'Released' an additional 'Allocations' button is displayed on the form. Click on this button to allocate work centers for the operation. The allocated work centers will be shown on the opening 'Work Center Allocations' form.

Production Setup

Produmex Manufacturing extends the Production module of SAP Business One with the concept of manufacturing resources such as work centers, employees, tools and constraints. In order to define the available capacities, a shift plan can be set for each resource.

The production setup module can be reached via: Administration > Setup > Production

1. Shift Day Type

The shift day types are used when shift plans are defined for resources.

In this example the shift day type is defined with five shifts. Each shift has a code, a name and a duration defined with the 'From Time' and 'To Time' values.

For documentation purposes overtime and nonproductive shifts can be added as well. These shifts will be never used by the resource scheduling logic.

The productive ratio specifies the available capacity in the shift. For more information about how the productive ratio affects the capacity please see: [Change productive ratio for a shift day type](#)

Shift	Description	From Time	To Time	Is Productive	Is Overtime	Productive Ratio
mOROT	Morning Overtime	06:00	08:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.700
mOR	Morning Shift	08:00	12:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.750
INCBR	Lunch Brake Shift	12:00	13:00	<input type="checkbox"/>	<input type="checkbox"/>	1.000
aNN	Afternoon Shift	13:00	17:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.950
nGHTOT	Night Overtime	17:00	22:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.600

The system automatically calculates various total times to give a better overview of the shift day.

- Converted Total Prod Time: Total time marked as productive.
- Converted Total Unprod Time: Total time marked as unproductive.
- Converted Total Overtime: Total time marked as overtime.
- Converted Total Time: Total length of the shift without the overtime.
- Converted Total With Overtime: Total length of the shift with the overtime.
- Converted Total Gap: Total length of gaps between shifts.

2. Shift Plans

With shift plans yearly work center capacities can be defined. On the 'Shift Plan' screen add the code and description of the shift plan. Click on the 'Add New Year' button to add a new yearly shift plan.

On the 'Shift Plan Year' form a shift day type can be determined for each day in the year. Select the year from the dropdown list. After the year has been selected, the Date, Month, Week and Day fields are automatically filled. Select the shift day type for each day or click on the 'Parameters' button to define the shift day types based on weeks or periods.

On the opening 'Shift Plan Days Parameters' form assign a shift day type for each day. Tick the 'Different Odd/Even Weeks' checkbox to differentiate odd and even weeks. Tick the 'Time Period' checkbox to apply these setting to a selected period only. Define the period on the 'From Day' and 'To Day' fields.

The shift plan can be modified any time after it has been created.

Administration

Choose Company

Exchange Rates and Indexes

System Initialization

Setup

General

Financials

Opportunities

Purchasing

Business Partners

Banking

Inventory

Resources

Service

Production

Shift Day Types

Shift Plans

Resource Features

Work Centers

Employees

Tools

Constraints

Reasons

Shift Plan Year

Shift Plan

pNTSP

Years

2017

Date	Month	Week	Day	Shift Day Type	Comment
01/01/17	January	52	Sunday		
01/02/17	January	1	Monday		
01/03/17	January	1	Tuesday		
01/04/17	January	1	Wednesday		
01/05/17	January	1	Thursday	Normal Working Days	
01/06/17	January	1	Friday	Normal Working Days	
01/07/17	January	1	Saturday		

Shift Plan

Code

pNTSP

Name

Painting Shift Plan

Year

2014

2015

2016

2017

OK

Cancel

Add New Year

OK

Cancel

Parameters

3. Work Center/Resource Features

Define the work center features on this form. A feature is a kind of capability a work center has. A feature is used by the resource scheduling logic to find the appropriate resource for a manufacturing operation. Add the feature code and description to the grid.

Administration

Choose Company

Exchange Rates and Indexes

System Initialization

Setup

General

Financials

Opportunities

Purchasing

Business Partners

Banking

Inventory

Resources

Service

Production

Shift Day Types

Shift Plans

Work Center Features

Work Center Features

Code	Name
aSS	Assembly
aSSU	Assembly Unlimited
cRF	Constraint
cUT	Cutting
dRY	Drying
eRF	Employee Resource Feature
pNT	Painting
pNTDRY	Painting and Drying
qUA	Quality Checking
tRF	Tool Resource Feature
wLD	Welding

OK

Cancel

Resources

Cost Amounts

To see which work centers are assigned for a feature, select the line of the feature and click on the 'Resources' button. To define cost amounts for a feature, select the line of the feature then click on the 'Cost Amounts' button. Select the cost type then specify the amount of each phrase.

If the multi-dimensional allocation strategy is enabled on the [MRP tab](#) of Produmex Manufacturing settings, features for supplementary resources can be defined too. The form title will be changed to 'Resource Features' and an additional *Resource Type* column will be displayed. On this column select the resource type of the feature.

4. Resources

With default settings only work center resources can be defined.

When using the multi-dimensional allocation strategy, an operation can be scheduled for supplementary resources, such as employees, tools and constraints, in addition to a work center. Work centers remain the primary manufacturing resources, if a company had only human resources and no machines, the workers should be modeled as work centers. Employees are needed only when the company would like to manage the capacity of human workers and machines separately.

Manufacturing costs can only be assigned for work centers; no costs can be defined for Employees, Tools and Constraints. The supplementary resources are used only for the job scheduling not for cost calculations.

To schedule maintenance and other planned periods of resource unavailability, use the '[Resource Unavailability](#)' form.

4.1. Work Center

A work center is an individual production area. It is a section of a production facility where all tasks associated with a particular process (such as assembling, painting, welding) are performed. A work center may represent a single machine, a group of machines, a single person, a group of persons.

Define the available shifts/capacity slots for the work center by selecting a Shift Plan for it. The selected bin location will be the default bin for material issues and product receipts during PDC bookings. Defining a profit center for the work center is optional.

The job scheduler will only take into account work centers marked as 'Active'.

Work centers marked as '*Unlimited*' have boundless capacities. Since there is no capacity constraint, multiple operations can be scheduled to the same time.

Resource Feature

A work center must support at least one feature. Features can be switched off individually by unticking the 'Is Active' box. Only 'Work Center' type features can be added to a work center.

Time Scales for manufacturing steps define the efficiency of the work center when performing the feature. The default value is one. When a work center is twice as fast in performing a feature, it requires half the job time for scheduling.

For more information about how the time scale and the shift productivity affects the capacity please see: [Change the time scale for a work center](#)

Cost Amounts

Define the cost types and amounts for cost calculation reasons on this tab.

Click on the 'Allocations' button to review the open allocations of the work center on the 'Resource Allocations' form.

4.2. Employees

The settings of an employee resource are similar to the *work center settings*, except an employee resource cannot be unlimited and no cost amounts can be defined for it.

Add the feature to the employee on the grid. Only 'Employee' type features can be added.

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
eRF	Employee Resource Feature	<input checked="" type="checkbox"/>	1.000	1.000	1.000

The 'Employee' resource might be linked to an employee who has an Employee Master Data defined in SAP Business One. Add the 'Employee No.' as the 'Employee ID' on this form. The 'Name' will be filled accordingly, but it can be adjusted.

4.3. Tools

The tool resource represent manufacturing tools and machines. The settings of a tool resource are similar to the *work center settings*, except a tool resource cannot be unlimited and cannot have cost amounts.

Add the feature to the tool on the grid. Only 'Tool' type features can be added.

Add the number of the available tools to the 'Quantity' field. When the quantity of a tool resource is two, it means that there are two available tools that can be used simultaneously in two operations.

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
tRF	Tool Resource Feature	<input checked="" type="checkbox"/>	0.000	0.000	0.000

4.4. Constraints

Constraints represent general resources such as electricity that can be a limitation during manufacturing. The settings of a constraint are similar to the work center configurations, but a constraint cannot be unlimited. No cost amounts can be defined for constraints.

By defining the '*Quantity*' of the constraint, you can set up the amount of this resource that can be used simultaneously.

Feature	Feature Name	Is Active	Setup Time Scale	Job Time Scale	Teardown Time Scale
cRF	Constraint	<input checked="" type="checkbox"/>	1.000	1.000	1.000

5. Reasons

On this form resource unavailability reasons can be defined. Add the reason code and name on the grid then click on 'Update'.

Code	Name
R1	TestReason

Key Extensions for SAP Business One

1. Item Master Data

1.1. User Defined Fields

Produmex Manufacturing extended the standard SAP Item Master Data with the following user defined fields:

The screenshot displays the SAP Item Master Data form for item 'mM1101'. The form is divided into several tabs: General, Purchasing Data, Sales Data, Inventory Data, Planning Data, Production Data, Properties, Remarks, and Attachments. The 'General' tab is active, showing fields for Item No., Description, Foreign Name, Item Type, Item Group, UoM Group, Price List, Bar Code, Unit Price, and checkboxes for Inventory Item, Sales Item, and Purchase Item. The 'Planning Data' tab is also visible, showing fields for Planning Method, Procurement Method, Order Interval, Order Multiple, Minimum Order Qty, Lead Time, and Tolerance Days. The 'Properties' tab is active on the right side, showing fields for Is Unfinished Product, Item Role, Items per Production Unit, Lead Time Type, MTO Planning, NeedsPDC Approval, Obsolete Tolerance Days, Production Multiple, Production UoM, Profit Center, Safety Lead Time, Use Item Groups Tolerance Days, Cost Schema, BxPPS SubGroup, and Price Schema.

Is Unfinished Product

Defines whether the item is an unfinished product or not. Unfinished products are used only when working with [outsourced manufacturing](#). Set the 'Planning method' on the 'Planning Data' tab to 'None' to prevent MRP to make recommendations. Make sure that the Valuation Method of the item is 'Standard'.

Lead time type

Defines whether the lead time is calculated in calendar days or weekdays.

Safety Lead Time

Defines the earliest date when a purchased material is available. When there is a Safety Lead Time added, the Begin Date of a Purchase Recommendation is calculated as {Due Date - (Lead Time + Safety Lead Time)}.

Item role

Indicates whether it is an item or an operation. Items with the role 'Item' work as standard SAP items. Items with the role 'Operation' represent manufacturing operations on the BoM or production order. Operation items can be specified further on the [Operation Details](#) forms. This field cannot be modified manually.

MTO planning

Defines whether the item is taken into account in [MTO planning](#) or not.

NeedsPDC approval

Defines whether the **PDC bookings** related this items has to be approved by an appointed employee or not.

Use Item Groups Tolerance Days

If set to 'No', during the MRP the Tolerance Day set on the 'Planning Data' tab will be taken into account. If set to 'Yes', the MRP will calculate with the Tolerance Day set for the item group the item belongs.


Cost Schema

Add a **cost schema** to the item.

Price Schema

Add a **price schema** to the item.

1.2. Right-click menu



1.2.1. Material Account

The item flow can be viewed in the Material Account Grid or Diagram.

On the grid the current stock level of each warehouse and the planned receipts/issues are listed. By default the displaying period is three months starting from the current day, but the period can be modified by changing the values of the 'From Date' and 'To Date' fields.


Material Account											
Item Code		m6		From Date		02/09/17					
UoM		pair		To Date		05/09/17					
Due Date	Due Time	MRP Resource Type	Doc Entry	Doc Number	Doc Line	Quantity	Warehouse Code	Delta Quantity	Warehouse Quantity	Total Quantity	
	00:00	Stock	0	0	0	3,000	01	3,000	3,000	3,000	
	00:00	Stock	0	0	0	0,000	02	0,000	0,000	0,000	
01/23/17	23:59	Purchase Enter	4	503	4	3,000	01	3,000	6,000	6,000	
02/13/17	09:28	Production Exit	67	566	10	10,000	01	-10,000	-4,000	-4,000	
02/13/17	23:59	Purchase Enter	6	505	4	20,000	01	20,000	16,000	16,000	
02/17/17	08:24	Production Exit	73	572	10	5,000	01	-5,000	11,000	11,000	

On the 'Material Account Diagram' form stock flow is displayed on a graph.

If the 'Graph Filter' value is 'All Warehouses', the material flow is displayed separately for each warehouse among the total flow. If the value is 'Only Total', then only the consolidated flow is displayed. Select the displaying scale from the 'Graph Scale' dropdown list.

When the mouse cursor is moved over the circled arrow icons, a bubble shows details about that transaction; if the icon is clicked the appropriate production, purchase, etc. order form is opened. The up arrow shows incoming, the down arrow outgoing inventory transactions.

Red areas indicate stock deficit while green areas show stock availability.




1.2.2. Calculate Bills of Materials

Please see: [Cost Calculation](#)

1.2.3. List of Calculated Bill of Materials

Please see: [Cost Calculation](#)

When duplicating an item that has a Bill of Materials, the system will ask whether to duplicate the BoM too.



2. Business Partner Master Data

2.1. User Defined Fields

Produmex Manufacturing extended the Business Partner Master Data with the following user defined fields used in [outsourcing](#):

Outsourcing Partner

Defines if the business partner is an outsourcing partner or not.

Linked Customer

Link 'customer' outsourcing partners to the 'vendor' outsourcing partner by adding the code of the customer to this field.

4.3. Bill of Materials

The standard SAP Business One BoM is extended with operation items. Through operation items, features and resources can be linked to the production. For fine - tuning the scheduling of the receipts and issues, milestone types can also be set.

4.3.1. Header and Grid

Row type

A row in a BoM may be of type:

- Material (purchased or own-manufactured)
- Operation
- Unfinished Product (unfinished product sent to the outsourcing partner)
- Unfinished Material (unfinished material received from the outsourcing partner)
- Supplier Material
- By-Product (a material with negative quantity)
- Phantom (a virtual item in SAP Business One)
- Cost (any non-inventory item)

The sequence of materials and operations are important: materials required for an operation should come above (from top down) the operation, while produced products should come below. It is possible to define operations that do not require materials or do not create products.

The system differentiates purchased and own-manufactured materials. Materials that have their own BoM are regarded as own-manufactured. These materials are indicated with a factory icon on the 'Row Image' field. When clicking on the yellow arrow, for own-manufactured materials the BoM, while for purchased materials the Item Master Data will open.

The operation quantity indicates the time required for the process. The initial parameters of an operation are copied from the manufacturing operation, and these parameters may be customized for the BoM. The [operation details form](#) can be opened by clicking the row image icon. An operation can be defined as outsourced too. Fully outsourced operations are indicated with a different icon on the 'Row Image' field.

Row Image

Indicates the row type.

	raw material/subassembly material/supplier material
	operation/fully outsourced operation
	unfinished product/unfinished material
	by-product
	phantom item
	cost

To see the Operation Details form, click on the Row Image of the operation.

Milestone Type

The two main function of milestones is to connect the operation lines with the belonging materials and to determine for what operations PDC information should be captured.


With the help of the milestones, during a PDC booking for the operation line the belonging materials or the product can also be booked. Milestones can be set for every BOM line where the row type is not

'Cost'. You can set the milestone type at a phantom line, but it makes no sense as the milestone settings from the BoM of the phantom item will be used in the production order.

The 'Milestone type' field can have five values:

- *None*: The milestone is turned off.
- *Milestone*: The line is a milestone. Only operations can be milestones.
- *Depends on Begin*: The line is a dependent line that will be issued when a Start Job is reported for the belonging operation.
- *Depends on Every*: The line is a dependent line that will be issued/received at every PDC booking where a quantity is booked. (Partial job/Complete job)
- *Depends on End*: The line is a dependent line that will be issued/received at every complete job booking for the belonging operation.

We recommend to only use the 'Depends on End' milestone type if the base quantity of the material is 1 and only 'Completed' job bookings are used.



For the depending line the issue type must be 'Manual' while for operations it must be 'Backflush'. Outsourced operations must be set to milestones and the issue method for an unfinished product must be set as 'Backflush'. To set a milestone for the product, use the 'Milestone type' column on the BoM.

When you save the BoM, there is a validation for the milestones.

A warning will appear if there is no belonging operation for a material line with a 'Depends on...' milestone setting.

The saving will be blocked in the following cases:

- There is a material line with the milestone type set to 'Milestone'.
- There is an operation with the Issue Method is 'Manual'.
- There is a material with the milestone type set to a Depends on... setting but the Issue Method is 'Backflush'.
- There is an outsourced operation that is not set as a 'Milestone'.
- There is an unfinished product with 'Manual' issue method.

BxID

Internal identification value.


Rejected Warehouse

Add the warehouse code where the rejected unfinished products or a by-products will be stored to this field to the respective lines.

4.3.2. User Defined Fields

Milestone type

To set a milestone for the product, use the 'Milestone type' UDF on the BoM. As the product is never an operation, it makes no sense to set the milestone type as 'Milestone'. When set as 'Depends on...' it is always connected to the last operation of the BoM.



Calculation Base Quantity

The Calculation Base Quantity is an estimated quantity of a typical production order created from the BoM. This number is used when the setup and shutdown costs are calculated for a single unit of product. For more information please see: [Cost calculation](#)

Rejected Warehouse

Defines the warehouse used for rejected main products.

Is Auto Roll

If set to 'Yes' the due date and time of an MTO child order is automatically aligned with the begin date and time of the parent production order. This setting is only taken into account if the 'Auto Roll child MTOs' option is enabled on the [MTO tab](#) of BX Core settings.

BxID

Internal identification value.

Operation Granularity

The operation granularity value impacts the allocation algorithm. The quantity produced in the operation during the allocation must be a multiple of this value. If the operation granularity value is set to zero, the allocation can be continuous.

Custom Code







On the 'Custom Code' field a generic BoM code can be added. This code can contain letters and numbers.

By default the production order created from the BoM only inherits the 'Milestone type' and 'Rejected Warehouse' UDFs. In order to copy other UDF settings to the production order, set the UDFs on the *UDFCopyFromBoMToProdOrder* table.

The operation quantity indicates the time required for the process. The initial parameters of an operation are copied from the manufacturing operation, and these parameters may be customized for the BoM. The [operation details form](#) can be opened by clicking the row image icon. An operation can be defined as outsourced too. Fully outsourced operations are indicated with a different icon on the 'Row Image' field.

Row Image

Indicates the row type.

	raw material/subassembly material/supplier material
	operation/fully outsourced operation/operation cannot be allocated/finished
	unfinished product/unfinished material
	by-product
	phantom item
	cost

To see the Operation Details form, click on the Row Image of the operation.

Milestone Type


The two main function of milestones is to connect the operation lines with the belonging materials and to determine for what operations PDC information should be captured.

With the help of the milestones, during a PDC booking for the operation line the belonging materials or the product can also be booked. Milestones can be set for every BOM line where the row type is not 'Cost'. You can set the milestone type at a phantom line, but it makes no sense as the milestone settings from the BoM of the phantom item will be used in the production order.

The 'Milestone type' field can have five values:

- *None*: The milestone is turned off.
- *Milestone*: The line is a milestone. Only operations can be milestones.
- *Depends on Begin*: The line is a dependent line that will be issued when a Start Job is reported for the belonging operation.
- *Depends on Every*: The line is a dependent line that will be issued/received at every PDC booking where a quantity is booked. (Partial job/Complete job)
- *Depends on End*: The line is a dependent line that will be issued/received at every complete job booking for the belonging operation.

We recommend to only use the 'Depends on End' milestone type if the base quantity of the material is 1 and only 'Completed' job bookings are used.



For the depending line the issue type must be 'Manual' while for operations it must be 'Backflush'. Outsourced operations must be set to milestones and the issue method for an unfinished product must be set as 'Backflush'. To set a milestone for the product, use the 'Milestone type' column on the BoM.

When you save the BoM, there is a validation for the milestones.

A warning will appear if there is no belonging operation for a material line with a 'Depends on...' milestone setting.

The saving will be blocked in the following cases:

- There is a material line with the milestone type set to 'Milestone'.
- There is an operation with the Issue Method is 'Manual'.
- There is a material with the milestone type set to a Depends on... setting but the Issue Method is 'Backflush'.
- There is an outsourced operation that is not set as a 'Milestone'.
- There is an unfinished product with 'Manual' issue method.

BxID

Internal identification value.

Rejected Warehouse

Add the warehouse code where the rejected unfinished products or a by-products will be stored to this field to the respective lines.

Milestone groups

Production orders inherit the milestone type from the base BoM. An additional 'Milestone Group' field is added to the production orders which contains the code of the operation the line belongs to. This field is automatically set by the add-on based on the milestone settings and it cannot be changed manually.

Allocation error

Operations with allocations errors are indicated with an icon on the 'Row Image' field.

Due Date & Due Time

After the production order is added/updated, an advanced MRP runs in the background and calculates the due dates and times the operation must be finished/ the material must be available.

Manual Planning

Defines whether this line is taken into account by the MRP logic or not.

MRP result

On operation lines indicates whether there is an error with the allocation or not.

MTO scenario

If the production order is a part of an MTO chain and its subassembly line has an MTO production order, the MTO scenario code is displayed on this field on the line of the subassembly.

Operation Reference

In material lines it shows the BX ID of the linked operation. In operation lines it shows the BX ID of the next operation.

Planned Outsourced Quantity

The planned outsourced quantity of an unfinished product.

Completed Outsourced Quantity

The completed quantity of the unfinished product received from the subcontractor.

Rejected Outsourced Quantity

The quantity of an unfinished product that was booked as 'Rejected' by the quality inspector.

Completed Quantity

The completed quantity booked with PDC for an operation.


Rejected Quantity

The quantity booked as 'Rejected' with PDC for an operation.

4.4.2. User Defined Fields

Milestone type

To set a milestone for the product, use the 'Milestone type' UDF on the BoM. As the product is never an operation, it makes no sense to set the milestone type as 'Milestone'. When set as 'Depends on...' it is always connected to the last operation of the BoM.



Calculation Base Quantity

The Calculation Base Quantity is an estimated quantity of a typical production order created from the BoM. This number is used when the setup and shutdown costs are calculated for a single unit of product. For more information please see: [Cost calculation](#)

Rejected Warehouse

Defines the warehouse used for rejected main products.

Is Auto Roll

If set to 'Yes' the due date and time of an MTO child order is automatically aligned with the begin date and time of the parent production order. This setting is only taken into account if the 'Auto Roll child MTOs' option is enabled on the [MTO tab](#) of BX Core settings.

BxID

Internal identification value.


Operation Granularity

The operation granularity value impacts the allocation algorithm. The quantity produced in the operation during the allocation must be a multiple of this value. If the operation granularity value is set to zero, the allocation can be continuous.


Custom Code

On the 'Custom Code' field a generic BoM code can be added. This code can contain letters and numbers.

By default the production order created from the BoM only inherits the 'Milestone type' and 'Rejected Warehouse' UDFs. In order to copy other UDF settings to the production order, set the UDFs on the *UDFCopyFromBoMToProdOrder* table.



When using forward scheduling, the End Date/Time of the production might be later then the due date. In this case a warning will appear when creating/updating the production order.



Due Time

Produmex Manufacturing extends the production order Due Date with a time component. With the Due Time production planning is detailed at the time of day level.

Force Reallocation

To recalculate the allocations for the production order, set the 'Force Reallocation' option to 'Yes' and click update. After the reallocation, the value will be set back to 'No'.

Scheduling dates and times are displayed on UDFs that can be overviewed under the *'Allocation'* category among the allocation message and state.

Under the *'Outsourcing'* category outsourcing parameters of the production order can be seen.

Under the *'Planning'* category key planning dates and times of the production order are displayed.


Under the *'Technical'* category information about the parent order (if any) and other technical details can be overviewed.

Under the *'General'* category production comments, missing capacity information and MTO details are indicated.

4.4.3. Right-click menu

Allocation status

To see the list of allocation errors for the production order after the creation or an update, select the *'Allocation status'* option from the right-click menu. On the opening *'System Message'* form allocation errors will be listed.




Operations Sequence Diagram

To review the schedule/planning/allocations of a single production order, open the *'Operations sequence diagram'* form. The form can be reached from the right-click menu of the production order.


On the form the operations of the production order are displayed in the required order with the work center allocations and the completion percentage.

When a production order is in *'Planned'* status, no actual work center capacities have been allocated for its operations. Still, in this status an operation sequence diagram can be shown by right-clicking the production order form. In the operation sequence diagram for a planned production orders the work center allocations are only temporarily made; a kind of simulation.



Allocation Report

After a production order has been created or updated, the Allocation/calculations results report can be opened from the right click menu to overview the allocations. The red cog indicates an allocation error where the system could not allocate enough capacity for the operation.



Job Requirements Report

For more information please see: [Requirements Report](#)

Material Resource Planning

Material Resource Planning (MRP) is the tool in SAP Business One to find the purchasing and production requirements driven by sales orders, advance/reserve invoices and forecasts. In SAP Business One MRP can be run with a number of parameters; the parameters and the purchasing and production recommendations are saved in scenarios. Produmex Manufacturing simply extends the scenario concept of SAP Business One.

1. Define Planning Data

Before starting the MRP, make sure that you set the following configurations:

1.1. Item Master Data

Define the planning parameters on the Item Master Data. The Produmex MRP will take into account the following fields from the Planning Data tab:

- *'Planning Method'*: Only items with 'MRP' set as the planning method will be taken into account in the MRP.
- *'Procurement Method'*: Determines the order type of the procurement recommendation.
 - Buy: Purchase orders will be recommended.
 - Make: Production orders will be recommended.
- *'Order Multiple'* and *'Minimum Order Qty'*: Affects the quantity to order on the order recommendations.
- *'Tolerance Days'*: Defines the number of days to adjust the due date range of order recommendations. If there is a Tolerance Day specified, the due date is calculated as: {Original Due Date- Tolerance Days}
- *'Lead Time'*: The Lead Time defines the following:
 - For operation items it defines the duration of the outsourcing.
 - For items with the procurement method 'Buy' it defines the duration of the purchasing
 - For items with the procurement method 'Make':
 - If there are no operations in their BoM, it defines the duration of the production.
 - If there are operations in their BoM, the duration of the production is calculated as the total length of the operations. If a Lead Time is set, it will be added to the total operations length.

The Lead Time is defined in days. On the 'Lead Time type' UDF set whether the lead time is calculated in calendar days or in work days.

For purchased items a 'Safety Lead Time' can be defined too. In this case the begin date of the purchase recommendation is calculated as: as {Due Date - (Lead Time + Safety Lead Time)}. *Please note: The Safety Lead Time is always calculated in calendar days, regardless of the 'Lead Time type' setting.*

1.2. Produmex Manufacturing settings

Configure the Produmex MRP settings on the [MRP tab](#) of Produmex Manufacturing Settings.

1.3. Bill of Materials

Adjust the following parameters on the Bill of Materials:

- Specify the operation details on the [BoM Order Operation Details](#) form.
- The *Operation granularity* value is used by the allocation algorithm. The quantity produced in an allocation must be the multiple of this value.

2. Run MRP to detect requirements

Follow the steps of the standard SAP MRP wizard.

The following MRP wizard settings are supported:

• Scenario Details

- *Planning Horizon*
 - View Data in Periods Of Days/Weeks/Months (Please note: grouping are not supported.)
 - Planning Horizon Length
- *Display preferences*
 - Display Items with No Requirements
 - Display Selected Items Only

• Item Selection

- All Items/Selected Items

• Inventory Data Source

- *Run By*
 - Company
- *Include Data Source*
 - Include Existing Inventory
 - Include Demand
 - Include Supply

• Documents Data Source

- *Sources of demand and supply*
 - Purchase Orders
 - Sales Orders
 - Production Orders
 - Reserve Invoices
 - Forecast
 - Inventory Level
- *Recommendations*
 - Purchase Requests/Purchase Orders

When the Produmex Manufacturing add-on runs, two additional checkbox is displayed on the **Documents Data Source** window:

- Use Produmex Manufacturing MRP: If enabled, the advanced Produmex Manufacturing MRP runs instead of the SAP Business One MRP.
- Show detailed summary report: If this setting is enabled, the detailed summary report can be printed after the MRP run. The 'Select Report Layout' form opens. Select the report layout and press the Print button to print the document. The default layout is the 'MRP Summary Detailed (base)' report.

Report Layout	File	Printer Name
MRP Summary Detailed (base)	RL_MRPSummaryDetailed	

The MRP Summary report contains the following:

- Report Name
- From Date – To Date
- From Item – To Item
- Collected Input Data
- MRP Recommendations
- Error Log
- MRP Log

In order to run the Produmex MRP, make sure that the 'Use BX MRP' box is checked on the 'Documents Data Source' screen.

MRP Wizard - Red Bike

Documents Data Source
Define the data sources as well as the documents to include in the MRP calculation.

Time Range

☒ Within Planning Horizon
☐ Include Historical Data

Sources of Demand and Supply to Be Included in MRP Calculation

<input type="checkbox"/> Purchase Requests	<input type="checkbox"/> Restrict Purchase Requests	...
<input type="checkbox"/> Purchase Quotations	<input type="checkbox"/> Restrict Purchase Quotations	...
<input checked="" type="checkbox"/> Purchase Orders	<input type="checkbox"/> Restrict Purchase Orders	...
<input checked="" type="checkbox"/> Blanket Purchase Agreements	<input type="checkbox"/> Restrict Purchase Agreements	...
<input type="checkbox"/> Sales Quotations	<input type="checkbox"/> Restrict Sales Quotations	...
<input checked="" type="checkbox"/> Sales Orders	<input type="checkbox"/> Restrict Sales Orders	...
<input checked="" type="checkbox"/> Blanket Sales Agreements	<input type="checkbox"/> Restrict Sales Agreements	...
<input checked="" type="checkbox"/> Production Orders	<input type="checkbox"/> Restrict Production Orders	...
<input type="checkbox"/> Inventory Transfer Requests	<input type="checkbox"/> Restrict Transfer Requests	...
<input type="checkbox"/> Recurring Order Transactions		
<input type="checkbox"/> Reserve Invoices	<input type="checkbox"/> Restrict Reserve Invoices	...

Inventory Level

Forecast

Recommendations

☒ Purchase
☒ Purchase Requests
☐ Purchase Orders

☒ Production Orders
☐ Inventory Transfer Requests
☐ Show detailed summary report

☒ Use Produmex Manufacturing MRP

☐ Generate to Default Warehouse for Item
☐ Generate to Warehouse with the Demand

Save Scenario

Cancel Back Next Run

Step 5 of 6

After the 'Run' button has been pressed on the MRP Wizard screen, the advanced MRP logic of Manufacturing is executed suppressing the built-in MRP logic of SAP Business One. The algorithm of the advanced MRP is much more complex than the SAP MRP logic because it takes the available resource capacities into account.

After a Produmex MRP run the MRP summary data is saved to an xml file. The file is located in *C:\Program Files (x86)\SAP\SAP Business One\AddOns\BXP\Produmex Manufacturing*.

The file name is *MRPData-ScenarioName.xml*. Please note: The file for a given scenario is updated after each Produmex MRP run for the scenario.

3. MRP logic

I. Gross requirement

First the system queries the item selected on the MRP wizard, then based on the item BoMs identifies the dependent sub-products and raw materials. The gross requirements for these items are detected based on the demand sources selected on the 'Document Data Source' screen of the MRP wizard.

II. Net requirement

Then the system calculates the available item quantities based on the supply sources selected on the Document Data Source' screen of the MRP wizard. The net requirements are determined by subtracting the available quantities from the gross requirements.

III. Free Resource capacities

The system calculates the free capacities based on the existing allocations for released production orders, the simulated allocations for planned production orders, the resource shift schedules and the work plan.

Then the system starts the allocation of the production requirements to the free capacities. The Advanced MRP runs multiple simulations and evaluates each simulation with the weighting factors (MRP Fragmentation Weight, MRP Due Date Weight, and MRP Total Time Weight) set on the [MRP tab](#) of Produmex Manufacturing settings. The best outcome possible will be recommended.

IV. Order recommendations

Based on the scheduling of the required productions, production and purchase order recommendations are generated.

The recommended quantities for purchase orders depend on the net required quantity and the predefined planning rules such as 'Order multiple', 'Order Interval', 'Minimum Order Quantity'. The recommended quantities for production orders depend on the net required quantity and the predefined planning rules such as 'Order multiple', 'Minimum Order Quantity'. The 'Order Interval' is a setting not supported for production orders.

4. MRP results

The results of the advanced MRP are displayed in an overview matrix. When there are issues with the items/allocations, an additional error list form will open.

Please note: The MRP Error List does not takes into account the MRP item selection therefore it will open whenever an error is detected in the MRP regardless if it is linked to the selected items or not.

4.1. MRP Error List form

On the 'MRP Error List' grid allocation errors are listed. Click on the red x to see further details regarding the error. On the System Message the detailed description will be shown.

Click on the 'Ok' button to open the 'Allocation/calculation results' form.

Produmex Manufacturing MRP Results for scenario Red Bike (05/31/17)

MRP Results
This window shows the results of the MRP run. Click on the buttons to see the requirements/recommendations, click on Expand all to show the results of the rows or Collapse all to show only the head rows. Enter a text into Find item field to search for an item number.

Planning horizon: **02/02/17 - 02/10/17**
Find Item: Period: Day

Calculated at: 02/02/17 04:14
☒ Display After MRP

Item Code	Item Description	Σ	Historic data	Past Due	2/2	2/3	2/4	2/5	2/6	2/7	2/8	2/9	2/10	2/11
p1001-1	Red Bike	3									10			
mM1001	Painted Bike Fr...	18			8									
mM1101	Raw Bike Fram...	-8												
m3	Chain	23			10									
m4	Wheel	41			20									
m5	Bell	4								10				
m6	Screw 8mm (Nu...	1								10				

MRP Error List

Type	ProdOrder	Message
✖		Couldn't allocate Virtual Production Order MRPVIRT-1001 (#MRPVIRT-1001) producing 10 of p1001-1, due: 2/8/2017 12:00:00 AM
		8 of mM1001, due: 2/2/2017 4:14:00 PM

System Message

Line 5: Cannot allocate WorkCenter, dueDate=2/7/2017 3:35:00 PM AllocationError, quantity: 3.9961111111111111111111111111110 of 5.0000000 allocated, WorkCenters: wAS
Date range: 2/2/2017 3:32:00 PM-2/7/2017 4:07:00 PM, Total segments: 45.583333333333333 hours (19), b


OK

OK Missing Capacity Report

Close Expand All Collapse All

4.2. Allocation/calculation results form

On this form the allocation results will be displayed. The red cog indicates an allocation error where the system could not allocate enough capacity for the operation.



Allocation errors have to be solved manually. The possible solutions are:

- Close the document that created the demand.
- Modify the due date of the document that created the demand. *Please note: You also have to modify the due date of every related order.*

4.3. MRP results form

On the 'MRP results' form order recommendations are displayed on an overview matrix. Values in red indicate unfulfillable recommendations while orange values indicate recommendations that cannot be completely fulfilled.

Produmex Manufacturing MRP Results for scenario Red Bike (05/31/17)

MRP Results
This window shows the results of the MRP run. Click on the buttons to see the requirements/recommendations, click on Expand all to show the results of the rows or Collapse all to show only the head rows. Enter a text into Find item field to search for an item number.

Planning horizon: **01/25/17 - 01/31/17** Period: **Day** Calculated at: **01/25/17 12:10**
Find Item: ☒ Display After MRP

Item Code	Item Description	Σ	Historic data	Past Due	1/25	1/26	1/27	1/28	1/29	1/30	1/31	2/1
▶ p1001-1	Red Bike	4					30				30	
	Initial Stock				62	59	49					29
	+ Receipts		69				30					30
	- Gross Requirem...											
	= Final Stock											
▶ mM1001	Pa											
▶ mM1101	Ra											
▶ m1	Sn											
▶ m3	Ch											
▶ m4	Wh											
▶ m5	Be											
▶ m6	Scr											

Pegging Information

Item Code: ▶ p1001-1
Item Name: Red Bike
Period From: 01/02/01
Period To: 01/02/01

Source	Pic	Type	Due Date	Due Time	Quantity	Ware...
▶ 2		Production Order	12/23/16	00:00	30.000	01
▶ 61		Production Order	01/23/17	00:00	1.000	01
		Stock	01/25/17	12:10	38.000	01

Trace Close

Close Expand All Collapse All

When clicking on a button, the Pegging Information form opens. This form explains the driving factors behind the given recommendation.

To locate an item on the grid, enter the item code to the 'Find item' field. The system will scroll down and highlight the item. Change the display with the 'Period' setting. Possible values:

- Day: Recommendations will be grouped daily.
- Week: Recommendations will be grouped weekly.
- Month: recommendations will be grouped monthly.

If the 'Display after MRP' checkbox is enabled, the MRP order recommendations will be displayed on the grid.


To see the material account, select a line, then select the Material account option from the right-click menu. The 'Material account with recommendations' window opens. For more information please see: [Material account grid](#)

The items are sorted by hierarchy/alphabetical order, regardless of the 'Sort by' MRP Wizard setting.

The list starts with the item on the highest level. When there are more than one items on the highest level, the first item is the alphabetically first from such items. If an item has a BoM, then the materials in BoM order will follow that item. Subassemblies are listed after the raw materials, regardless of the BoM order. If there is a material/subassembly that belongs to multiple BoMs, the item is listed only once, at the lowest level. The recommendations for the given item are merged.

Example

Hierarchy:



Sequence: P1 - P2 - M2 - A2 - A1 - M3 - A3 - M4 - M1 - P3 - M5

5. Creating Production and Purchase Orders from Recommendations

The Advanced MRP logic of Produmex Manufacturing creates and saves the order recommendation into the same database as used by the SAP Business One's original simple MRP logic. This way the standard 'Order Recommendation' form extended by the Produmex Manufacturing add-on is used to review the recommendations for a scenario.

On this form the recommendations created by the MRP are listed. By default the order type for items with 'Make' planning method is Production order. For items with 'Buy' planning method the default recommendation type is 'Purchase Request'.

It is possible to change the order type to 'Purchase Quotation', 'Purchase Request' or 'Inventory Transfer Request'.

Values in white cells can be adjusted.

Create	Order Type	Item Number	Item Description	Quantity	UoM Code	UoM...	MRP ...	MRP Order Mu...	MRP ...	MRP Lead Time	MRP ...	MRP Comp...	Release Date	Due Date	Vendor Code	Vendor Name	Unit ...	Discount...	Price After Discount	From What	To ...
<input type="checkbox"/>	Production Order	1001	Raw Bike Frame	10	Manual	pcs	Make	1.000	5.000			From Bill of M	02/27/17	02/27/17				0.000			01
<input type="checkbox"/>	Production Order	5	Raw Bike Frame	5	Manual	pcs	Make	1.000	5.000			From Bill of M	02/27/17	02/27/17				0.000			01
<input type="checkbox"/>	Production Order	1001	Painted Bike Frame	10	Manual	pcs	Make	1.000	5.000			From Bill of M	03/02/17	03/02/17				0.000			01
<input type="checkbox"/>	Production Order	5	Painted Bike Frame	5	Manual	pcs	Make	1.000	5.000			From Bill of M	03/02/17	03/02/17				0.000			01
<input type="checkbox"/>	Production Order	1001-1	Red Bike	10	Manual	pcs	Make	10.000	5.000			From Bill of M	03/10/17	03/10/17				0.000			01
<input type="checkbox"/>	Purchase Order	15	5m Steel Pipe	15	Manual	pcs	Buy	100.000	100.000	5			02/17/17	02/24/17	eBS	Extra Bike Supplies	\$ 30.00	0.000	\$ 30.00		01
<input type="checkbox"/>	Purchase Quotation	20	Wheel	20	Manual	pcs	Buy	2.000	10.000	3			02/24/17	03/01/17				0.000			01
<input type="checkbox"/>	Purchase Request	10	Bell	10	Manual	pcs	Buy	5.000	5.000	3			03/06/17	03/09/17	eBS	Extra Bike Supplies	\$ 30.00	0.000	\$ 30.00		01
<input checked="" type="checkbox"/>	Inventory Transfer	10	Screw 8mm (Nut)	10	Manual	pair	Buy	10.000	10.000	3			03/06/17	03/09/17	eBS	Extra Bike Supplies	\$ 0.01	0.000	\$ 0.01		01

The add-on extends the SAP Business One recommendations database table (ORCM) with the following user defined fields:

- Available Quantity: The available quantity.
- Begin Date: The recommended begin date. Adjustable value.
- Begin Time: The recommended begin time. Adjustable value.
- BX Production Comments: Production comments.
- Committed Quantity: The committed quantity.
- Customer Code: The card code of the customer.
- Customer Name: The name of the customer.
- Customer Ref. No: The customer reference number.
- Due Time: The calculated due time.
- In Stock Quantity: The quantity in stock.
- Is Grouped: Indicates whether the order recommendation is grouped nor not.
- IsMTO: Indicates whether the recommendation was created in MTO planning or not.
- Ordered Quantity: The ordered quantity.
- Project: The project code.
- SOL Reference Code: Recommendation reference code.
- Top Order Doc Entry: The doc entry of the top order.
- Top Order Doc Line: The top order line the recommended order is linked to.
- Top Order Doc Number: The top order number.
- Top Order Type: The type of the top order. Possible values: Sales or Production.

To create an order/request from a recommendation, select its line with the 'Create' checkbox then click on the 'Update' button.

5.1. Outsourcing orders

With default settings, [outsourcing purchase orders](#) have to be created manually. To automate the order generation, enable the 'Automatic Generation of Outsourcing Purchase Orders on Production Order Release' option on the [Prod.Order tab](#).

6. Combining Production and Purchase Orders

When the delivery date of some sales orders are close, it might be more efficient to combine these to start a single production order scheduled according to the earliest due date.

Produmex Manufacturing MRP Results for scenario Red Bike (05/31/17)

MRP Results
This window shows the results of the MRP run. Click on the buttons to see the requirements/recommendations, click on Expand all to show the results of the rows or Collapse all to show only the head rows. Enter a text into Find Item field to search for an item number.

Planning horizon: 02/01/17 - 02/19/17
Find Item: Period: Day

Calculated at: 02/02/17 10:53
☒ Display After MRP

Item Code	Item Description	Σ	Historic data	Past Due	1	2/3	2/4	2/5	2/6	2/7	2/8	2/9	2/10	2/11	2/12	2/13	2/14	2/15	2/16	2/17
p1001-1	Red Bike	3							5									10		10
mM1001	Painted Bike Fr...									8		10								
mM1101	Raw Bike Fram...				9															
m1	5m Steel Pipe	54																		
m3	Chain	3								10		10								
m4	Wheel	1								20		20								
m5	Bell	4															10		10	
m6	Screw 8mm (Nu...	1															10		10	

Close Expand All Collapse All

To combine the productions, first create a production order with the earliest due date and increase its quantity with the total quantity of the other recommendations. Do not create any other orders at this time, just the combined production order.

Order Recommendation

Planning Horizon: 02/01/17 - 02/19/17
Find Item No.:

Calculated At: 02/02/17 11:05AM

Create	Order Type	Item Number	Item Description	Quantity	UoM Code	UoM...	MRP ...	MRP ...	MRP Order Mu...	MRP ...	MRP Lead Time	MRP ...	MRP ...	Release Date	Due Date
<input type="checkbox"/>	Production Order	p1001-1	Red Bike	5	Manual	pcs	Make	5.000	5.000					02/06/17	02/06/17
<input checked="" type="checkbox"/>	Production Order	p1001-1	Red Bike	20.000	Manual	pcs	Make	5.000	5.000					02/15/17	02/15/17
<input type="checkbox"/>	Production Order	p1001-1	Red Bike	10	Manual	pcs	Make	5.000	5.000					02/17/17	02/17/17
<input type="checkbox"/>	Production Order	mM1001	Painted Bike Frame	8	Manual	pcs	Make	1.000	5.000					02/07/17	02/07/17
<input type="checkbox"/>	Production Order	mM1001	Painted Bike Frame	10	Manual	pcs	Make	1.000	5.000					02/09/17	02/09/17
<input type="checkbox"/>	Production Order	mM1101	Raw Bike Framewo	9	Manual	pcs	Make	1.000	5.000					02/03/17	02/03/17
<input type="checkbox"/>	Purchase Order	m3	Chain	10	Manual	pcs	Buy	5.000	5.000	2				02/06/17	02/06/17
<input type="checkbox"/>	Purchase Order	m3	Chain	10	Manual	pcs	Buy	5.000	5.000	2				02/06/17	02/06/17
<input type="checkbox"/>	Purchase Order	m4	Wheel	20	Manual	pcs	Buy	2.000	10.000	2				02/02/17	02/06/17
<input type="checkbox"/>	Purchase Order	m4	Wheel	20	Manual	pcs	Buy	2.000	10.000	2				02/06/17	02/08/17
<input type="checkbox"/>	Purchase Order	m5	Bell	10	Manual	pcs	Buy	5.000	5.000	3				02/08/17	02/13/17
<input type="checkbox"/>	Purchase Order	m5	Bell	10	Manual	pcs	Buy	5.000	5.000	3				02/10/17	02/15/17
<input type="checkbox"/>	Purchase Order	m6	Screw 8mm (Nut +	10	Manual	pair	Buy	10.000	10.000	3				02/08/17	02/13/17
<input type="checkbox"/>	Purchase Order	m6	Screw 8mm (Nut +	10	Manual	pair	Buy	10.000	10.000	3				02/10/17	02/15/17

Update Cancel

Now run the MRP again, and this time the required production and purchase order recommendations are automatically combined by the MRP. Now all production and purchase orders may be created from the recommendations.

If you have Bill of Materials with a number of levels with own-manufactured components, then this

combination process may have more iterations. Always start combining the production orders of the topmost products. The purchase order recommendation should only be combined when no more combined production order is needed.

7. Job Scheduling Control Panel

To overview the scheduling of the production orders on a graphical panel, open the [Job Scheduling Control Panel](#).

8. Production Management Cockpit

After the production orders have been created, they can be managed easily on the [Production Management Cockpit](#).

9. Detailed Summary Report

To print a detailed MRP summary report, tick the '*Show detailed summary report*' checkbox on the Document Data Source screen.

After the MRP run has been finished, the 'Select Report Layout' form will open. Select the report layout then click on the 'Print' button. To print the file in .pdf, check the '*Preview before print*' box. On the standard report the following is displayed:

- Collected input data
- List of MRP recommendations
- Error log showing the allocation errors
- MRP log showing the MRP steps

10. Available to Promise

10.1. Sales order

Sales Order

Customer

bBC

Name

Big Bike Mart

Contact Person

Customer Ref. No.

Local Currency

No.

Primary

519

Status

Open

Posting Date

02/17/17

Delivery Date

02/28/17

Document Date

02/17/17

Contents

Logistics

Accounting

Attachments

Item/Service Type

Item

Summary Type

No Summary

#	Item No.	Quantity	Unit Price	Disc...	Total (LC)	Del. Date	Delivery Time	Ready For Deliv...	Ready For De...	Manual Planning
1	p1001-1	10	\$ 400.00	0.000	\$ 4,000.00	02/28/17				No
2				0.000		02/28/17				No

Sales Employee

-No Sales Employee-

Owner

Remarks

Total Before Discount

\$ 4,000.00

Discount

%

☐ Rounding

Tax

Total

\$ 4,000.00

MRP Date

02/28/17

OK

Cancel

Copy From

Copy To

To calculate the earliest possible date to fulfill the sales order, click on the button next to the 'MRP date' field.

Starting from the current date, the planning logic of Produmex Manufacturing calculates the earliest date of fulfillment for each sales order line. The 'MRP Date' field will be filled with the latest date from the calculated fulfillment dates.

Please note: Only the Bill of Materials of the product is considered during the MRP Date calculation. The Bill of Materials of lower level assembly materials are not considered during the calculation.

10.2. Sales quotation

The earliest fulfillment date can also be calculated for Sales Quotations. The form is extended by Produmex Manufacturing with a new 'MRP Date' field. Click on the button next to the MRP Date field. Starting from the current date, the planning logic of Produmex Manufacturing will calculate the earliest possible date to fulfill the sales quotation.

Please note: Only the Bill of Materials of the product is considered during the MRP Date calculation. The Bill of Materials of lower level assembly materials are not considered during the calculation.

If the 'Advanced MTO Recommendation' option is enabled on the [MTO tab](#) of Produmex Manufacturing settings, a 'Sales Quotation Simulation Parameters' form will open. Select the simulation parameters on this form.

The image shows two overlapping windows from the Produmex Manufacturing software. The top window is titled 'Sales Quotation' and contains fields for customer information (bBC, Big Bike Mart), document details (No. 501, Status Open, Posting Date 02/17/17, Valid Until 03/21/17, Document Date 02/17/17), and a table of items. The bottom window is titled 'Sales Quotation Simulation Parameters' and contains a scenario selection table and simulation options.

Sales Quotation Form:

- Customer: bBC
- Name: Big Bike Mart
- Contact Person: [Dropdown]
- Customer Ref. No.: [Text]
- Local Currency: [Dropdown]
- No.: Primary 501
- Status: Open
- Posting Date: 02/17/17
- Valid Until: 03/21/17
- Document Date: 02/17/17

Contents Tab:

#	Item No.	Quantity	Unit Price	Disc...	Tax C...	Total (LC)	Distr. Rule	UoM ...
1	p1001-1	10	\$ 400.00	0.000		\$ 4,000.00		Manual
2				0.000				

Sales Quotation Simulation Parameters Form:

- Scenario: SQ_20170217143607
- Run MRP now: ☒

Select	MRP Scenario Code	IsMTO	Is Quotation
<input checked="" type="checkbox"/>	0001	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	m1	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20161223100723	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170105153848	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170120095819	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170208105327	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170209114711	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	MTO_20170217113732	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	RedBikes	<input type="checkbox"/>	<input type="checkbox"/>

Buttons: Calculate, Show, Cancel

The system will create a new [MTO scenario](#) based on the sales quotation. Default scenario name is: SQ_YearMonthDayHourMinuteSecond but it can be adjusted on the 'Scenario' field.

The 'MRP Mark' column of the purchase order determines which lines are taken into account in the simulation:

If the 'MRP Mark' is set to 'No' for each line, every sales quotation line will be taken into account. If there is at least one line with enabled 'MRP Mark', only lines where the 'MRP Mark' is set to 'Yes' will be taken into account.

Select the scenarios to include into the simulation on the grid. If the '*IsMTO*' checkbox is ticked, the scenario is an MTO scenario. If the '*Is Quotation*' checkbox is ticked, the scenario was created based on a sales quotation.

Based on the '*Sales Quotation Simulation Type filter*' option on the [MTO tab](#) of Produmex Manufacturing settings different scenarios are listed:

- VVMRPSimulationType_All: Current MRP and MTO scenarios are listed.
- VVMRPSimulationType_MTO: Only the current MTO scenarios are listed.
- VVMRPSimulationType_Quotation : Only the current MTO scenarios created based on a sales quotation are listed.

The system will read the order recommendations for the selected scenarios and will create a simulation with forward allocation strategy as if every production order recommendation were released. If the '*Run MRP now*' checkbox is ticked, the system will run again the selected scenarios.

Calculate

Click on the 'Calculate' button to run the MTO scenario for the sales quotation. The system will calculate the MRP Begin Date/Time and MRP End Date/Time for each line. The code of the scenario will also be added to each line.


The Order Recommendations form will open. It is possible to group recommendations for the same item. Select the '*Group Recommendations for Scenario ...*' option from the right-click menu. For more information about grouping recommendations please see: [Make To Order](#)

It is also possible to delete the scenario. Select the '*Delete Scenario ...*' option from the right-click menu.

Show

When the user clicks on the 'Show' button, the MRP calculation runs. The system fills the MRP Begin Date/Time, MRP End Date/Time and the MTP scenario code for each line.

The Order Recommendations form will open. The system creates an allocation simulation containing order recommendation operations from the sales quotation scenario and the selected scenarios and operations from planned production orders. The simulation is displayed on the [Job Scheduling Control Panel](#).



Make-to-Order Manufacturing and Purchasing

With MTO planning business activities such as manufacturing, assembling and purchase, can be planned strictly based on incoming sales orders or in-house production orders. The generated purchase and production orders are traceable as every child order is linked to the triggering top order. Since sales or production orders usually have a number of lines, multiple child orders may belong to a top order. Requirements for the same item from multiple top order lines can be combined into a single scenario.

The add-on uses the Produmex extended Material Resource Planning. The production and purchase order recommendations are placed in separate MRP scenarios with the MRP parameters. The MRP logic of the MTO add-on stores the recommendations in dedicated scenarios. These scenarios created by the MTO add-on can be regarded as a kind of 'projects', which are independent of the SAP Business One built-in project-machinery.

1. Configurations

Adjust the settings of the MTO process on the [MTO tab](#) of the Produmex Manufacturing Settings screen.

To configure items for MTO planning, set the '*MTO Planning*' UDF to 'Yes' on the Item Master Data of the item.

Please note: the '*Planning Method*' of the item should be 'MRP'. Order recommendations will be created based on the '*Procurement Method*' of the item. Production orders will be recommended for items with 'Make' Procurement Method and purchase orders for items with 'Buy' method.

Item Master Data

Item No. ☒ Inventory Item

Description ☐ Sales Item

Foreign Name

Item Type ☐ Purchase Item

Item Group

UoM Group Bar Code

Price List Unit Price \$ 300.00

General

Purchasing Data

Sales Data

Inventory Data

Planning Data

Production Data

Properties

Remarks

Attachments

Planning Method

Procurement Method

Component Warehouse

Order Interval

Order Multiple

Minimum Order Qty

Lead Time Days

Tolerance Days Days

OK

Cancel

All Categories

Is Unfinished Product

Item Role

Items per Production Unit

Lead Time Type

MTO Planning

NeedsPDC Approval

Obsolete Tolerance Days

Production Multiple

Production UoM

Profit Center

Safety Lead Time

Use Item Groups Tolerance Days

Cost Schema

BXPPS SubGroup

Price Schema

2. Initiate MTO

The scheduling of MTO specific procurement can be initiated from the base document. The base document can be an open sales order or a planned/released production order if the 'MTO from production order' option is enabled on the [MTO tab](#) of Produmex Manufacturing Settings. After selecting an item line, select the 'MTO Planning' option from the right-click menu.

Sales Order

Customer: bBC
 Name: Big Bike Mart
 Contact Person: [v]
 Customer Ref. No.:
 BP Currency: \$

No.: Primary 506
 Status: Open
 Posting Date: 11/29/16
 Delivery Date: 12/29/16
 Document Date: 11/29/16

Contents | Logistics | Accounting | Attachments

Item/Service Type: Item

#	Item No.	Quantity	Unit Price	Disc...	Tax C...	Total (LC)	Manual Planning	Project	MTO Scenario	Delivery Time	UoM Code	Distr. Rule
1				0.000		\$ 4,820.10	No				Manual	
2				0.000			No					

Summary Type: No Summary

Copy
 Copy Table
 Maximize/Restore Grid
 Add Row
 Delete Row
 Duplicate Row
 Row Details...
 New Activity
 Payment Means...
 Gross Profit...
 Volume and Weight Calculation...
 Item Availability Check
MTO Planning
 Opening and Closing Remarks
 Calculate Sales Order
 MTO Procurement Orders
 MTO Procurement Graph
 Order Recommendation
 MTO Problem Report
 Save as Draft

Total Before Discount: \$ 4,820.10
 Discount: %
 Rounding: \$ 0.00
 Tax:
 Total: \$ 4,820.10
 MRP Date: [v]

Copy From | Copy To

3. Top Order Picker for MTO Planning

A new form 'Top Order Picker for MTO Planning' will be opened displaying the item on the selected line. The form also can be opened via the following path: MRP > Make to Order Scenario.

On the 'MTO Scenario field' a specific MTO scenario name can be defined. The default name is: MTO_timestamp where timestamp is in yyyyMMddHHmmss.

Select line(s) by checking the box in 'Selected' column and click on the 'Add' button to create MTO planning for the selected document line(s). To select every line, click on 'Selected'.

Selected	Item Code	Item Description	Quantity	Due Date	Due Time	Customer	Cust.Name	Cust.Ref.No.	Order Type	Sales Order No	Production Order No	Top O...
<input checked="" type="checkbox"/>	mM1001	Painted Bike Framework	1.000	11/28/16	12:00	bBC	Big Bike Mart		Sales	503		
<input type="checkbox"/>	mM1001	Painted Bike Framework	1.000	12/02/16	12:00	bBC	Big Bike Mart		Sales	504		

The recommendations are always generated into a new scenario, and the recommendations cannot be added to an existing scenario. The add-on runs its extended MRP logic for the selected line(s), and the recommendations are generated into a new scenario with the name specified. The form 'Order Recommendations' will be automatically opened for the scenario.

3.1. Combine MTO planning for multiple top orders

Other sales order and production order lines could be loaded into the 'Top Order Picker for MTO Planning' form to combine them.

Click on the 'Load Top Orders' button to load the orders. It is possible to filter the documents with the 'Item', 'Date From-To', 'Project' and 'Customer' fields.

- *Item*: Only load top order lines containing the item.
- *Date From- To*: Only load lines of top orders from the selected period.
- *Project*: Only load lines of top orders of the selected project.
- *Customer*: Only load lines of top orders for the selected customer.

To remove the top orders from the grid, click on the 'Clear' button.

To close the screen without any adjustments, click on the 'Cancel' button.

4. Creating Production and Purchase Orders from Recommendations

The extended MRP logic of the add-on creates the recommendations into a dedicated scenario that contains only the recommendations belonging to the selected document line(s).

Please note: The current stock is not taken into account for the complete requirements; a new recommendation is always created for items with MTO Planning.

On the 'Order recommendation' form recommended production and purchase orders with the scheduling are listed.

The screenshot shows the 'Order Recommendation' window. It contains a table with the following columns: Create, Order Type, Item Number, Item Description, Quantity, UoM Code, UoM..., MRP ..., MRP ..., MRP Order Mu..., MRP ..., MRP Lead Time, MRP ..., Release Date, Due Date, Vendor Code, Vendor Name, Unit ..., and Discount... The table lists several items, including 'Red Bike', 'Painted Bike Frame', 'Raw Bike Frame', '5m Steel Pipe', 'Wheel', 'Bell', and 'Screw 8mm (Nut ...)'. Each item has a corresponding 'Order Type' (Production Order or Purchase Order) and a 'Vendor Name' (Extra Bike Supplies). The 'Release Date' and 'Due Date' are also provided for each item.

Values in white cells can be adjusted.

When the 'Allow MTO Order Type Change' option is set to true, the 'Order Type' column is displayed on the 'Order Recommendations' form. In this case the order type can be changed to: Purchase Order/ Production Order/ Purchase Request. Please note: Purchase Quotations and Inventory Transfer Requests are not yet supported in the MTO planning.

The following fields will be filled only if the 'Show Stock Information' option is set to true on the [MTO tab](#) of Produmex Manufacturing Settings:

- Available Quantity
- Committed Quantity
- In Stock Quantity
- Ordered Quantity

To create the actual production and purchase orders, select the line(s) and click on the 'Update' button. The MTO logic uses the *Lead Time* and *Tolerance Days* when scheduling. For each selected document line separate order recommendations will be created. It's not mandatory to create all orders immediately and in one step. The scenario containing the MTO recommendations can be opened later as well from the standard MRP module.

When all recommendations were processed into an MTO scenario, then the scenario might be deleted with the MRP wizard. To delete the scenario, select 'Delete Scenario ...' from the right-click menu. It is not possible to delete recommendation lines for an MTO scenario.

To create grouped recommendations, select 'Group Recommendations for Scenario ...' from the right-click menu.

4.1. Group Recommendations form

Group Recommendations

MTO Scenario

MTO_20161129154454

Primary Order Recommendation

85

Item

mM1101

Raw Bike Framework

Primary Order Type

Production Order

Vendor

Total Selected

2

Total Quantity

10.000

Project

Warehouse

01

Grouped

☐

Show Group Members

☐

Group Days

Is Selected	Rcm. Number	Order Type	Item Code	Item Description	Quantity	UoM	Vendor	Vendor Name	Due Date	Due Time	R..
<input type="checkbox"/>	87	Purchase	m1	5m Steel Pipe	5.000		eBS	Extra Bike Supplies	12/06/16	23:59	12/0
<input type="checkbox"/>	89	Purchase	m4	Wheel	10.000		eBS	Extra Bike Supplies	12/07/16	23:59	12/0
<input checked="" type="checkbox"/>	85	Production	mM1101	Raw Bike Framework	5.000				12/08/16	08:38	12/0
<input type="checkbox"/>	83	Production	mM1001	Painted Bike Framework	5.000				12/08/16	17:42	12/0
<input type="checkbox"/>	88	Purchase	m1	5m Steel Pipe	5.000		eBS	Extra Bike Supplies	12/14/16	23:59	12/0
<input type="checkbox"/>	90	Purchase	m5	Bell	5.000		eBS	Extra Bike Supplies	12/14/16	23:59	12/0
<input type="checkbox"/>	91	Purchase	m6	Screw 8mm (Nut + Bolt)	5.000		eBS	Extra Bike Supplies	12/14/16	23:59	12/0
<input checked="" type="checkbox"/>	86	Production	mM1101	Raw Bike Framework	5.000				12/15/16	15:04	12/1
<input type="checkbox"/>	84	Production	mM1001	Painted Bike Framework	5.000				12/16/16	00:00	12/1
<input type="checkbox"/>	82	Production	p1001-1	Red Bike	5.000				12/16/16	00:00	12/0

Close

Unselect

Auto-Group

Group

Ungroup

On the opening 'Group Recommendations' form select the lines to group.

The recommendation selected first will be the primary recommendation. The following header fields will be filled based on the primary recommendation:

- **Primary Order Recommendation:** The recommendation number of the primary order.
- **Primary Order Type:** The type of the primary recommendation order.
- **Item:** The item code and description.
- **Vendor:** The card code and description of the vendor.
- **Grouped (Y/N):** Indicates whether the recommendation is grouped or not.
- **Project:** The project code.
- **Warehouse:** The warehouse code.

After the primary order has been selected, only lines containing the same item can be added to the group. The primary recommendation can only be unselected with the 'Unselect' button.

The 'Total Selected' field shows the number of the selected lines and the 'Total Quantity' field displays the total ordered quantity on the selected lines.

If the 'Show Group Members' option is ticked, grouped items are displayed in separate lines.

The 'Group Days' value defines the period length within order recommendations for the same item will be grouped with the Auto-Group function.

Click on the 'Group' button to group the selected lines. The lines that are grouped in this form will be grouped on the 'Order Recommendation' form too. To split grouped recommendations, select the

recommendation and click on the 'Ungroup' button. To make every possible grouping within the period length defined in the 'Group Days' field, click on the 'Auto-Group' button.

5. Production and Purchase Orders Linked to Top Order Line

On purchase orders created from an MTO scenario the Manual Planning cell is set to 'Yes' and the MTO scenario name is added to the respective 'MTO Scenario' cell. The order type, the document number, the doc entry of the top order and the top order line is also added to the purchase order for reference.

When the top order is a sales order, the sales order number and the customer code is added to the production orders created from the MTO planning. The MTO scenario code and the top order details are displayed on the respective UDFs.

6. Changes on the top order

When reopening the base document, a couple of modifications can be seen. The name of the MTO scenario is written into the appropriate top order line and the Manual Planning cell is set to 'Yes'. These are necessary because the Produex Manufacturing regular MRP logic should skip the order lines that are handled by MTO planning.

Production Order

TypeStandard

StatusReleased

Product No.p1001-1

Product DescriptionRed Bike

Planned Quantity30

Warehouse01

No. Primary501

Order Date11/23/16

Start Date01/04/17

Due Date01/04/17

Usermanager

OriginMRP

Sales Order

Customer

Distr. Rule

Project

ComponentsSummary

#	Type	No.	Description	Base ...	Planned...	Issued	Avail...	UoM ...	UoM ...	Wareho...	Issue Method	Manual Planning	MTO Scenario	Distr. Rule
1	Item	mM1001	Painted Bike Framew	1	30		-72	Manual	pcs	01	Manual	Yes	MTO_2016112910	
2	Item	m3	Chain	1	30		-100	Manual	pcs	01	Manual	No		
3	Item	m4	Wheel	2	60		-140	Manual	pcs	01	Manual	Yes	MTO_2016112910	
4	Item	oPAS	Bike Assembly	180	5,400			Manual	min	01	Backflush	No		
5	Item	cOST1	Project Management	1	30			Manual		01	Backflush	No		
6	Item	uP1001-0	Red Bike (Basic)	-1	-30			Manual	pcs	01	Backflush	No		
7	Item	uP1001-0	Red Bike (Basic)	1	30			Manual	pcs	01	Manual	No		
8	Item	oPQA	Quality Assurance	3	90			Manual	min	01	Backflush	No		
9	Item	m5	Bell	1	30		-70	Manual	pcs	01	Manual	Yes	MTO_2016112910	
10	Item	m6	Screw 8mm (Nut + E	1	30		-70	Manual	pair	01	Manual	Yes	MTO_2016112910	
11	Item	oPBI	Bell Installation	5	150			Manual	min	01	Backflush	No		
12	Item	cOST2	Energy	1	30			Manual		01	Backflush	No		
13	Item										No			

Remarks

Pick and Pack Remarks

OKCancel

7. MTO Procurement Orders

To overview the MTO Procurement orders created from a top order line, select the line on the top order then select 'MTO Procurement Orders' from the right-click menu. Every production and purchase orders linked to the selected top order line displayed. The order hierarchy, the significant dates and times, the order status and the completed quantity is shown on this form.


MTO Procurement Orders												
Top Order		506										
Top Sa. Ord.	Top Pr. Ord.	Top Ord. Line	Item Code	Item Description	Order Type	Pr. Ord. No.	Parent Pr. Ord. No.	Pu. Ord. No.	Pu. Quot. No.	Pu. Req. No.	Pu. Ord. Line	
506		1	p1001-1	Red Bike	Production	514	514					
506		1	mM1001	Painted Bike Framework	Production	512	514					
506		1	mM1101	Raw Bike Framework	Production	513	512					
506		1	m1	5m Steel Pipe	Purchase		513	504			1	
506		1	m4	Wheel	Purchase		514	504			2	
506		1	m5	Bell	Purchase		514	504			3	
506		1	m6	Screw 8mm (Nut + Bolt)	Purchase		514	504			4	

Click on the 'Manage' button to manage the production orders linked to the top order on the [Production Management Cockpit](#).

8. MTO Procurement Graph

When we select the option MTO Procurement Graph in the right-click menu of a top order line, a form is opened that shows the timing of the production and purchase orders linked to the line. The diagram shows the hierarchies of the production and purchase orders as well.

On the left section, the order details (the item code of the ordered item, the ordered quantity, the order type and the due date) are shown as well as the order hierarchy. On the right section, bars display the planned duration of the orders. Next to the each bar, a completion percentage is displayed. The manufacturing sequence is indicated with red arrows.



9. MTO Top Order References

To see the details of the referenced top order, select the 'MTO Top Order References' option from the right click menu on a created production or purchase order.

Top Sa. Ord.	Top Pr. Ord.	Top Ord. Line	Quantity	Scheduled Date	Top Ord. Line Qty.	Top Ord. Line Due Date	Grouped	Status	Open Qty.
530		1	10,000	04/06/17	10,000	04/07/17	<input type="checkbox"/>	Order Created	10,000

10. MTO Problem Report

Open the MTO Problem Report from the right click menu on the top order. Set the too early and too late thresholds for the MTO Report on the [MTO Tab](#) of Produmex Manufacturing Settings.

MTO Problem Report

Top Order Type	Top Ord. ID	Top Production Order Doc Entry	Top Ord. Line	State	Top Ord. No.	Item Code	Item Description	Quantity	UoM	Order Type	Status
▼ S	▼ 31										
		0	1	Warning	530	m1	5m Steel Pipe	10,000		Purchase Order	Order Created
		0	1	Warning	530	m4	Wheel	20,000		Purchase Order	Order Created
		0	1	Warning	530	m5	Bell	10,000		Purchase Order	Order Created
		0	1	Warning	530	m6	Screw 8mm (Nut + Bolt)	10,000		Purchase Order	Order Created

11. Reschedule MTO scenario

11.1. On the Production Management Cockpit


When the 'Move Earliest' and/or the 'Move Latest' setting is enabled on the [MTO Tab](#) of the Produmex Manufacturing Settings, the production orders linked to the MTO chain can be rescheduled based on the earliest or latest start date of the top order on the [Production Management Cockpit](#).

12.2. On the Job Scheduling Control Panel

On the [Job Scheduling Control Panel](#) operations can be rescheduled manually. When the 'Auto Roll child MTOs' option is enabled on the [MTO tab](#) of Produmex Manufacturing settings, the child production orders that have the 'Is Auto Roll' UDF set to 'Yes' are automatically reallocated if the parent MTO is rescheduled if the *Allocation Strategy* of the production orders is 'Back from Due Date'. The due date of the child production order will be aligned to the begin date of the parent order.

11.2.1. Discrepancy

To highlight the production orders belonging to the MTO scenario, select the scenario from a list on the header next to the MTO scenario. The list of the procurement orders of the selected MTO can be opened by clicking on the yellow arrow. The 'MTO Procurement Orders' form will open.



The order sequence is displayed with arrows. Red arrows indicate discrepancies. The discrepancy messages are shown on the bottom section on the form. Double click on the message to highlight the arrow showing the discrepancy.

Discrepancies can be corrected manually or by using the 'Reallocate allocations' function. For more information about this function please see: [3.2. Rescheduling](#).

Rework orders

With rework orders supplementary operations can be added to an [MTO chain](#) in order to improve the quality of the child items. It can be created from the parent MTO production order for a child element. The rework order will be linked to the MTO chain of the parent production order.


1. Prerequisites

First define an item for rework. Normally this item is only an 'Inventory' item as it is used only internally. Then create the rework BoM for this item that includes all the operations and materials needed for the rework.

Add the code of the rework item to the '*Rework Order special BoM item code*' field on the [Production order tab](#) of Produmex Manufacturing settings.

2. Create a rework order

Rework order can be created from the parent MTO production order. Select the line of the assembly material in question the select the '*Create Rework Order*' option from the right-click menu.



The created rework order will open up.

The order type will be 'Special' and the BoM loaded in the order is the BoM of the rework item defined on the '*Rework Order special BoM item code*' field.

The product will be the assembly material and the quantity will be the planned quantity of the material on the parent production order. The rework order inherits its due date from the base production order. The planned quantity for the product will be the planned quantity of the assembly material of the parent production order.

Adjust the rework order manually by adding or modifying material & operation lines that will reflect the specific rework order that has to be performed then click on the 'Update' button.

The rework order is automatically added to the MTO chain of the top order. If the parent production order has a Custom Code defined on the Custom Code UDF, the rework order will inherit it.

Select	Changed	St.	Pr. Ord. No	Pr. Ord. Status	Priority	Item No	Item Name	Custom Code	Planned Quantity	Allocation Strategy	Begin Date	End Date	Latest Begin Date	Due Date	Due Time
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	586	Planned		p1001-1	Red Bike	CC4325	15.000	Forward From Preferred Date	02/21/17 11:40 AM	03/01/17 11:04 AM	02/20/17 02:53 PM	02/28/17	00:00
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	587	Planned		mM1001	Painted Bike Framework	CC0123	15.000	Forward From Preferred Date	02/17/17 02:35 PM	02/23/17 04:37 PM	02/17/17 01:50 PM	02/18/17	00:00
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	590	Planned		mM1101	Raw Bike Framework	CC5543	15.000	Forward From Preferred Date	02/17/17 01:00 PM	02/17/17 08:12 PM	02/17/17 04:28 PM	02/18/17	00:00
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	595	Planned		mM1101	Raw Bike Framework	CC0123	15.000	Forward From Preferred Date	02/17/17 02:35 PM	02/17/17 02:49 PM	02/17/17 04:46 PM	02/18/17	00:00

3. Execute the order

Execute the rework order in the shopfloor as described in: [PDC bookings](#).


To ensure accurate inventory records, do not receive the product at the end of the job as it has been already received from the job of the child production order.

Outsourced Manufacturing

An operation in a Bill of Material or in a Production Order may be defined as outsourced, meaning that this operation is performed by one of our outsourcing suppliers.

Here are the steps in outsourcing:

- Define outsourcing suppliers and supplier warehouses
- Define outsourceable operations (items) with lead times
- Define outsourceable operations with suppliers on the Bill of Materials
- Create production orders and review, fine-tune or redefine outsourced operations
- Release production order
- Create outsourcing purchase quotations and orders
- (Optional) Transfer materials from company warehouses into supplier warehouses
- Deliver materials to supplier
- Receive product from supplier



1. Configurations

1.1. Define Outsourcing Partners and Supplier Warehouse

Every 'Vendor' type business partner can be selected as an outsourcing partner. When the materials are not delivered directly from the main warehouse to the supplier and inter-warehouse stock transfer transactions are applied, an outsourcing warehouse and a customer type business partner should be added for the outsourcing supplier in order to create Stock/Inventory Transfer documents.

To create this "supplier- client", first add the partner as a customer too. On the customer Business Partner Master Data set the customer as an outsourcing partner with the 'Outsourcing Partner' UDF. Link the business partners on the vendor Business Partner Master Data by adding the card code of the customer to the 'Linked Customer' UDF.

The image shows two screenshots of the 'Business Partner Master Data' window. The top screenshot is for a 'Vendor' record with Code 'bGU', Name 'Bike Gurus', and Local Currency. The bottom screenshot is for a 'Customer' record with Code 'bGU_O', Name 'Bike Gurus', and Local Currency. Both records show 'Account Balance' and 'Goods Receipt POs' as 0.00.

This 'supplier-customer' is needed only when the materials are transferred from the main warehouse(s) into the outsourcing warehouse, and when the materials are delivered to the supplier either from the supplier warehouse or directly from the main warehouse.

Supplier warehouses are used and needed only when the materials sent to the outsourcing supplier are moved from the main warehouses of the company to these special warehouses.

To create a supplier warehouse, add the supplier code to the 'Outsourcing Partner' UDF on the warehouse to link the outsourcing partner to the warehouse. The 'Partner Name' field will be automatically filled.

The image shows a screenshot of the 'Warehouses - Setup' window. The 'Warehouse Code' is '02' and the 'Warehouse Name' is 'Supplier Warehouse'. The 'Outsourcing Partner' is 'eBS' and the 'Partner Name' is 'Extra Bike Supplies'.

1.2. Bill of Materials with Outsourced Operations

1.2.1. Defining Outsourced Operations in BoMs

When creating an operation item it has to be set to be 'Purchased' in order to be outsourceable; since when a purchase order is created for outsourcing, it is the operation item that is included in the purchase order document.

Define the operation as outsourced either on BoMs and Production orders Operation Details form. On the Outsourcing tab, tick the 'Is Outsourced' box to enable the outsourcing.

Bill of Materials (Resource List)

Product No.
 Product Description
 BOM Type
 Production Std Cost
 Planned Average Production Size

#	Row Type	R..	Type	No.	Description	Quantity	Uo...	Warehouse	Issue Method	Production Std...	Total Production...	Price List
1	Material		Item	mM1001	Painted Bike Framework	1	pcs	01	Manual	\$ 0.00	\$ 0.00	Price List 01
2	Material		Item	m3	Chain	1	pcs	01	Manual	\$ 0.00	\$ 0.00	Price List 01
3	Material		Item	m4	Wheel	2	pcs	01	Manual	\$ 0.00	\$ 0.00	Price List 01
4	Operation		Item	oPAS	Bike Assembly	180	min	01	Backflush	\$ 0.00	\$ 0.00	Price List 01

BoM Operation Details

Operation Code
 Operation Name
 Main Product Code
 Main Product Name
 Before Time
 Safety Time
 Setup Time
 Job Time
 Teardown Time
 After Time
 Time Base

Operation Break
 Operation Time UoM
 Is Parallel Operation ☐
 Is Overlapping Operation ☐
 Max Parallel Operations
 Overlapping Quantity
 Allocation Window
 Min Job Quantity

Resource Requirements Outsourcing Documentation Cost Amounts

Is Outsourced ☒
 Outsourcing Lead Time
 In House Quantity
 Outsourcing UoM
 Items Per Outsourcing Unit

Supplier Code	Supplier Name	Planned Qty.
bGU	Bike Gurus	1.000

OK Cancel

An operation can be fully or partially outsourced. In the 'In House Quantity' field define the quantity that is not outsourced. When the 'Null InHouse Quantity for Outsourcing' option is enabled on the [Master Data tab](#), the default In House quantity on the BoM Operation details form will be zero, meaning that the operation is fully outsourced. When this setting is not enabled, the default quantity is the default value.

If an operation is fully outsourced its icon is changed in the BoM form's matrix. The possible outsourcing suppliers can be listed in the outsourcing grid. It is possible that an operation is outsourced to multiple suppliers in the ratio defined in the Planned Qty value. The default 'Outsourcing UoM' is the Purchasing UoM of the operation but it is possible to adjust it. Add a new UoM and specify how many inventory units make for one outsourced unit on the 'Items per Outsourcing UoM' field.

Set an unit price for the outsourced operation. When the purchase order is created, the appropriate price is used.

The Lead Time of an outsourced operation does not dependent on the quantity manufactured, which might be a limitation. The Lead Time concept comes from standard SAP Business One. The Lead Time can be meant in working days or calendar days: this is the value of 'Lead Time Type' UDF on the Item

Master Data of the operation.

The lead time can be set:

- On the [MRP tab of Produmex Manufacturing settings](#)
Set the 'Default Outsourcing Lead Time'. This value is used when no Lead Time is defined on the Item Master Data or on the Operation Details.
- On the Planning tab of the Item Master Data
Set a default lead time for an item on the 'Lead Time' field.
- On the Outsourcing tab of the Operation Details form
Specify a lead time for the current operation on the 'Outsourcing Lead Time' field.

1.2.2. Defining Materials for Outsourced Operations

Regular materials can be defined for outsourcing operations just like for non-outsourced operations. These materials are delivered to the supplier partner. When the 'ProdOrder Allow Simplified Outsourcing' option on the [Prod.Order tab of Produmex Manufacturing settings](#) is disabled, the use of unfinished products and materials is mandatory. In simplified outsourcing unfinished products and materials are optional.

Here is an example how to define unfinished products/materials.

#	Row Type	R..	Type	No.	Description	Quantity	UoM Name	Warehouse	Issue Method	Production Std Cost
1	Material	Item	mM1001	Painted Bike Framework	1	pcs	01	Manual		\$ 0.00
2	Material	Item	m3	Chain	1	pcs	01	Manual		\$ 0.00
3	Material	Item	m4	Wheel	2	pcs	01	Manual		\$ 0.00
4	Operation	Item	oPAS	Bike Assembly	180	min	01	Backflush		\$ 0.00
5	Cost	Item	cOST1	Project Management	1		01	Backflush		\$ 0.00
6	Unfinished	Item	uP1001-0	Red Bike (Basic)	-1	pcs	01	Backflush		\$ 0.00
7	Unfinished	Item	uP1001-0	Red Bike (Basic)	1	pcs	01	Manual		\$ 0.00
8	Operation	Item	oPQA	Quality Assurance	3	min	01	Backflush		\$ 0.00
9	Material	Item	m5	Bell	1	pcs	01	Manual		\$ 0.00
10	Material	Item	m6	Screw 8mm (Nut + Bolt)	1	pair	01	Manual		\$ 0.00
11	Operation	Item	oPBI	Bell Installation	5	min	01	Backflush		\$ 0.00
12	Cost	Item	cOST2	Energy	1		01	Backflush		\$ 0.00
13		Item								

Product Price: \$ 482.01

This BoM has three operations: The first one is outsourced and the last two is non-outsourced. When an outsourced operation is followed by other operations and materials, the 'unfinished product' item must be added to the BoM twice. First add it right after the operation with the row type 'Unfinished product'. Then add the unfinished product item before the next operation with the row type 'Unfinished material'.

1.2.3.1. Define 'Unfinished product' items

On the Item Master Data of the product, set the 'Is Unfinished Product' UDF to 'Yes'. Normally these

items are only 'Inventory' items since these are purely internally used to keep track of the stock of the interim manufacturing items.

On the Planning tab set the Planning method to 'None' to prevent the MRP to make recommendations.

On the 'Inventory Data' tab make sure that the valuation method is set to 'Standard' to avoid inventory transaction errors. Since the Unfinished Product items are used only in manufacturing transactions, they should be defined for the manufacturing warehouse and all relevant supplier warehouses.

The screenshot shows the SAP Item Master Data configuration for item 'uP1001-0'. The 'Basic Data' tab is active. Key settings include: Item No. uP1001-0, Description Red Bike (Basic), Item Type Items, Item Group Items, UoM Group Manual, Price List Labor-Free Price, and Unit Price Primary Curr. The 'Inventory Item' checkbox is checked. The 'Is Unfinished Product' checkbox is also checked, and the 'Item Role' is set to 'Item'. The 'Items per Production Unit' is set to 1. The 'Lead Time Type' is set to 'Working Days', 'MTO Planning' is 'No', 'Needs PDC Approval' is 'No', and 'Obsolete Tolerance Days' is '-1'.

1.2.3.1. Add 'Unfinished product' items to the BoM

The same intermediate item has to be included in a BoM twice: first with row type 'Unfinished Product' followed by a row type of 'Unfinished Material'.

If the last operation is outsourced, no unfinished product has to be defined for that operation, since the product of that operation is the actual product item of the BoM. Here is then the sequence of rows in a BoM:

- (In-House or Outsourced) Operation
- (Cost)
- Unfinished Product
- Material
- Unfinished Material with the same item code as the preceding Unfinished Product
- (In-House or Outsourced) Operation
- Other materials/ operation

Since the unfinished products are normally available only in the manufacturing and the supplier warehouses, the source warehouse for the unfinished product/material rows in the BoM should be set accordingly. Since the inventory management of unfinished products works best with PDC, the milestone types of the rows should be set accordingly. The milestone type of operations should be set to 'Milestone' and all other materials and unfinished products are best to set to 'Depends on every', other 'Depends on ...' values are supported as well, of course. The quantity value of the unfinished product must be a negative value (-1 if the X Quantity in the BoM header is 1, which is automatically set by the PPS module), and therefore the issue method can only be backflush, enforced by SAP Business One.

Make sure that the Milestone Type in the header of the BoM is set to 'Depends on Every' in order that whenever a PDC completion booking is reported for the milestone last operation, the main product is taken onto stock automatically with a Receipt from Production transaction.

Please note: Defining a serial or batch managed item as 'Unfinished product' is not supported. Because the quantity value of an unfinished product must be set as negative, the issue type can only

be 'Backflush'. If PDC is not used, the automated inventory management functions for unfinished product rows are not available, and have to be made manually, which should be avoided.

2. Outsourcing process

2.1. Outsourced Operations in Production Orders

When a 'Standard' production order is created from a BoM, the outsourced operations are copied with their parameters as usual. At this point the user may modify a number of parameters, the most typical being to change the actual supplier. When a production order is released, the duration of the outsourced operation is calculated from the Lead Time. Outsourced operations are not assigned to any work centers.

Outsourced operations are only included in the Job Requirements report if the 'Include Outsource Operations In Job Requirements Report' option is enabled on the [Prod.Order tab of Produmex Manufacturing settings](#).

On the production order outsourcing UDFs are added to review the outsourced quantities.

- *Outsourced Quantity On Order*: The sum of the outsourced quantities on the production order.
- *Planned Outsourced Quantity*: The sum of the planned outsourced quantities on the production order.
- *Completed Outsourced Quantity*: The sum of the already completed outsourced quantities on the production order.
- *Rejected Outsourced Quantity*: The sum of the rejected outsourced quantities on the production order.

2.2. Creating Outsourcing (Purchase) Orders

When the 'Automatic Generation of Outsourcing Purchase Orders on Production Order Release' option is enabled on the [Prod.Order tab](#), outsourcing purchase order are automatically created when the production order is released otherwise the user have to create them manually. Purchase quotations can only be generated manually.

When using this setting with an enabled 'Immediate Release after Add' option, the production order will be released and outsourcing orders will be created automatically after the production order was added or created by MRP.

2.2.1. Creating Outsourcing Orders Manually from Production Order Operation Details Form

Outsourcing (purchase) orders or quotations can be created manually from the operation details form. When the production order is in released mode and unchanged, open the outsourced operation details form and enter the 'Quantity to Order' value on the row of the selected supplier.

To create a purchase quotation, press the 'New Purchase Quotation' button. When creating a Purchase Order based on a Purchase Quotation, references for the production order will be copied.

To create a purchase order, press the 'New Purchase Order' button.

Production Order Operation Details - [DocNum: 520, Line: 3]

Operation Code	oPAS		Operation Break	Allowed	
Operation Name	Bike Assembly		Operation Time UoM	Minutes	
Before Time	min	0.000	Is Parallel Operation	<input type="checkbox"/>	
Safety Time	min	0.000	Is Overlapping Operation	<input type="checkbox"/>	
Setup Time	min	0.000	Max Parallel Operations	0	
Job Time	min	180.000	Overlapping Quantity	0.000	
Teardown Time	min	0.000	Allocation Window	0.000	
After Time	min	0.000	Min Job Quantity	0.000	
Time Base	1.000		Message	Cannot allocate WorkCenter, dueDate=12/2/2016 2:50:00 PM AllocationError, quantity: 0.000000 of 2.500000 allocated, WorkCenters: wAS Date range: 12/2/2016	
Planned Quantity	5.000		Is Pinned	<input type="checkbox"/>	
Completed Quantity	0.000		Pinned Start Date		
Rejected Quantity	0.000		Pinned Start Time	00:00	

Resource Requirements | Dates | Outsourcing | PDC Bookings | Documentation | Cost Amounts

Is Outsourced ☒ Outsourcing Lead Time Days 0

In House Quantity 2.500
 Outsourcing UoM
 Items Per Outsourcing Unit 1.000
 In House Ratio 0.500

New Purchase Order
New Purchase Quotation

Supplier Code	Supplier Name	Planned Qty.	Supp. Ratio	Quantity To Order	Qty. On Order	Qty. Received	Quantity Quoted
bGU	Bike Gurus	2.500	0.500	1.00	1.500	0.000	1.000
eBS	Extra Bike Supplies	0.000	0.000	0.00	0.000	0.000	0.000

Document Type	Pu.Ord.No	Pu.Ord.ID	Pu.Quot.No	Pu.Quot.ID	Supplier	Supplier Name	Qty. On Order	Qty. Received	Pu.Ord. Due Date
Purchase Quotation			500	1	bGU	Bike Gurus	0.000	0.000	
Purchase Order	509	10			bGU	Bike Gurus	1.500	0.000	12/02/16

OK Cancel Allocations

The outsourcing order is a regular purchase order with some special text lines and remarks. The ordered item is the operation item. The components required for the operation are listed as 'Customer Materials'. These items have to be delivered to the supplier. The 'Unfinished product' is the product of the outsourced operation. The unit price comes from the price list of the operation item.

The user can change most of the data of these purchase orders manually, however the operation item and text lines should not be deleted.

Purchase Order - Split

Vendor: eBS
 Name: Extra Bike Supplies
 Contact Person:
 Vendor Ref. No.:
 Local Currency:
 No.: Primary 532 - 0
 Status: Open
 Posting Date: 12/09/16
 Delivery Date: 12/09/16
 Document Date: 12/09/16

Item/Service Type	Item	Quantity	Unit Price	Disc...	Tax C...	Total (LC)	Manual Planning	UoM Code	MTD Scenario
1	ePAS	5		0.000			No	Manual	
Customer Material: mM1001: Painted Bike Framework Quantity: 5.00									
Customer Material: m3: Chain Quantity: 5.00									
Customer Material: m4: Wheel Quantity: 10.00									
Unfinished Product: uP1001-0: Red Bike (Basic) Quantity: 5.00									
6				0.000			No		

Buyer: -No Sales Employee-
 Owner:
 Total Before Discount:
 Discount: %
☐ Rounding
 Tax:
 Total Payment Due: \$ 0.00

Remarks: Based on Production Order 558
 Based On Purchase Quotation 507.

OK Cancel Copy From Copy To

Purchase Quotation

Vendor: eBS
 Name: Extra Bike Supplies
 Contact Person:
 Vendor Ref. No.:
 Local Currency:
 Group No.: Primary 507
 No.: Primary 507
 Status: Closed
 Posting Date: 12/09/16
 Valid Until: 12/16/16
 Document Date: 12/09/16
 Required Date: 12/16/16

Item/Service Type	Item	Required Date	Quoted Date	Required Qty.	Quoted Qty.	Unit Price
1	ePAS	12/16/16			5	
Customer Material: mM1001: Painted Bike Framework Quantity: 5.00						
Customer Material: m3: Chain Quantity: 5.00						
Customer Material: m4: Wheel Quantity: 10.00						
Unfinished Product: uP1001-0: Red Bike (Basic) Quantity: 5.00						

Buyer: -No Sales Employee-
 Owner:
 Total Before Discount:
 Discount: %
☐ Rounding
 Tax:
 Total Payment Due: \$ 0.00

Remarks: Based on Production Order 558

OK Cancel Copy From Copy To

2.3. Inventory Management for Outsourced Operations

Open the Inventory Management for Outsourced Operations form from the Production module or from the right-click menu of an outsourcing purchase order document. When opening the form from the module, first select the supplier. When there is a defined warehouse for the selected supplier, the Supplier Warehouse field is automatically populated.

Then select the purchase order. The production order details will be automatically filled.

When opening the form from the purchase order, the purchase order and supplier fields will be automatically filled based on the purchase order.

Inventory Management For Outsourcing

Supplier: eBS Extra Bike Supplies
Supplier Warehouse: 02 - Supplier Warehouse
Pu. Ord. No: 521 eBS * 12/23/16 Primary
Pu. Ord. Due Date: 12/23/16
Document Date: 12/06/16
Ref 2: 521
Journal Remark:
Vendor Ref. No.:

Pr. Ord. No: 525 p1001-1 * 12/27/1 Primary
Pr. Ord. Line: 4
Pr. Ord. Operation ID: 00010370
Item No: oPAS
Item Name: Bike Assembly
Remarks: Outsourcing Order 521 for Production Order 525 from Outsourcing Supplier eBS

Transfer Material: ☒
Deliver Material: ☐
Print Delivery Note: ☐

Row Type	Backfl.	Mat. Code	Mat. Name	Pr.Ord. Mat.ID	Whse	Available Qty.	Qty.	Planned Qty. to Deliver	Qty. Transferred	Qty. Delivered
Material	<input type="checkbox"/>	mM1001	Painted Bike Framework	00010367		0.00	1.000	1.000	0.000	0.000
Material	<input type="checkbox"/>	m3	Chain	00010368		0.00	1.000	1.000	0.000	0.000
Material	<input type="checkbox"/>	m4	Wheel	00010369		0.00	2.000	2.000	0.000	0.000

Operation Quantity: 1.000
Products Received: ☒
Goods Receipt PO: ☒

Quantity On Order: 1.000
Quantity Received: 0.000
Outsourcing UoM:
Items Per Outsourcing UoM: 1.000

Prod. Type	Prod. Code	Prod. Name	Whse	Completed Qty.	Expected Qty.	Total Received Qty.
Unfinished Product	uP1001-0	Red Bike (Basic)	01	1.000	1.000	0.000

OK

Cancel

On the upper grid every material linked to the outsourced operation will be listed. On the lower grid products to receive will be listed.

2.3.1. Transfer materials to the supplier warehouse

In most outsourcing situation the materials are provided for the outsourcing partner by the company. When precise inventory tracking is required, materials should be transferred for the duration of the outsourced operation to a warehouse dedicated to the supplier.

Transfer Material: ☒
Deliver Material: ☐
Print Delivery Note: ☒

Row Type	Backfl.	Mat. Code	Mat. Name	Pr.Ord. Mat.ID	Whse	Available Qty.	Qty.	Planned Qty. to Deliver	Qty. Transferred	Qty. Delivered
Material	<input type="checkbox"/>	mM1001	Painted Bike Framework	00010367	01	0.00	1.000	1.000	0.000	0.000
Material	<input type="checkbox"/>	m3	Chain	00010368	01	0.00	1.000	1.000	0.000	0.000
Material	<input type="checkbox"/>	m4	Wheel	00010369	01	65.00	0.000	2.000	2.000	0.000

To transfer the materials to the supplier warehouse, tick the 'Transfer Materials' box. Adjust the source warehouse on the 'Whse' cell and the quantity to transfer on the 'Qty' cell (if needed) then click on the 'Update' button. The transfer is booked in an Inventory Transfer document.

The business partner is the outsourcing customer. The outsourcing order number, the production order number and the outsourcing supplier is added as a 'Remark'.

Inventory Transfer

Business Partner → eBS_O
 Name → Extra Bike Supplies_Outsourcin
 Contact Person
 Ship To → USA

Number → 503
 Series → Primary
 Posting Date → 12/09/16
 Document Date → 12/09/16

From Warehouse → 01
 To Warehouse → 01
 To Bin Location
 Price List → Price List 01

#	Item No.	Item Description	Fro...	From Bin Loc...	To Ware...	To Bin Location:	First To-Bin-L...
1	→ m1	5m Steel Pipe	→ 01	→ 5	→ 02		

Sales Employee → -No Sales Employee-
 Journal Remarks → Inventory Transfers - eBS_O
 Remarks → BXIMSTR: Outsourcing Order 530 for Production

OK Cancel Copy From

To print the Outsourcing Deliver Note, tick the 'Print Delivery Note' option too before the update. (The default report is: RL_OutsourcingDeliveryNote)

Outsourcing Delivery Not

Ship To: Extra Bike Supplies

Document Date: 12/09/16

Doc. Number: 503

Doc Type: Inventory Transfer

Sales Employee: -No Sales Employee-

Customer Code: eBS

Line No.	ItemCode	Description	Quantity	UoM
1	m1	5m Steel Pipe	5.00	pcs

Remarks: Inventory Transfers - eBS_O

Please note: When no supplier warehouse is defined, the 'Transfer Material' option is not available. For material transfers it is required that the outsourcing supplier has a linked customer. (See: 1.1. Define Outsourcing Partners and Supplier Warehouse)

2.3.1.1. Inventory Transfer for Backflush Materials

Stock/Inventory Transfer is supported for backflush materials as well. It is very important that the source warehouse for backflush materials in the production order is set to the outsourced operation's supplier's warehouse. Otherwise, the materials are retrieved from the wrong warehouses when the automatic backflush is applied.

Production Order

Type: Standard
Status: Released
Product No.: p2002-2
Product Description: Green Bike
Planned Quantity: 1
Warehouse: 01

No.: Primary 522
Order Date: 12/05/16
Start Date: 12/05/16
Due Date: 12/19/16
User: manager
Origin: Manual
Sales Order:
Customer:
Distr. Rule:
Project:

#	Row Type	R..	Type	No.	Description	Base ...	Planned...	Issued	Avail...	UoM ...	UoM ...	Wareho...	Issue Method	Manual Planning	MTO Scenario	D...
1	Material	Item	m4	Wheel	1	1				Manual	pcs	02	Backflush	No		
2	Material	Item	m3	Chain	1	1				Manual	pcs	02	Backflush	No		
3	Material	Item	mM1101	Raw Bike Framework	1	1				Manual	pcs	02	Backflush	No		
4	Operation	Item	oPAS	Bike Assembly	180	180				Manual	min	01	Backflush	No		

Inventory Management For Outsourcing

Supplier: eBS
Supplier Warehouse: 02 - Supplier Warehouse
Pr. Ord. No: 522
Pr. Ord. Line: 4
Pr. Ord. Operation ID: 00009282
Item No: oPAS
Item Name: Bike Assembly
Remarks: Outsourcing Order 517 for Production Order 522 from Outsourcing Supplier eBS

Document Date: 12/05/16
Ref 2: 517
Journal Remark:
Vendor Ref. No.:

Transfer Material: ☒
Deliver Material: ☐

Print Delivery Note: ☒

Row Type	Backfl.	Mat. Code	Mat. Name	Pr.Ord. Mat.ID	Whse	Available Qty.	Qty.	Planned Qty. to Deliver	Qty. Transferred	Qty. Delivered
Material	<input checked="" type="checkbox"/>	m4	Wheel	00009279	01	67.00	1.000	1.000	0.000	0.000
Material	<input checked="" type="checkbox"/>	m3	Chain	00009280	01	0.00	1.000	1.000	0.000	0.000
Material	<input checked="" type="checkbox"/>	mM1101	Raw Bike Framework	00009281	01	0.00	1.000	1.000	0.000	0.000

2.3.1.2. Inventory Transfer for Materials managed by serial/batch numbers

After the 'Update' button has been clicked, 'Batch/Serial Number Selection' form opens. On this form select the batch/serial number(s) of the material(s) to transfer.

On the 'Rows from Documents' grid every serial or batch numbered item to transfer is listed. On the 'Quantity' field the total quantity to transfer is displayed. On the 'Total Needed' field the open quantity and on the 'Total Selected' field the selected quantity is shown. The number of the selected batches is displayed on the 'Total Batches' field.

Batch number

To find a batch, enter the batch number to the 'Find' field then press TAB.

Select a batch in the 'Available batches' grid and adjust the 'Selected Qty' then click on the right arrow. The selected batch with the added quantity will be displayed on the 'Selected Batches' grid. Products from multiple batches can be added.

It is not possible to exceed the needed quantity. To remove a selected batch, select its line then click on the left arrow. Click on the 'Update' button to save the selected batches.

[illegible]

Serial number

To find a serial number, type the serial number to the 'Find' field then press TAB.

Select a serial number on the 'Available Serial Numbers' grid then click on the right arrow to add it to the 'Selected Serial Numbers' grid. To select every serial numbers on the list, click on the 'Serial Number' title.

To remove a serial number from the selected serial numbers, select its line then click on the left arrow.

It is not possible to add more serial numbers than the quantity needed.

Item No.	Item Description	Warehouse	Quantity	Total Needed	Total Selected	Direction
⇒ Item02	Batch nbr - Bin Location	⇒ 01	1.00	0.00	1.00	Out
⇒ Item03	Serial nbr	⇒ 01	1.00	0.00	1.00	Out

Available Serial Numbers

Find

Serial Number
SNR0009
SNR0010
SNR0005
SNR0006
SNR0007
SN2001
SNR2021

>

<

Selected Serial Numbers

Serial Number
SNR0008

2.3.2. Deliver materials from the company's inventory

After the outsourced operation was completed, the materials in the supplier warehouse should be released/issued as consumed by the manufacturing.

To issue the materials, tick the 'Deliver Materials' box. Adjust the quantity to issue on the Qty cell and the source warehouse if needed then click on the 'Update' button. The components will be issued and an 'Issue from production' order will be generated.

Please note: The material delivery option is not available for backflush components and these materials will be removed from the grid when ticking the 'Deliver Material' option. (Backflush materials will be issued automatically after the main product is taken into stock.)

The outsourcing order number, the production order number and the outsourcing supplier is added as a 'Remark' to the document.

2.3.2.1. Deliver materials managed by serial/batch numbers

After the 'Update' button has been clicked, 'Batch/Serial Number Selection' form opens. On this form select the batch/serial number(s) of the material(s) to deliver as described in 2.3.1.1. *Inventory Transfer for Materials managed by serial/batch numbers.*

2.3.3. Receiving the Products from the Outsourcing Supplier

When the outsourced operation is (partly) completed, the products should be taken into stock.

Add the quantity to receive to the 'Operation Quantity' field. The default value is the quantity still to receive. When outsourcing 'Unfinished Product' items, the issued quantity of the unfinished material must be exactly the same as the received quantity of the unfinished product.

Tick the 'Products Received' box. The destination warehouse can be adjusted on the grid. Click on the 'Update' button to receive the products. A 'Receipt from Production' document will be generated.

Operation Quantity	5,000	Quantity On Order	5,000
Products Received	<input checked="" type="checkbox"/>	Quantity Received	0,000
Goods Receipt PO	<input checked="" type="checkbox"/>	Outsourcing UoM	
		Items Per Outsourcing UoM	1,000

Prod. Type	Prod. Code	Prod. Name	Whse	Completed Qty.	Expected Qty.	Total Received Qty.
By-Product	m2	Steel Pipe	01	10,000	10,000	0,000

After all products have been received the purchase order is closed automatically.

When the 'Goods Receipt PO' box is also ticked, a Goods Receipt PO document linked to the Purchase

order is also generated with the appropriate values.

Received and issued material quantities are also maintained on the base Production Order document.

2.3.3.1. Quality controlling on the shopfloor

After the delivery (Goods Receipt) document is created for an outsourced operation, quality assurance can be executed on the shopfloor. Based on the quality qualifications, an outsourced operation might be rejected. For more information about the quality control of the outsourced operations, please see: [PDC Quality Controlling](#).

Goods Receipt PO

Vendor: eBS
 Name: Extra Bike Supplies
 Contact Person: [dropdown]
 Vendor Ref. No.: [text]
 Local Currency: [dropdown]

No.: Primary 504
 Status: Open
 Posting Date: 12/09/16
 Due Date: 12/09/16
 Document Date: 12/09/16

Contents | Logistics | Accounting | Attachments

#	Item No.	Quantity	Unit Price	Disc...	Tax C...	Total (LC)	Whse	Bin L...	Distr. Rule	UoM Code	Blan...	BxID
1	oPCU	5	\$ 10.00	0.000		\$ 50.00	01			Manual		
2	Customer Material: m1: 5m Steel Pipe Quantity: 5.00											
3	By-Product: m2: Steel Pipe Quantity: 10.00											

Summary Type: No Summary

Buyer: -No Sales Employee-
 Owner: [text]

Remarks: BxIMGRPO: Outsourcing Order 530 for Production Order 554 from Outsourcing Supplier eBS

Total Before Discount: \$ 50.00
 Discount: %
 Rounding: [checkbox]
 Tax: [text]
 Total Payment Due: \$ 50.00

OK Cancel Copy From Copy To


2.4. Completing the production order

When the last operation of the production order is completed, the unfinished materials, which are the same as the outsourcing operation unfinished product, as well as the other materials for the operations are issued for production, and the main product is taken onto stock.

When the main product is taken onto stock from production, the backflush materials are automatically issued for production in the ratio of the completed and, if there were any, rejected product quantity.

Since unfinished products have negative quantities similarly to by-products, they will be automatically taken onto stock. To negate this transaction and to maintain the stocks in balance, the system automatically issues these products and books transaction in a Goods Issue document.

To see the stock flow of the unfinished products, open the Inventory Posting List.



Production Management Cockpit

Use the Production Management Cockpit to overview and manage the production orders. The listed production orders can be filtered and more than one production orders can be changed in one step. Open the cockpit via:

- Production > Production Management Cockpit
- Job Scheduling Control Panel > Feed to Management Cockpit.

The list of the production orders can be filtered with the following criteria:

- **Status:** When no checkbox is ticked, production orders will not be filtered based on the status. When at least one status checkbox is ticked, only the production orders with the selected status(es) will be loaded to the form.
- **Production Order From - To:** Only the selected production orders will be loaded.
- **MTO Scenario:** Only production orders belonging to the selected MTO scenario will be loaded.
- **Errors only (Y/N):** Only production orders with 'Error' type 'Allocation State' will be loaded.
- **To filter to a period only,** select the Date type and then set the period with the *Date From* and *Date To* fields. Possible values for the *Date Type* are: 'All Dates', 'Release Date', 'Due Date', 'Begin Date', and 'Order Date'.
- **Sales Order From- To:** Only production orders linked to the selected sales order(s) will be loaded.
- **Start Date:** Only production orders with the added start date will be loaded.
- **Item Group:** Only production order for products belonging to the selected Item Group will be loaded.

- *Product From – To*: Only production orders for the selected product(s) will be loaded.
- *Project Code From – To*: Only production orders belonging to the selected project(s) will be loaded.
- *Hide Subassembly Orders (Y/N)*: If enabled, MTO child orders will not be displayed on the list.
- *MTO Scenario*: Only production orders belonging to the given MTO scenario will be listed.
- *Custom Code*: Only production orders with the given [custom code](#) will be listed.
- *Ignore Start Date*: If this setting is enabled and the user clicks on the 'Move Earliest' button, the production order start date is ignored when the system reschedules the MTO scenario.
- *Ignore Due Date*: If this setting is enabled, and the user clicks on the 'Move Latest' button, the production order due date is ignored when the system reschedules the MTO scenario.

Other user defined fields can be added as filters. Add the UDF name to the '*Cockpit UDFs for filtering*' field on the [Prod.Order tab of the Produmex Manufacturing settings](#).

Loaded production orders are sorted based on the 'Sort by' setting. Possible values:

- *Prod. Order Number*: Ascending based on the production order number.
- *Item No.*: Ascending based on the code of the main product.
- *Item Name*: Ascending based on the name of the main product.
- *1st Operation*: Ascending based on the code of the first operation in the production order.

Press the '**Load**' button to load the production orders with the applied filter(s).

Press the '**Recalculate**' button to recalculate the scheduling.

Press the '**Change Selected**' button to change the details of the selected production order(s). On the opening form the following can be changed:

- *Production order status*
- *Allocation Strategy*: Back From Due Date/ Forward From Earliest Date/ Forward From Preferred Date (the default allocation strategy is the allocation strategy set as the '*Default Pr.Ord. Allocation Strategy*' on the [Prod.Order tab of the Produmex Manufacturing settings](#).)
- *Start Date*: Change the start date of the production order.
- *Due Date*: Change the due date.
- *Due Time*: Change the due time.

Press the '**Update**' button then recalculate the scheduling by pressing the '**Recalculate**' button to apply the changes.

When reallocating more than one production order at the same time, the allocation order is defined by:

1. Priority (descending)
2. Due date (ascending)
3. Document number (ascending)

Press the '**Close**' button to close the form without making any adjustments.

Production Management Cockpit

Planned ☒ Released ☒ Cancelled ☐ Closed ☐ Sort by: Prod. Order Number Date Type: Due Date Date From: Date To: Item Group: Product From: Product To: Production Order From: Production Order To: Sales Order From: Sales Order To: Project Code From: Project Code To: MTO Scenario: Errors Only: ☐

Select	Changed	St.	Pr. Ord. No	Pr. Ord. Status	Priority	Item No	Item Name	Planned Quantity	Allocation Strategy	Begin Date	End Date	Latest Begin Date	Due Date	Due Time	O.
<input type="checkbox"/>	<input type="checkbox"/>	●	573	Planned		mM1001	Painted Bike Framework	5.000	Forward From Preferred Date	02/09/17 08:00 AM	02/09/17 05:04 PM	02/10/17 03:04 PM	02/12/17	00:00	
<input type="checkbox"/>	<input type="checkbox"/>	●	571	Released		mM1101	Raw Bike Framework	5.000	Forward From Preferred Date	03/01/17 08:00 AM	03/01/17 09:01 AM	02/22/17 04:11 PM	02/23/17	00:00	
<input type="checkbox"/>	<input type="checkbox"/>	●	574	Planned		mM1101	Raw Bike Framework	5.000	Forward From Preferred Date	02/08/17 01:00 PM	02/08/17 01:51 PM	02/09/17 04:09 PM	02/10/17	00:00	
<input type="checkbox"/>	<input type="checkbox"/>	●	566	Released		p1001-1	Red Bike	10.000	Forward From Earliest Date	02/08/17 01:00 PM	02/13/17 10:35 AM	02/08/17 01:37 PM	02/08/17	00:00	
<input type="checkbox"/>	<input type="checkbox"/>	●	572	Planned		p1001-1	Red Bike	5.000	Forward From Preferred Date	02/12/17 12:00 AM	02/20/17 04:20 PM	02/14/17 11:40 AM	02/22/17	00:00	

Load Recalculate Change Selected Missing Capacity Report Move Earliest Move Latest Close

Missing Capacity Report

When the 'Use Missing Capacity Report' option is set to true on the [Prod.Order tab of the Produmex Manufacturing settings](#), an additional 'Missing Capacity Report' button is displayed on the form. Click on the button to open the 'Missing Capacity Report' for the selected production order.






Move Earliest

When the 'Move Earliest' option is enabled on the [MTO tab of Produmex Manufacturing settings](#), an additional 'Move Earliest' button is displayed on the screen. Select a production order from the MTO scenario and click on this button to reschedule the MTO scenario to the earliest possible start date of the top order.

Move Latest

When the 'Move Latest' option is enabled on the [MTO tab of Produmex Manufacturing Settings](#), an additional 'Move Latest' button is displayed on the screen. Select a production order from the MTO scenario and click on this button to reschedule the MTO scenario to the latest possible start date of the top order.

Grid:

- **Select (Y/N):** If ticked, the line is selected.
- **Changed (Y/N):** Indicates whether the production order was changed or not.
- **St.:** The production order status indicated with a color. Possible values:
 -  - Planned
 -  - Released
 -  - Released, but allocation error
 -  - Cancelled
 -  - Closed
- **Pr.Ord.Status:** The status of the production order. Possible values:
 - Cancelled
 - Closed
 - Planned
 - Released
- **Pr.Ord.No:** The production order number.

- *Priority*: The priority of the production order. Used when recalculating more than one production orders at the same time.
- *Item No*: The item code of the main product.
- *Item Name*: The item description of the main product.
- *First Operation*: The code of the first operation in the production order.
- *Custom code field*: The custom code of the production order that was defined on the Custom code UDF on the production order.
- *Planned Quantity*: The planned quantity copied from the production order.
- *Allocation Strategy*: The allocation strategy. Copied from the 'Allocation Strategy' UDF of the Production order.
 - *Back From Due Date*: For just in time manufacturing. The system will allocate work centers based on the Due Date.
 - *Forward From Earliest Date*: The system will allocate work centers based on the earliest possible start date.
 - *Forward From Preferred Date*: The system will allocate work centers based on the preferred start date.
- *Begin Date*: The begin date of the production.
- *End Date*: The end date of the production.
- *Latest Begin Date*: The latest begin time calculated from the due date.
- *Start Date*: The start date of the production order.
- *Due Date*: The due date of the production order.
- *Due Time*: The due time of the production order.
- *Preferred Begin Date*: The begin date calculated based on the capacity of the preferred work center.
- *Preferred Due Date*: The due date calculated based on the 'Preferred Begin Date'.
- *Earliest Begin Date*: The earliest possible start date.
- *Earliest Due Date*: The due date calculated based on the 'Earliest Begin Date'.
- *Recalc. Latest Begin Date*: The recalculated 'Latest Begin Date'. Filled after recalculating the production order.
- *Recalc. Preferred Begin Date*: The recalculated 'Preferred Begin Date'. Filled after recalculating the production order.
- *Recalc. Preferred Due Date*: The recalculated 'Latest Begin Date'. Filled after recalculating the production order.
- *Recalc. Earliest Begin Date*: The recalculated 'Earliest Begin Date'. Filled after recalculating the production order.
- *Open Quantity*: The quantity still to produce.
- *Completed Quantity*: The produced quantity.
- *Origin Number*: The base document number. When the production order was created from a base document, the base document number and a link is added to this field.
- *Material Requirements Report*: Link to the Material Requirements Report. Material Requirements Reports can only be created for unchanged and released production orders.
- *Project Code*: The code of the linked project.
- *Order Date*: The Order Date of the Production Order.
- *MTO Scenario*: The name of the MTO Scenario.
- *Warehouse*: The SAP Business One warehouse code.




Produmex WMS Integration

If [Produmex WMS is also installed on the database](#), two additional columns are displayed:

- *Pmx Production Line*: The WMS Organizational Structure code of the assigned production line.
- *Pmx Status*: The Produmex production order status. Possible values:

- Planned
- Started
- Closed
- On hold

The Produmex status is also indicated on the status icon if the SBO status of the production order is 'Released':

-  - Produmex status: 'Planned'
-  - Produmex status: 'Started'
-  - Produmex status: 'On hold'


Set Production Line

If Produmex WMS is also installed on the database, an additional 'Set Production Line' button is displayed on the screen.

To set a Produmex WMS production line for the production order, select the line of the production order. You can only set or change the PMX production line of production orders with 'Planned' SBO status.


It is possible to set the production line for multiple production orders by selecting multiple lines. The selected production orders must be from the same warehouse.

Click on the 'Set Production Line' button. On the opening screen select the production line from the dropdown list. Every production line from the warehouse of the production order is listed. Click on the 'Update' button to save the changes.



Error List

An error list opens up when error(s) occur. On the list the error type, the production order number and the error message is displayed.



Job Scheduling Control Panel

The Job Scheduling Control Panel is an interactive graphical board where resource allocations can be reviewed and the scheduling of the operations can be managed for advanced production planning.

When a production order is recommended or added, the allocation logic schedules allocations for its operations, but these allocations are only temporary. After the order has been released, allocations will be scheduled permanently.

When an operation is scheduled for a production order it requires manufacturing resources: at least one work center. When using the multi-dimensional allocation strategy, supplementary resources including tools and employees might be added. The work center is the primary factor for the scheduling of an operation.

The Job Scheduling Control Panel is a graphical board that displays the scheduling and resource allocations of production operations and supports manual rescheduling.

The Job Scheduling Control Panel can be reached via two paths:

- Production > Production Reports > Job Scheduling Control Panel
After opening the panel, click on the 'Refresh' button to display allocations meeting the filter criteria.
- Right-click menu on the Production Order > Job Scheduling Control Panel
When opening the panel from this path, only allocations for that production order will be displayed on the panel.

1. Configurations

1.1. Configurations on Produmex Manufacturing settings

1.1.1. Allocation dimensions

With default configurations only the work center dimension of the allocation is used in the MRP, therefore the other two dimensions cannot be displayed on the Job Scheduling Control Panel. To enable multidimension allocation, go to the [MRP tab of the Produmex Manufacturing Settings](#) and check the 'Use multidimension allocation' option.

1.1.2. Align allocations

To use the 'Align allocations' function for work centers, adjust the '*JSCP align max days*' and '*JSCP align gap minutes*' options on the [Prod. Order tab of Produmex Manufacturing Settings](#).

1.1.3. Rescheduling


To allow the automatic rescheduling of production orders in the case of shift day capacity shrunk, enable the '*Allow rescheduling Production Orders when shift day capacity is shrunk*' on the [MRP tab of Produmex Manufacturing Settings](#). To enable the automatic align of child MTO orders, enable the '*AutoRoll child MTOs*' option in the [MTO tab of Produmex Manufacturing Settings](#).

1.2. Configurations on the Job Scheduling Control Panel form

1.2.1. Header Buttons



- (1) **Work Centers:** Use this button to show or hide work centers on the panel.
- (2) **Employees:** Use this button to show or hide employees on the panel.
- (3) **Tools:** Use this button to show or hide tools on the panel.
- (4) **Period:** Select the time scale on the dropdown list. The possible values are:
 - 'Hourly': Days and hours are displayed on the time bar.
 - 'Per shift': Days and shifts are displayed on the time bar.
 - 'Daily': Only days are displayed on the time bar.
 - On the bottom of the list the zoom percentage can be selected.
- (5) **Query:** On the opening form the parameters of the panel can be set.
 - **Data Source:** Select a data source. Possible values are:
 - Released: Only released production orders are displayed.
 - Released and Planned: Released, planned and recommended production orders are displayed.
 - MRP Recommendations: Select MRP scenario(s) from the list. The system will create and display an allocation simulation the planned production orders and the production order recommendations from the selected scenarios. Tick the 'Run MRP now' box and click on the 'Ok' button to run the MRP scenario(s).
 - **Display Defaults:** Define the period to display on the 'Data From' – 'Data To' fields.



Report Parameters

Display Defaults

Date From: Monday , February 20, 2017

Date To: Wednesday, March 22, 2017

Data Source

☐ Released
☐ Released and planned
☒ MRP Recommendations
☐ Run MRP now


Start Date: Monday , February 20, 2017

☐ MTO_20170209114711 - MTO_20170209114711
☐ MTO_20170220131541 - MTO_20170220131541
☐ MTO_20170220131648 - MTO_20170220131648
☐ SQ_20170220090002 - SQ_20170220090002

Ok Cancel

(6) **Filters:** Add filters to the panel on the Filters form.

- Enable the filters for resources on the corresponding tab and tick the features or resources to display on the data tree.



Filters

Work Centers Employees Tools Production Order

☒ Enable Work Center Filters

☒ Work Center Features

- ☒ aSS (Assembly)
- ☒ aSSU (Assembly Unlimited)
- ☒ cUT (Cutting)
- ☒ dRY (Drying)
- ☒ pNT (Painting)
- ☒ pNTDRY (Painting and Drying)
- ☒ qUA (Quality Checking)
- ☒ wLD (Welding)
 - ☒ wWM1 - BXC 21 Welding Machine
 - ☒ wWM2 - BXC 22 Welding Machine

Ok Cancel


- On the 'Production Order' tab, filter the panel based on the production order. Add the production order number to the 'Enable Production Order Highlight' textbox. The selected production order will be highlighted on the panel. The 'Behavior of filters' setting defines the displayed resources. Possible values:
 - Union of Production Order and Resource Filters: Resources that meet either for resource or for production order filter criteria will be displayed.

- Intersect of Production order and Resource Filters: Only resources that meet both resource and production order filters will be displayed.


The screenshot shows a 'Filters' dialog box. It has a title bar with 'Filters' and standard window controls. Inside, there are four tabs: 'Work Centers', 'Employees', 'Tools', and 'Production Order'. The 'Production Order' tab is selected. Below the tabs, there is a text input field labeled 'Enable Production Order Highlight' with the value '532'. Below that, there is a section titled 'BehaviorOfFilters' containing two radio button options: 'Union of Production Order and Resource Filters' (which is selected) and 'Intersect of Production Order and Resource Filters'. At the bottom of the dialog are 'Ok' and 'Cancel' buttons.

(7) **Refresh:** Click on the button to redraw the panel by reloading data from the database.

(8) **Options:** Click on the button to open the 'Configurations' form.



- On the 'General' tab the general displaying configurations can be set.
On the control panel operations are alternated with color. With the 'Color Mode' setting the base of the color grouping can be defined. Possible values: By production order, By product, By project, By MTO Scenario.
 - Show days without capacity resource: If enabled, days without capacity resources will be displayed on the panel as well.
 - Show Quantity Ratio in operation bar: If enabled, quantity ratios are shown in the operation bar.
 - On the 'Sort resources by' dropdown textbox the sorting type of the resources can be selected.
 - First allocation: Resources will be ordered in the allocation time sequence.
 - Alphabetically: Resources will be ordered alphabetically.
 - Show MTO and custom code: If checked, the MTO scenario code and the custom code is displayed on the operation label instead of the document number.
- Show delayed operation checkbox: If enabled, when the begin or the end date/time of an allocation is later than the production order's due date, the allocation will be highlighted with a red frame.
- On the 'Operations' tab the displaying options of the operations can be set.
 - Operation label: Defines the labeling on the operation bar. The operation label also determines the document opening after a double-click on the operation.
 - Document Number: The production order will open.
 - Document Number- Operations Code: The production order and the [production order operation details](#) will open.
 - Please note: In the case of recommended orders, instead of the production order and/or the operation details form, the BoM will open when the operation label is 'Document Number' or 'Document Number - Operations Code'.
 - Product Code: The Item Master data of the main product will open.
 - Tool Tip: Select the data to show on the hover box. Only the data checked will be displayed.



(9) **Print:** Set the printing options on the opening form.

(10) **Feed to Management Cockpit:** Click on the button to see the production orders linked to the displayed operations on the Production Management Cockpit.

(11) **Timescale:** Set the timescale for drag and drop. The following periods can be set: day, hour, half an hour, 20 minutes, 15 minutes, 10 minutes, 5 minutes, 1 minute. The Timescale setting defines how the start time of the dropped allocation is rounded.

(12) **Undo/ Redo:** Click on the left arrow to undo a drag&drop action. Click on the right arrow to redo an undone drag&drop action. After updating, the action cannot be undone. Only active if the 'Enable drag & drop in Job Scheduling Control Panel' option is enabled on [Produmex Manufacturing Settings](#).

(13) **MTO Scenario:** Choose MTO Scenario from a list. The selected scenario will be highlighted.

1.2.2. Resources

Work Centers: Click on the gray arrow to expand or collapse the row of the work center.


From the right-click menu on work center row the following displaying options can be selected:

- Select the 'Expand All' option to expand every work center strip and to see the vertical operation labels. (On the vertical label the operation code and name, main product code and name are displayed.)
- Select the 'Collapse All' option to collapse every work center row.
- Select the 'Zoom To Fit' option to resize the work center section to the correct fit.

1.2.3. MTO message

When there is a discrepancy on the [MTO chain](#), an additional section is displayed on the bottom of the form. The scenario code, the work center in concern, the time and the error message is displayed on a table.

When an MTO chain is highlighted, the order sequence is visualized with arrows. When there is a discrepancy, the arrow is red, otherwise it is white. Double-click on the message to highlight the MTO scenario and to see the arrow showing the scheduling issue.




2. Review Allocations

On the Job Scheduling Control Panel the allocations are displayed on resource timelines. Based on the Data Source settings, temporary allocations for planned and recommended production orders might displayed on the board. With default settings only the allocations for released production orders are shown.

When using the multi-dimensional allocation strategy, timelines for supplementary resources might be displayed too.

Green boxes stand for empty slots. The solid color indicates a normal shift and the diagonal pattern displays overtime capacities. Resource unavailability is marked with black diagonal lines over yellow boxes.

Red boxes indicate permanent allocations for released production orders. Allocations for planned orders are violet and the recommended order allocations are displayed with yellow. Grey boxes indicate allocations on unlimited work centers. The operation that was scheduled for the allocation is displayed with a bar on the allocation box. The coloring of the operation bars depends on the 'Color Mode' setting.



From the right-click menu of an operation the following documents can be opened:

- Bill of Materials
- Production order and operation (for order recommendations, the Bill of Materials will open)
- Procurement orders (for [MTO orders](#) only)
- Procurement graph (for [MTO orders](#) only)

3. Reschedule

On the Job Scheduling Control Panel the user can initiate semiautomatic rescheduling or he can reallocate the operations manually.

3.1. Manual rescheduling

3.1.1. Drag &Drop

If the 'Enable drag & drop in Job Scheduling Control Panel' option is enabled on [Produmex Manufacturing settings](#), operations can be reallocated manually on the Job Scheduling Control Panel.

To reallocate an operation manually, simply drag it and place it on a new date or work center.

The *Timescale* setting defines how the start time of the dropped allocation is rounded. The dropped allocation is aligned to the beginning of the first period it was dropped into.

Example: The timescale is set to 'Day'. If we drop the allocation between day 3 and day 4, the allocation will be pinned to the beginning of the first shift on day 3.

The image displays three sequential screenshots of the 'Job Scheduling Control Panel' interface, illustrating the process of allocating operations to work centers over a five-day period (02/13/18 to 02/17/18).

Top Screenshot: Shows the initial state. The 'wAS Assembler Team' is allocated to shift 1 on Day 1 (02/13/18) and shift 2 on Day 2 (02/14/18). The 'wAT Assembler Team' is allocated to shift 1 on Day 1 and shift 2 on Day 2. The '166/oPAS' operation is highlighted in blue on Day 2, shift 2.

Middle Screenshot: Shows the operation being moved. The '166/oPAS' operation is now highlighted in red on Day 2, shift 2, and a red box indicates it is being moved to Day 3, shift 1. The '166/oPAS (00:00)' operation is now visible in the slot for Day 3, shift 1.

Bottom Screenshot: Shows the final state after the move. The '166/oPAS' operation is now pinned to the beginning of shift 1 on Day 3 (02/15/18). The '166/oPAS' operation is highlighted in blue on Day 3, shift 1.


Each screenshot includes a toolbar with icons for various functions (e.g., search, zoom, undo, redo) and a status bar at the bottom with 'Ok' and 'Cancel' buttons.

Use the Undo/ Redo arrows to undo or redo the move. To apply the rescheduling, click on the 'Update' button. After an update the action cannot be undone. The system will automatically pin down manually allocated operations for released and planned production orders. Order recommendations will not be pinned down.

If an operation of the production order was rescheduled, the 'Allocation Strategy' of the operation is automatically changed to the default strategy set as the 'Default ProdOrd. Allocation Strategy' on the [Production order tab](#) of Produmex Manufacturing settings.

Please note: the manual scheduling of parallelizable operations is not supported because such operations cannot be pinned down.

Operations can only be moved to a supplementary work center and to an empty slot. Because unlimited work centers have boundless capacities, in the case of an unlimited work centers multiple allocations can be moved to a slot where are already allocated operations.



The allocation of the first operation of a production order defines its begin date.

The first operation can be shifted to any new point in time that is later than today 00:00. A subsequent operation cannot be moved earlier than the end date of the previous operation, except for overlapping operations. Such operations can be scheduled backward to the begin date of a previous operation.


An operation can be shifted later than the subsequent operation but the subsequent operations of the same production order will be automatically shifted later into an available free capacity slot on the timelines of compatible work centers. The overlapping is considered if the subsequent operation can be overlapped.

When scheduling operations manually, please keep in mind that allocations scheduled to an inadequate slot might be lost.

3.1.2. Pin Down an operation

Another way to schedule an operation manually is to pin it down to a start date and time on a work center.

On the [Production Order Operation Details](#) form tick the 'Is Pinned' box and select the Pinned Start Date and Time. Click on 'Update' then update the production order too. Subsequent operations will be scheduled accordingly.



3.2. Semiautomatic rescheduling

The user can initiate rescheduling from the right click menu of an allocation/work center row.

The system will reschedule operations that are assigned to the selected work center, but the rescheduling might affect allocations on other work centers too. Subsequent operations of the respective production order and other production order operations (eg: MTO, auto-roll) will be rescheduled too.

3.2.1. Eliminate gaps

Use these functions to optimize the scheduling of a critically important work center (key resource). These functions work best for 7x24 manufacturing.

Before initiating the aligning process, set its parameters on the [Prod. Order tab](#) of Produmex Manufacturing Settings. The '*JSCP align max days*' parameter defines the total duration of the aligning process and the '*JSCP align gap minutes*' parameter defines the maximum gap length the system eliminates.

The process might reschedule the pinned operations too. After the reallocation the originally pinned operations will be pinned to the new date & time of allocation. The allocation strategy of the production orders will be changed to 'Forward'.


3.2.1.1. Align allocations

Select the '**Align allocations**' option from the right click menu of the work center line. The system will optimize the scheduling plan meaning that it aims to eliminate the gaps and to align related operations.

When there is a longer free capacity between two allocations than the defined gap, the aligning process stops, therefore the actual duration of the aligning can be shorter than the 'JSCP align max days' value.


This way the rescheduling of production orders with further due dates can be prevented.

Please note: Inactive periods are included to the gap between the two allocations.



3.2.1.2. Align all allocations

Select the '**Align all allocations**' option from the right click menu of the work center line to align every allocation in the defined period. This function does not consider the 'JSCP align gap minutes' setting.



3.2.2. Reallocate

Use these functions to reschedule an allocation or every allocation for a work center. Originally pinned operations will be pinned to the new date & time of the allocation. The allocation strategy of the affected production orders will be changed to 'Forward'.


3.2.2.1. Reallocate allocations

With this popup function allocations for a work center can be optimized and erroneous allocations can

be corrected.

Select the **'Reallocate Allocations'** option from the right click menu of a work center. The system will collect every existing allocations for the work center then gather all operations from released production orders assigned to that work center. Then the system will reschedule these operations starting with the existing allocations that were pinned to the lifeline. Every operation that can be disposed will be allocated.


During the reallocation, MTO chains and auto-roll is considered. Works with unlimited work centers too.



3.2.2.2. Push one day before/after

Select the **'Push one day before'** option from the right click menu of an allocation to move the allocation to the previous day. The allocations following the selected allocation will be rescheduled too.


Select the **'Push one day after'** option from the right click menu of an allocation to move the allocation to the next day. The allocations following the selected allocation will be rescheduled too.



3.2.2.3. Swap allocation with next/previous allocation

Select the **'Swap allocation with the next allocation'** option from the right click menu of an allocation to swap the selected allocation with the next allocation.

Select the **'Swap allocation with the previous allocation'** option from the right click menu of an allocation to swap the selected allocation with the previous allocation.




3.2.2.4. Move marked allocation before/after

It is also possible to move a marked allocation before/after another allocation, if the allocation is on a work center that supports the work center feature the marked allocation requires.

First mark an allocation: select the **'Mark allocation'** function from the right-click menu of the allocation. The marked allocation will be highlighted with a blue frame.

Then right click on the allocation to move.

- Select the **'Move marked allocation before'** function to move the marked allocation before the allocation the rescheduling was initiated from.
- Select the **'Move marked allocation after'** function to move the marked allocation after the allocation the rescheduling was initiated from.




In the example first we marked the 58/oPAS (purple) allocation. Then we right-clicked on the 56/oPAS (blue) allocation and selected the **'Move marked allocation after'** function. The system moved the 58/oPAS (purple) allocation after the 56/oPAS (purple) allocation and also rescheduled the 58/oPCU (purple) allocation because the 58/oPAS (purple) and the 58/oPCU (purple) allocations were created for sequential operations.

3.3. Actions that trigger automatic rescheduling

3.3.1. Shift day capacity decrease

With default settings the capacity of a shift day can only be shrunk when there are no allocations that have to be rescheduled due the capacity decrease.



When the 'Allow rescheduling Production Orders when shift day capacity is shrunk' option is enabled on the [MRP tab of Produex Manufacturing Settings](#), the shift day capacity can be decreased regardless of the allocated operations. In the case of a capacity decrease, the system will automatically reschedule all relevant released production orders.

Please note: Automatic rescheduling does not work when using multi-dimensional allocation.

Human Resources Management

Human Resources Management is part of Produex Manufacturing add-on. It is closely related to the Produex PDC Solutions, which consists of several production data collection modules. These modules save all their data in the Attendance Journal. The new features in Produex Manufacturing for Human Resource Management are made for administrating these entries in the Attendance Journal.

1. Prerequisites

1.1. Employee Master Data Settings

The attendance journal functions are based on shift plan and attendance class settings. You can find these settings in the Employee Master Data.

The add-on can calculate the difference between the planned time and the booked time. The planned time is based on the shift plan that is set in the Employee Master Data 'Shift Plan' UDF for the

employee. For more information about shift plans please see: [2. Setup and Installation of the Company](#)

The screenshot displays the SAP Employee Master Data configuration interface. The main window, titled 'Employee Master Data', contains fields for personal and organizational information. The 'Personal' tab is active, showing fields for Name, Address, and Contact Information. The 'Shift Plan' sub-window is open, showing the 'rEGSP' shift plan with a list of years (2014-2017). The 'Shift Plan Year' sub-window is also open, showing a table of shift plan data for the year 2017.

Employee Master Data Fields:

- First Name: John
- Middle Name:
- Last Name: Doe
- Employee No.: 1
- Ext. Employee No.: JD
- ☒ Active Employee
- Job Title:
- Position:
- Department:
- Branch:
- Manager:
- User Code:
- Sales Employee: -No Sales Employ
- Cost Center:
- Linked Vendor:
- Office Phone:
- Ext. Mobile Phone:
- Pager:
- Home Phone:
- Fax:
- E-Mail:

Shift Plan Fields:


- Code: rEGSP
- Name: Regular Shift Plan
- Year: 2014, 2015, 2016, 2017

Shift Plan Year Table (2017):

Date	Month	Week	Day	Shift Day Type	Comment
01/01/17	January	52	Sunday	Normal Working Days	
01/02/17	January	1	Monday	Normal Working Days	
01/03/17	January	1	Tuesday	Normal Working Days	
01/04/17	January	1	Wednesday	Normal Working Days	
01/05/17	January	1	Thursday	Normal Working Days	
01/06/17	January	1	Friday	Normal Working Days	
01/07/17	January	1	Saturday		
01/08/17	January	1	Sunday		
01/09/17	January	2	Monday	Normal Working Days	
01/10/17	January	2	Tuesday	Normal Working Days	

2. Attendance Journal Functions

Attendance Journal Administration functions can be accessed in SAP at the Human Resources folder in the main menu. These functions can be used for managing data that has been collected from the shopfloor.



2.1. Attendance Journal Administration

In the Attendance Journal Administration you can view, create and cancel the personal time management entries booked by employees. It is possible to create new bookings and to cancel wrong ones.

Attendance Journal Administration

Employee
Date From

12/01/16

Department
Date To

12/31/16

Cancelled	EmployeeID	Employee Name	Department Name	Posting Date	Posting Time	Original Posting Date	Original Posting Time	In	Reason Name	Error Code	Error Text	Administrator User	Added By Administrator	Admin Date	Admin Time
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:03:29	12/20/16	10:03:29	<input checked="" type="checkbox"/>				manager	<input type="checkbox"/>	01/11/17	16:19
<input checked="" type="checkbox"/>	2	Morrison, Fred		12/20/16	10:04:03	12/20/16	10:04:03	<input checked="" type="checkbox"/>				manager	<input type="checkbox"/>	01/11/17	16:19
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:04:10	12/20/16	10:04:10	<input checked="" type="checkbox"/>				manager	<input type="checkbox"/>	01/11/17	16:19
<input checked="" type="checkbox"/>	2	Morrison, Fred		12/20/16	10:04:14	12/20/16	10:04:14	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:09:22	12/20/16	10:09:22	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:09:29	12/20/16	10:09:29	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:17:56	12/20/16	10:17:56	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:18:54	12/20/16	10:18:54	<input checked="" type="checkbox"/>	Lunch Break				<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:22:54	12/20/16	10:22:54	<input checked="" type="checkbox"/>	Lunch Break				<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	10:24:31	12/20/16	10:24:31	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	2	Morrison, Fred		12/20/16	10:24:43	12/20/16	10:24:43	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	11:43:04	12/20/16	11:43:04	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	11:43:36	12/20/16	11:43:36	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	1	Doe, John		12/20/16	11:43:38	12/20/16	11:43:38	<input checked="" type="checkbox"/>					<input type="checkbox"/>		
<input checked="" type="checkbox"/>	2	Morrison, Fred		12/20/16	12:08:06	12/20/16	12:08:06	<input checked="" type="checkbox"/>					<input type="checkbox"/>		

Refresh

Cancel

Add new entry

Cancel entry

The form can be filtered according to employee, department and date. After filling out the filter fields click on the 'Refresh' button to load the data.

The *Posting date* and *Posting time* fields show the corrected time, the *Original Posting Date* and *Original Posting Time* fields show the original time when the booking happened. If the booking was a log in, the 'In' check box is turned on. If the employee is not working although he should, the 'Reason name' field is filled with the reason why he is missing (illness, holiday, etc). However, the *Reason*


name column is not filled if the employee did not log in, but according to the shift plan he should have (he is late). Reasons can be defined on the Absence Reasons user table.

The field '*Error Code*' contains the error code if a wrong booking happened. It can be:

- “101 - Double In-action has been booked”. Double in-action means that the employee booked two log ins after each other.
- “102 - Double Out-action has been booked”. Double out-action means two log outs were booked after each other.

If you want to cancel a booking, select the line and click on the '*Cancel Entry*' button. It is also possible to select several lines and cancel all at once. If the administrator cancels a booking, the 'Canceled' flag will be checked, but the booking still will be visible, although without any effect in calculating work time. The add-on will also save the administrator user name and the date as well as the time of the modification.

If you want to add a new booking click on the '*Add New Entry*' button. In this case a small form appears with all the necessary data to fill in:

The image shows a software window titled "Attendance Journal Administration". Inside the window, there is a form with several fields: "Employee" with a dropdown arrow and the value "1" and a text field "Doe, John"; "Date" with the value "01/30/17"; "Time" with the value "14:36:00"; "Reason" with a dropdown arrow and the value "-"; and "Action" with a dropdown arrow and the value "In". At the bottom of the form, there are two buttons: "Add New" and "Cancel".

You have to set the employee, the date and time, the reason if any and the action type which can be 'In' or 'Out'. After you have set all necessary fields click on the '*Add new*' button to create the new entry. It will appear right away in the list of entries, and the form will stay opened, so that you can create several bookings after one another.

2.2. Attendance Journal Reports

2.2.1. Attendance Time Account Report

This report shows all in/out bookings of one employee for a specific month. You can filter it according to the *Employee Number* and *Date From*, however, the entered date will always be corrected to the first day of the entered month, and the report will always show the data until the end of this month.

Attendance Time Account Report

Employee: 3 Morrison, Fred

Date From: 01/01/17

EmployeeID	Employee Name	Attendance Plan	Total Planned	Total Actual	Total Calculated	Total Difference	Day	Date	State	Plan In	Plan Out	Plan Break	Plan Duration	Actual In	Actual Out	Actual Break	Actual Duration	Calculated In	Calculated Out	Calculated Break	Calculated Duration	Differ...
2	Morrison, Fred		135:00	60:16	60:16	-74:44	Su	01/01/17	Weekend													
		FORMSDT					Mo	01/02/17														
		FORMSDT					Tu	01/03/17														
							We	01/04/17														
							Th	01/05/17		06:00	22:00	01:00	15:00	06:00	22:00	01:00	15:00	06:00	22:00	01:00	15:00	00:00
							Fr	01/06/17		06:00	22:00	01:00	15:00	06:10	22:03	00:58	14:55	06:10	22:00	01:00	14:50	-00:10
							Sa	01/07/17	Weekend													
							Su	01/08/17	Weekend													
							Mo	01/09/17														
							Tu	01/10/17														
							We	01/11/17														
							Th	01/12/17		06:00	22:00	01:00	15:00	05:55	21:59	00:56	15:08	06:00	21:59	01:00	14:59	-00:01
							Fr	01/13/17		06:00	22:00	01:00	15:00	05:59	21:52	00:20	15:13	06:00	21:52	01:00	14:32	-00:28
							Sa	01/14/17	Weekend													
							Su	01/15/17	Weekend													
							Mo	01/16/17														
							Tu	01/17/17														
							We	01/18/17														
							Th	01/19/17		06:00	22:00	01:00	15:00									-15:00
							Fr	01/20/17		06:00	22:00	01:00	15:00									-15:00
							Sa	01/21/17	Weekend													
							Su	01/22/17	Weekend													

Refresh Cancel


In the first line for the 1st of the month the report shows the employee name, the total planned and the total booked time, and the difference between them (**Total Difference = Total Planned - Total Calculated**). If it is not yet the end of the month, the total difference will show negative numbers.

In the report all columns which name contains "Plan" refer to the time set in the shift plan. Columns with text "Actual" refer to the actually booked times (i.e. the time when the booking really happened).

The Attendance Plan column shows the shift name from Shift Day Type for the specific day. In the Shift Day Type you can check the set shift times for that day. For more information about shift day types please see: [2. Setup and Installation of the Company](#)

Please note: If the shift starts at 7:00 (Plan In), and the employee comes in earlier, he loses this time, as the working time is only calculated from the beginning of the shift.

If there is a problem with the sequence of the bookings for the given employee and the given date, you will get a message about the inconsistency and the 'Attendance Journal Error Report' form will open.



For more information please see: [2.2.4. Attendance Journal Error Report](#).

2.2.2. Attendance List

In the 'Attendance List' you can check the status of employees for a given date and time. You can filter the form according to *Department*, *Date* and *Time*. If you click on the 'Now' button, the actual date/time will be set in the fields.

The report shows the plan, the actual and the calculated in and out times the same way as the 'Attendance Time Account' report. The *Operation Code* and *Operation Name* displays the name and

code of the operation to which the employee last booked.

The state of the employees are depicted with colorful flags. The meaning of the different colors is the following:

- *Green flag*: The employee is present.
- *Red flag*: The employee is not present, although he should be.
- *Yellow flag*: The employee is not present, but for a reason. If this is the case, the reason column will show the reason (holiday, illness, etc). If the flag is yellow and the reason column is not filled, it means the employee is not here, but his shift has not started yet or already finished.

2.2.3. Attendance Work Log

The 'Attendance Work Log' shows all PDC bookings for one specific employee on a given day until the given time. If you click on the 'Now' button, the *Date* and *Time* will be filled automatically with the actual date and time.

The screenshot shows the 'Attendance Work Log' window. At the top, there are input fields for 'Employee' (set to 2, Morrison, Fred), 'Date' (12/22/16), and 'Time' (12:00). Below these is a 'Now' button. The main area contains a table with the following data:

Op. Code	Pr.Ord.No	Posting Code	%	Start	End	Duration
⇒ oPCU	⇒	509 Start Job	0.000	11:39	11:39	0.000
⇒ oPCU	⇒	509 Completed Job	100.000	11:38	11:39	60.000

At the bottom of the window are 'Refresh' and 'Cancel' buttons.

2.2.4. Attendance Journal Error Report

The Attendance Journal Error Report shows all problematic bookings for an employee in the given time period:

Attendance Journal Error Report

Employee

1

Do, John

Department

-

Date From

01/19/17

Date To

01/31/17

EmployeeID	Employee Name	In	Posting Date	Posting Time	Reason Name	Error Kind
1	Do, John	<input checked="" type="checkbox"/>	01/30/17	08:00:00		Duplicated bookings in indential direction
1	Do, John	<input checked="" type="checkbox"/>	01/30/17	12:00:00		Duplicated bookings in indential direction

Refresh

Cancel

The '*Error Kind*' column shows the type of the error:

- “Duplicated bookings in identical direction” means two consecutive in or out bookings have been made. In this case one of the bookings has to be cancelled or a new booking with the other direction must be inserted between the two bookings.
- “Row is corrupted” means somebody changed the lines manually in the database.

This is only a list of incorrect bookings. To correct the problematic bookings you have to use 'Attendance Journal Administration', where you can cancel superfluous bookings, or insert missing ones.

Change capacity

In Produmex Manufacturing there are three methods to modify the capacity that can be allocated:

- **Modify shift capacity:** The available capacity can be changed by adjusting the shift length
- **Modify productive capacity:** The available capacity can be changed by modifying the productivity of the shift
- **Resource unavailability:** The available capacity can be changed by registering resource unavailability

1. Modify shift capacity

Please note: Shift capacity change is not supported when using multidimensional allocation.

1.1. Apply overtime/Expand shift day

In Produmex Manufacturing shifts marked as 'Overtime' are never used by the allocation logic and can be added for administrative reasons only. In order to apply overtimes, create a new Shift Day type.

In the example we have a 'Normal Working Days' shift day with two administrative overtime shifts: a 'Morning Overtime' shift and a 'Night Overtime' shift. In order to create a new shift day type, we duplicated the Shift Day by selecting the 'Duplicate' option from the right-click menu of the Shift Day type.

Shift Day Type

Code: nORMSDT
Name: Normal Working Days

ConvertedTotalProdTime: 15:00
ConvertedTotalUnprodTime: 01:00
Converted Total Overtime: 07:00

Converted: 09:00
Converted: 16:00
Converted: 00:00

Remove
Duplicate
Add Row
Delete Row

Shift	Description	From Time	To Time	Is Productive	Is Overtime	Productive Ratio
mOROT	Morning Overtime	06:00	08:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.700
mOR	Morning Shift	08:00	12:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.750
INCBR	Lunch Brake Shift	12:00	13:00	<input type="checkbox"/>	<input type="checkbox"/>	1.000
aNN	AfterNoon Shift	13:00	17:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.950
nGHTOT	Night Overtime	17:00	22:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.600

OK Cancel

We named this new shift day type as 'Normal Working Days with overtime' and also changed the code of the shift day type. Then we simply unticked the 'Overtime box' for the night overtime shift and added the new shift day.

Shift Day Type

Code: nORMSDT_O
Name: Normal Working Days with overtime

ConvertedTotalProdTime: 15:00
ConvertedTotalUnprodTime: 01:00
Converted Total Overtime: 02:00

Converted Total Time: 14:00
ConvertedTotalWithOvertime: 16:00
Converted Total Gap: 00:00

Shift	Description	From Time	To Time	Is Productive	Is Overtime	Productive Ratio
mOROT	Morning Overtime	06:00	08:00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0.700
mOR	Morning Shift	08:00	12:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.750
INCBR	Lunch Brake Shift	12:00	13:00	<input type="checkbox"/>	<input type="checkbox"/>	1.000
aNN	AfterNoon Shift	13:00	17:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.950
nGHTOT	Night Overtime	17:00	22:00	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.600

Add Cancel

Then alter the Shift Year Plan.

- To apply overtime only for one day, open the current Shift Year Plan. Find the given date then change the Shift Day type.
- To apply the new shift day to more than one day, open the current Shift Year Plan and click on the 'Parameters' button. It is possible to change the shift plan for a period only. For more information please see: [Shift Year Plan](#)
- To assign overtime for one work center (resource) only, create a new shift plan by adding a new one from scratch or by duplicating an existing shift plan. Assign this new shift plan for the given work center.

After clicking on the 'Update' button on the Shift Plan Year or the Work Center form, the Reallocator Report will open up. On this form every allocation affected by the shift day change is listed. Filter the list based on the status of the allocations with the 'Ok', 'Warning' and 'Error' checkboxes on the header. Only allocations with the checked status will be displayed.

Status:

- 'Ok': Indicates additional capacity on the work center
- 'Warning': Indicates change in the capacity of an existing shift
- 'Error': Indicates an allocation that has to be reallocated

Reallocator Report

Ok ☐

Warning ☒

Error ☒

List of Work Centers and Days to be Changed

Resource Type	Work Center	Day	Type	Prod.Hours Delta	Overt.Hours Delta	Status	Message
Work-Center	wAS	03/20/17		5,000		-5,000	Warning
Work-Center	wASU	03/20/17		5,000		-5,000	Warning
Work-Center	wJD	03/20/17		5,000		-5,000	Warning
Work-Center	wQAM	03/20/17		5,000		-5,000	Warning
Work-Center	wWM1	03/20/17		5,000		-5,000	Warning
Work-Center	wWM2	03/20/17		5,000		-5,000	Warning
Constraint	cCO	03/20/17		5,000		-5,000	Warning
Constraint	cEL	03/20/17		5,000		-5,000	Warning
Employee	1	03/20/17		5,000		-5,000	Warning
Tool	tMH	03/20/17		5,000		-5,000	Warning

I acknowledge that these shift changes may affect MRP and resource planning Confirmation


☒

Proceed

Cancel

In order to proceed, acknowledge the message by ticking the 'Confirm' checkbox under the grid. The 'Proceed' button will become active. Click on this button to apply the shift plan change.

To display the difference, we assigned the 'Normal Working Days' shift day type to the work day on the left side and the 'Normal Working Days with overtime' shift day to the work day on the right side.



The system will not automatically recalculate the scheduling when expanding the capacity. Affected production orders can be rescheduled with the following methods:

- To reschedule a single production order only, set the '[Force recalculation](#)' UDF to 'Yes' and click on the 'Update' button.
- To reschedule multiple production orders,
 - On the [Production Management Cockpit](#) select the production order(s) and click on the 'Recalculate' button.
 - On the Job Scheduling Control Panel use [semiautomatic rescheduling](#)

1.2. Shrink shift day

With default settings the shift capacity can only be decreased, if there are no allocations with the status 'Error' on the *Reallocator Report*.

If there are allocations with 'Error' status, the acknowledgement message is not displayed and the 'Proceed' button is not active.

Reallocator Report

Ok ☒ Warning ☒ Error ☒

List of Work Centers and Days to be Changed

Resource Type	Work Center	Day	Type	Prod.Hours Delta	Overt.Hours Delta	Status	Message
Work-Center	wJD	03/27/17	✗	-4,000	-5,000	Error	✗ Cannot reallocate segment! 3/27/2017 1:00:00 PM
Work-Center	wJD	03/28/17	✗	-4,000	-5,000	Error	✗ Cannot reallocate segment! 3/28/2017 1:00:00 PM

Reallocator Report Details

Resource Type: Work-Center
 Resource: wJD John Doe
 Date: 03/28/17

Pr.Ord.No	Pr.Ord.Line	From Time	To Time	Type
✗ 627	1	08:00	11:25	Released
✗ 627	1	13:00	16:25	Released

Proceed Cancel Cancel

To allow rescheduling triggered by capacity decrease, enable the 'Allow rescheduling Production Orders when shift day capacity is shrunk' option on the MRP tab of [Produmex Manufacturing settings](#).

In the case of a capacity shrinkage, production orders with affected allocations will be [rescheduled automatically](#).

2. Modify the productive capacity

2.1. Change productive ratio for a shift day type

It is also possible to modify the capacity by changing the productive ratio of a [shift day type](#).

- If the productive ratio is 1, it means that the required capacity equals to the total operation time.
- If the productive ratio is lower than 1, it means that the capacity that needs to be allocated is greater than the total length of the operation.
- If the productive ratio is greater than 1, it means that the capacity that needs to be allocated is less than the total length of the operation.

Productive Ratio	Total operation time	Total allocation duration
1	60 minutes	60 minutes
0.5	60 minutes	120 minutes
2	60 minutes	30 minutes

2.2. Change the time scale for a work center

The time scale of a [work center](#) defines its efficiency for performing a feature.

- If the time scale is 1, it means that the required capacity equals to the total operation time.
- If the time scale is lower than 1, it means that the work center capacity that needs to be allocated is greater than the total length of the operation.

- If the time scale is greater than 1, it means that the work center capacity that needs to be allocated is less than the total length of the operation.

Job Time Scale	Setup time	Job time	Teardown time	Total allocation duration
1	-	60 minutes	-	60 minutes
0.5	-	60 minutes	-	120 minutes
2	-	60 minutes	-	30 minutes

The productive ratio of a shift day type and the time scale of the work center both affect the capacity allocated for an operation. Please refer to the example how the combination of these two settings affect the allocated capacity.

Example:

Total operation duration: 60 minutes

- Setup time: 0 minutes
- Job time: 60 minutes
- Teardown time: 0 minutes

Shift day type: Normal shift

The table below shows how the Time Scale and the Shift Productivity affect the duration allocated for the operation.

Time Scale	Shift productivity	Total allocation duration
1	1	60 minutes
2	1	30 minutes
1	2	30 minutes
0.5	1	120 minutes
0.5	2	60 minutes
2	2	15 minutes

3. Register maintenance and resource unavailability

Resource unavailability or planned maintenance can be registered on the Work Center Unavailability Management form. No allocations will be scheduled for the work center on periods that are registered as 'Unavailable'.

It is possible to add work center unavailability for a period that has allocations. In such cases those allocations have to be rescheduled.

To reschedule the production orders containing the affected allocations, click on the 'Report Conflicts' button. The Allocation Conflicts' form will open. On this form every affected allocation is listed. Click on the 'Reallocate Conflicting Production Orders' button to reallocate the production orders containing the affected allocations.

[illegible]

Produmex PDC Functional Guide

Produmex PDC is a work reporting extension for Produmex Manufacturing add-on. It is a light weight solution meant for mobile platforms or PCs that don't need SAP client on the hardware where it is running. Users can report their work real-time during the working day using barcode scanners or RFID tools.

1. Configurations

For more information about the configuration option for PDC please see:

- settings for the office PDC:
 - Produmex Manufacturing Settings > **PDC tab**
- settings for the mobile device:
 - Produmex Manufacturing Settings > **Thin client tab**
 - Produmex Manufacturing Settings > **Thin client 2 tab**
 - **Configuration of Produmex PDC**

1.1. Enable modules

In order to use a module on terminals, enable it on the [Thin client 2 tab](#) of Produmex Manufacturing Settings. Every enabled module is displayed on the Main Menu.

Produmex Manufacturing Settings

General SQL Logs Reports MRP PDC Prod.Order Master Data MTO Thin Client Thin Client 2 Food Scheduled Real

Worker can modify bookings ☐

Approver can modify bookings ☐

Global idle timeout (seconds) 0

Global screen timeout (seconds) 0

Employee approver role Approver

Employee Workshop Monitor Role Workshop Monitor

Employee Quality Control Role QC Inspector

Workcenter Admin Role

Enable PDC ☒

Enable PTM ☒

Enable QC ☒

Enable Workshop Monitor ☒

Enable Workcenter Journal ☒

Enable Workcenter Tickets ☒

Enable Legacy Mode in PDC ☐

Pre-fill planned material quantities ☒

Pre-fill planned by-product quantities ☒

Pre-fill the bin locations quantities with available quantities ☐

Skip material quantities screen ☐

Skip by-product quantities screen ☐

Skip material serial/batch quantities screen ☐

Skip product serial/batch quantities screen ☒

Logout after PDC bookings ☐

Enable Partial Book & Stay ☐

Can insert new materials into production orders ☒

Login Is Password Protected ☐

Only Job Bookings On Running Jobs Screen ☐

Force enter product serial/batch numbers and quantities ☐

Update Cancel

The only exception is the 'Simple Job' module because it is terminal dependent and assigned for one work center only per terminal. To enable it, open the PDC Terminal Configuration UDT via: Tools > User Defined Windows.

On this form terminal configurations can be specified. Add the terminal ID and define the work center. Only work centers with extended configurations (defined with the *PDC Extended Configuration* UDT) can be added. Set the 'Simple Job Completion' option to 'Yes'.

It is possible to set the terminal only for Simple Job mode by enabling the 'Simple Job Completion Only' option too. In this case the system automatically proceeds to the login screen of the module and skips the main menu screen.

PDCExtendedConfiguration

#	Material Select From List	Outsourced Operations	Rejected Quantity	Work Center Ignore	Work Center Modification	Work Center	Last Modif.	Comment Visible	Zero By Product Quantity
1		Yes	Yes	Yes	No	wPD		No	No
2		No	No	No	No			No	No

PDCTerminalConfiguration

#	Code	Name	Simple Job Completion	TerminalID	Work Center	Last Modif.	Simple Job Completion Only
1	1	1	Yes	PMX_BUDTOSH	wPD		No
2			No				No

OK Cancel

1.2. Setup employee roles

The following employee roles can be defined for PDC:

- *Approver role*: Employees appointed as an approver can approve PDC bookings of sticky/ delicate materials or products.
- *Quality Control Role*: Employees appointed as quality control inspector are authorized to conduct quality inspection.
- *Workshop Monitor Role*: Employees appointed to the workshop monitor role are authorized to use the workshop monitor.
- *Workcenter Admin role*: Employees appointed as work center admins can modify and close work center journals and work center tickets.

First create a role in SAP Business One. Open the Employee Master Data and on the 'Membership' tab select the 'Define new' option on the Role grid.

[illegible]

Add the new role to the employee you would like to appoint. An employee can have more than one roles.

On the **Thin Client 2** tab of Produmex Manufacturing Settings add the role name to the corresponding employee role.

Produmex Manufacturing Settings

General | SQL | Logs | Reports | MRP | PDC | Prod.Order | Master Data | MTO | Thin Client | Thin Client 2 | Food | Scheduled Real

Worker can modify bookings ☐

Approver can modify bookings ☐

Global idle timeout (seconds) 0

Global session timeout (seconds) 0

Employee approver role Approver

Employee Workshop Monitor Role Workshop Monitor

Employee Quality Control Role QC Inspector

Workcenter Admin Role

Enable PDC ☒

Enable PTM ☒

Enable QC ☒

Enable Workshop Monitor ☒

Enable Workcenter Journal ☒

Enable Workcenter Tickets ☒

Enable Legacy Mode in PDC ☐

Pre-fill planned material quantities ☒

Pre-fill planned by-product quantities ☒

Pre-fill the bin locations quantities with available quantities ☐

Skip material quantities screen ☐

Skip by-product quantities screen ☐

Skip material serial/batch quantities screen ☐

Skip product serial/batch quantities screen ☒

Logout after PDC bookings ☐

Enable Partial Book & Stay ☐

Can insert new materials into production orders ☒

Login Is Password Protected ☐

Only Job Bookings On Running Jobs Screen ☐

Force enter product serial/batch numbers and quantities ☐

Update Cancel

1.3. Set a product/ material for PDC approval

Enable the approval for the product or a material in the Item Master Data. Set the 'NeedsPDC Approval' UDF field to 'Yes'. If it is enabled for a product/material, operations producing/consuming that item must be approved by an employee appointed as 'Approver'. For more information about the approval process please see: [2.2.10. Approval of PDC Bookings](#)

1.4. Date and Time

The ProDumex PDC module uses the date and time settings of the company database.

It is possible that the company time differs from the server time. If the 'Manage Company Time' checkbox is enabled on the *Display* tab of General settings, the time zone of the company can be set on the *Time Zone* tab of General Settings.

The ProDumex PDC module only considers the daylight saving time if the 'Daylight Saving Time' checkbox is enabled for the company.

2. Mobile Device

With ProDumex PDC you can start the mobile PDC application itself. You have to start it on the client machine.

The user interface was primarily designed for industrial PCs and mobile devices. It means that the


windows are not 'normal' windows as in any other applications. You can only move the windows with the blue frame around the window and it will not store the form settings so it always starts maximized.


All buttons have a keyboard shortcut, so if you press the keyboard shortcut it is the same as you clicked on the button. In text fields you have a keyboard icon, if you click on that or press F12, the on screen keyboard opens with which you can enter text as well.


If you press tab after adding the code of an employee or operation, the system automatically populates the respective fields. If you have a scanner attached, any data can be added by scanning the barcode.

Main menu

Running the Mobile PDC Client Application the user will find the Main Menu.



On the main menu every enabled module is displayed. If only one module is enabled, the system automatically proceeds with that module and skips the main menu. Click on the  icon to see the system messages.



2.1. Personal Time Management

At each new session or work day the user has to log in with Personal Time Management once. This will track the user as an employee, who is mobile across different workstations.

Personal Time Management is optional for a company. If the setting is not set, the employees can use the rest of the system without logging in to PTM. The user can tap the Personal Time Management button to advance to the Personal Time Management login screen.

2.1.1. Logging in PTM

Here the user can log in to Personal Time Management. To log in simply enter the employee ID, and click on Login button. When the password protection is enabled, the user has to enter the password instead of the employee ID.

The 'History' textbox will list the latest account event of the user, in this example the last login event.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) 01/03/17 10:16 AM

Server: 17.05.31007.18920 Client: 17.05.31007 Log (00:30)

Employee John Doe

Tuesday, 12/20/16	10:03 AM - 10:04 AM
Tuesday, 12/20/16	10:09 AM - 10:09 AM
Tuesday, 12/20/16	10:17 AM - 10:18 AM
Tuesday, 12/20/16	10:22 AM - 10:24 AM
Tuesday, 12/20/16	11:43 AM - 11:43 AM
Tuesday, 12/20/16	11:43 AM - 12:08 PM

OK

2.2. Production Data Collector

When Personal Time Management is enabled, you have to log in with PTM before starting the work with the Production Data Collector. Press the PDC icon. Enter the employee ID and click on the 'Login' button to log in.

If the employee has any open jobs, the system will proceed to the 'Running Jobs' screen otherwise the user will be redirected to the 'Start Job' screen.

2.2.1. Running Job screen

The running jobs window shows all operations that were already started by the employee that has logged in. The jobs for which there is already a started booking (setup or job) or a partial booking will appear.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) 12/21/16 02:22 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Running Jobs (00:30)

Operation

	Setup	6-3 (oPWE - Welding) (2)	(5) 02:22 PM
		#505 mM1101 (Raw Bike Framework) (3)	(6) 12/21/16
		Open: 1 Planned: 1 Workcenter: wWM2 (4)	(7) Start Setup
	Job	5-10 (oPBI - Bell Installation)	01:58 PM
		#504 p1001-1 (Red Bike)	12/21/16
		Open: 0 Planned: 1 Workcenter: wAS	Start Job

Start **Stop** **Partial** **Admin** **Logout**

Displayed information:

1. Operation phase
2. Doc Entry - Line Number (Operation code - name)
3. Production order number, Main product code (name)
4. Open quantity, Planned Quantity, Assigned work center
5. Time of the last PDC booking for the operation
6. Date of the last PDC booking for the operation
7. Type of the last PDC booking for the operation

Select an operation from the list. Tick the white box or scan the DocEntry-LineNum identified to the search bar then press TAB.

The DocEntry- LineNum identifier can be found on the Job Requirements report.

Operation:	oPAS - Bike Assembly		Operation ID: 00004039
	Begin Date&Time: 08/28/17 08:00 AM		Production Order: 43 / 3
	Before Time: 0.00 [min]		Product Code: ITEM05 - Batch number + best before da
	After Time: 0.00 [min]		MtO Scenario:
			Custom Code:
	ITEM01 No Batch no serial no BBD	10.00	
	00004037 manual UOM		
	ITEM10 Batch number + 2ND Batch +	20.00	
	00004038 best before date manual UOM		
Work Center:	wAS - Assembler Team		Allocation ID: 00004006
OP: oPAS	Doc Entry - Line Number Identifier 43-2		
	Start Date&Time: 08/28/17 08:00 AM	End Date&Time: 08/28/17 12:00 PM	
	Setup Time: 0.00 [min]	Teardown Time: 0.00 [min]	
	Quantity: 0.93	Identification Code: 43-2-wAS	
	Job Time: 240.00 [min]	Total Duration: 240.00 [min]	
	Feature: aSS - Assembly		

To start a new operation that is not listed, scan or enter the *DocEntry-LineNum* identifier from the

related production order then press the 'Start' button. The system will proceed to the 'Start Job' screen. See: [2.2.2. Start Job](#)

If the 'Start' button is not active, it means that the employee has reached the maximum number of active operations that can be started at once. The maximum number of parallel operations for an employee can be set on the Maximum Parallel Operations UDF of the Employee Master Data. The employee must close a running operation first before starting another one.

The screenshot shows the 'Employee Master Data' window. The 'General' tab is selected. The 'Maximum Parallel Operations' field is highlighted with a red box and contains the value '1'. Other fields include First Name (John), Middle Name, Last Name (Doe), Employee No. (1), Ext. Employee No. (JD), and a checked 'Active Employee' checkbox. The bottom section shows tabs for Address, Membership, Administration, Personal, Finance, Remarks, and Attachments, with the 'Work Address' and 'Home Address' fields visible.

To stop a running operation, press the 'Stop' button. See: [2.2.7. Complete Setup](#) or [2.2.8. Complete Job](#)

To make partial booking for a running operation, press the 'Partial' button. See: [2.2.3. Partial Completion](#)

To review bookings, press the 'Admin' button. See: [2.2.9. Admin](#)

To logout as the current employee, press the 'Logout' button.

2.2.2. Start Job

If the employee has no running jobs, he is redirected to the Start Job page.

The default work center is the work center defined for the terminal on the 'PDC Terminal Configuration' user table. To disable the default work center, set the 'Work Center Ignore' option to 'Yes' for the employee on the '[PDC Extended Configuration](#)' user table. When there is a default work center, bookings can be created only for operations with the feature assigned to the default work center.

Scan or enter the *DocEntry-LineNum* identifier of the operation to the 'Operation' field.

If there is a default work center, the work center field will be populated automatically. The user cannot modify the work center if the default work center is mandatory. The default work center is mandatory in the following cases:

- The employee and/or the work center has no configurations set on the '[PDC Extended Configuration](#)' user table and the 'PDC Modifiable WC for Start' option is disabled on the [Thin Client](#) tab of Produmex Manufacturing settings.
- The 'Work Center Modification' option is disabled on the '[PDC Extended Configuration](#)' user table for the employee and/or work center.

Otherwise the work center is not mandatory and the user can select an alternative work center.

If there is no default work center, the user has to enter the work center or select it from a list of available work centers by pressing F11. If there is only one work center for the feature that belongs to the operation, the work center field will be automatically populated with it.

If the operation has a mandatory work center, the operation can only be started on the mandatory work center.

The screenshot shows a web application interface titled "Mobile PDC" with a subtitle "TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison". The top right corner displays the date and time "06/09/17 12:54 PM". Below the header, there is a search bar with the text "Search" and a "Search" button. The search results are displayed in a list with two items: "wWM1 BXC 21 Welding Machine" and "wWM2 BXC 22 Welding Machine". Each item is preceded by a hammer icon. At the bottom of the interface, there are two buttons: "OK" and "Cancel".

Then he can click on 'Start Setup' or 'Start Job' to start the operation. Based on the settings on the [Thin Client tab](#), setup bookings might be allowed for operations without setup or might be forbidden for every operation. Only operations that meet the following conditions can be started:

- Production order is released
- The operation status is Created or Started

The 'Clear' button erases the contents of all fields, so the entered data will be lost. If the user clicks on the 'Logout' button, he will be logged out and redirected to the Login screen.

On the next screen the user can overview the details of the operation. Press 'Done' to start the setup/job or press 'Cancel' to go back to the previous screen.

Mobile PDC		TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison		06/09/17 12:54 PM	
Server: 17.05.31007.18920 Client: 17.05.31007		Start Job Confirmation (00:30)			
PDC Booking	#N/A				
Production Order	#501 p1001-1 (Red Bike)				
Operation	2-3 (oPAS - Bike Assembly)				
Summary	0 completed quantity 0 rejected quantity				
Serial / Batch Numbers	0 serial numbers and 0 batch numbers				
By-Products	0 by-products				
Materials	2 materials				
Error					
<div> <div>Done <small>F1</small></div> <div>Cancel <small>Esc</small></div> </div>					

During the Start Job/Setup phase, materials might be issued depending on their milestone type. For more information about issuing materials please see: [2.2.5. Materials](#).

2.2.3. Partial Completion

To create bookings for a partially completed job/setup, press the 'Partial' button. After a partial booking the job/setup remains open therefore it will be listed among the running jobs.

Mobile PDC		TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison		06/09/17 12:54 PM	
Server: 17.05.31007.18920 Client: 17.05.31007		Partial Job (00:30)			
Production Order	#596 p1001-1 (Red Bike)	UoM	pcs		
Operation	97-3 (oPAS - Bike Assembly)				
Started	02/22/17 11:51 AM	<input type="checkbox"/> Completed			
Bin Location	<div> <div>F11</div> <div>F12</div> </div>				
Duration	6 min	This Day			
Quantity	4	Rejected Quantity	1	<div> <div>F12</div> </div>	
<div> <div>Done <small>F1</small></div> <div>Done & Stay <small>F2</small></div> <div>Cancel <small>Esc</small></div> </div>					

Enter the completed and rejected quantity (if any) for the operation.

Define a Bin Location for material issues/product receipts on the 'Bin Location' field. The default Bin Location is the bin location specified on the PDCExtendedConfiguration UDT. If no bin location has been defined on that form, by default the bin location specified for the work center is shown. If there is no bin location specified on either form, the bin location is empty by default.

The bin location selected on this screen can be overridden for materials and products.

Press the 'Done' button to proceed.

If there are by-products for the operation or the operation is the last operation on the production order and the product is linked to it with a milestone, 'Products' screen will open up. Please see: [2.2.4. Product and By-Products](#)

If an operation has materials linked to it with a milestone, the 'Materials' screen will open up. Please see: [2.2.5. Materials](#)

After the booking was created, the system will return to the Running Jobs screen or the Start Job screen if the employee has no running jobs. When the '*Logout after PDC bookings*' option is enabled on the [Thin client 2 tab](#), the employee will be automatically logged out and redirected to the Main Menu.

When the '*Enable Partial Book & Stay*' option is set to true, an additional 'Done & Stay' button is displayed on the Partial Job screen. To stay on the 'Partial Job' screen after the booking was created, perform the partial completion after pressing this button.

2.2.4. Product and By-Products

Receive the products or by-products on the 'Products' screen. On the grid the main product and the by-products (if any) are listed. The main product is always listed first.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 [Products] (00:30)

Production Order #599 mM1101 (Raw Bike Framework) UoM pcs

Operation 100-1 (oPCU - Cutting)

Product Bin Location 01-SYSTEM-BIN-LOC...

Quantity 5

Item	Name	Bin Location	Quantity
mM1101	Raw Bike Framework	01-SYSTEM-BIN-LOCA	5 of 5 pcs
m2	Steel Pipe	01-SYSTEM-BIN-LOCA	10 of 10 m

Done Cancel Serial / Batch Bin Location

Select the product on the grid then enter the quantity. Add the quantity by pressing the 'Add' button or overwrite the quantity by pressing the 'Update' button.

The default quantity of the main product is the quantity added on the partial or complete job/setup screen.

The default quantity of a by-product is calculated from the received quantity of the main product and the base quantity of the by-product. It is possible to receive more or less of a by-product than the calculated quantity.

The default bin location is the bin location specified for the operation but it can be adjusted. Scan or enter the destination bin location to the 'Bin Location' field or select it from a list after pressing F11. To add a product to different bin locations, select the bin location then press the Bin Location button (F3). The 'Product Bin Location Picker' screen will open. (Please see: [2.2.4.3. Product Bin Location Picker](#)). Please note: The bin location for items managed by batches or serial numbers can be added on the Product Batch/Serial Numbers screen therefore the bin location picker function is not available for such items.

When using the [Legacy mode](#), the Bin Location button is not displayed and the Product Bin Location Picker screen cannot be reached.

After the PDC processor processes the booking, the system automatically creates the Receipt from Production document for the main product and receives it to the inventory. By-products will be taken into stock with a Goods Receipt document which will be converted to a Receipt from production document after the main product has been booked.

If the main product is managed by batches or serial numbers, add the serial/batch numbers before receiving the product. Press the 'Serial/Batch' button. If the product is managed by batches, the Product Batch Numbers screen will open. (Please see: [2.2.4.1. Product Batch Numbers](#)).

If the product has serial numbers, the Product Serial Numbers screen will open. (Please see: [2.2.4.2. Product Serial Numbers](#)). If the 'Skip product serial/batch quantities screen' option is enabled on the

[Thin client 2 tab](#), this button will not be active and the serial/batch numbers will be determined by a custom query. For more information please see: [Product serial/batch number](#)

By-products cannot be managed by serials/batches.

2.2.4.1. Product Batch Numbers

If it is a batch numbered product, the 'Product Batch Numbers' form appears.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007

Product Batch Numbers (00:29)

Production Order #600 Item01 (Batch nbr) UoM

Operation 101-1 (oPCU - Cutting)

Item Item01 (Batch nbr) Bin Location 01-W2-W2-S2

Batch Number [User 1]

Quantity 2 [User 2]

Batch Number	Bin Location	Quantity	[Total Quantity]	[User Field 1]	[User Field 2]
PR0001	01-W2-W2-S1	2	4		
PR0001	01-W2-W2-S2	2	4		

Quantity 2 Of 6

Rejected Quantity 2 Of 0

Done Cancel Rejected [Split] Delete

Enter the created batch number into the 'Batch Number' field then press TAB to add the batch number to the grid. Multiple batch numbers might be added.

Select the batch on the grid. Enter the quantity of the batch into the 'Quantity' field and scan the bin location or select it on the 'Bin Location' field then press TAB. All bin locations must have the same warehouse. Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To register the batch for rejected quantities, select the line of the batch number then press the 'Rejected' button. It is possible to set completed and rejected quantities for the same batch number.

To receive the same batch into multiple bin locations, select the batch then press the 'Split' button. The line of the batch will be duplicated but the bin location and the quantity value on the new line will be empty.

To remove a wrongly entered batch number, select it on the grid and click on 'Delete'.

2.2.4.2. Product Serial Numbers

If the product is serial numbered, the 'Product Serial Numbers' window will open.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007

Product Serial Numbers (00:30)

Production Order #601 Item03 (Serial nbr) UoM

Operation 102-1 (oPCU - Cutting)

Item Item03 (Serial nbr) Bin Location 01-W2-W2-S2

Serial Number SN2003 [User 1] [User 2]

Serial Number	Bin Location	[User Field 1]	[User Field 2]	Rejected
SN2001	01-W2-W2-S1			
SN2002	01-W2-W2-S2			Rejected

Quantity 1 Of 2

Rejected Quantity 1 Of 0

Done Cancel Rejected Delete

Add the serial numbers into the 'Serial Number' field then press TAB to add it to the grid. If the serial number already exist, an error message will be shown.

To define the bin location, select a serial number and add the bin location to the 'Bin Location' field then press TAB. all bin locations must have the same warehouse. Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To add serial numbers belonging to rejected quantities, first enter the serial number, then select it on the grid and press the 'Rejected' button. The serial number will be marked as 'Rejected'.

To remove a wrongly entered serial number, select it and press the 'Delete' button'.

After every serial number has been entered, press the 'Done' button to proceed.

Please note: The added batch/serial quantity must equal to the quantity entered on the partial or complete job/setup form.

2.2.4.3. Product Bin Location Picker

On the 'Product Bin Location Picker' screen scan the Bin Location or select it by pressing F11 or pressing the '...' button then press TAB to add it to the grid. Select the Bin Location line then add the quantity to receive to the 'Quantity' field.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

[Product Bin Location Picker] (00:29)

Production Order
#595 mM1101 (Raw Bike Framework)
UoM
pcs

Operation
96-1 (oPWE -)

Item
mM1101 (Raw Bike Framework)

Bin Location

Quantity
1

Bin Location	Quantity
01-W2-W2-S1	0
01-SYSTEM-BIN-LOCATION	1

Quantity
1 pcs
Of
1 pcs

Done

Cancel

Delete

2.2.5. Materials

Consumed materials might be reported in different operation phases, depending on their Milestone type.

- Materials with the milestone type 'Depends On Begin' have to be issued when starting a job.
- Materials with the milestone type 'Depends on Every' can be issued in partial and completed PDC bookings.
- Materials with the milestone type 'Depends on End' can only be issued when completing a job.

If the operation has no linked materials, the system will automatically skip this screen.

The screenshot shows the 'Materials' screen in the Mobile PDC application. At the top, the header bar displays 'Mobile PDC', 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '06/09/17 12:54 PM'. Below the header, the screen is titled 'Materials (00:29)'. The main form contains the following fields:

- Production Order:** #596 p1001-1 (Red Bike)
- Operation:** 97-3 (oPAS - Bike Assembly)
- Item:** (empty)
- Bin Location:** 01-W2-W2-S1
- Quantity:** 1

Below the form is a table with the following columns: Item, Name, Bin Location, and Quantity. The table contains three rows of material data:

Item	Name	Bin Location	Quantity
mM1001	Painted Bike Framewor	01-W2-W2-S1	1 of 1 pcs Warehouse: 01
m3	Chain	01-W2-W2-S1	1 of 1 pcs Warehouse: 01
m4	Wheel	01-W2-W2-S1	2 of 2 pcs Warehouse: 01

At the bottom of the screen are four buttons: 'Done' (F1), 'Cancel' (Esc), 'Serial / Batch' (F2), and 'Bin Location' (F3).

Scan the item code or enter it to the 'Item' field. When the 'Can insert new materials into production orders' option is enabled on the [Thin client settings](#), the user might be able to add items not linked to the operation.

Select the line of the material. If you scan the item code of the material or enter it to the 'Item' field, the material line will be automatically selected.

After that the cursor will be automatically positioned into the Quantity field. Here you can enter the used quantity and click on 'Add' or 'Update'. To add the entered quantity to the already booked quantity, press 'Add'. To overwrite the already booked quantity with the entered quantity, press 'Update'. When the 'Can insert new materials into production orders' option is enabled on the [Thin Client 2 tab](#), new materials can be added during the booking. Scan the item code or enter it to the 'Item' field then press TAB. The item will be listed on the grid. Add the consumed quantity and the bin location as described above. After the booking is processed, a new material line is automatically inserted before the operation on the production order.

If the materials are serial or batch managed, you have to select the batches/serials that were used. Select the line of the material then press the 'Serial/Batch' button. If the material is managed by batches, the Material Batch Number Picker screen will open. (Please see: [2.2.5.1. Material Batch Number Picker](#)) If the material has serial numbers, the Material Serial Number Picker screen will open. (Please see: [2.2.5.2. Material Serial Number Picker](#))

Please note: If you don't enter any quantity on the Materials screen, and click on Serial/Batch button, then the needed quantity will be zero. It means the user can add as many serial/batch numbers as he wants, but he cannot add more than the remaining quantity for the operation.

If the 'Skip material serial/batch quantities screen' option is enabled on the [Thin client 2 tab](#), this button will not be active and the serial/batch numbers will be determined by a custom query. For more information about the custom query please see: [Material serial/batch number](#)

The default bin location is the bin location specified for the operation but it can be adjusted. Scan the

source bin location or add its code to the Bin Location field or select it from a list after pressing F11. To add materials from multiple bin locations select the material then press the 'Bin Location' button. The Material Bin Location Picker screen will open. (Please see: [2.2.5.3. Material Bin Location Picker](#)) When using the [Legacy mode](#), the Bin Location button is not displayed and the Material Bin Location Picker screen cannot be reached.

After the transaction is processed by the PDC processor, the booked materials will be issued with an Issue from Production document.

2.2.5.1. Material Batch Number Picker

Add a batch to the grid by scanning the batch number or entering it to the 'Batch Number' field then press TAB. Only existing batches can be added. Select the batch on the grid then add the quantity to the 'Quantity' field and scan the Bin Location or enter its code to the Bin Location field then press TAB. If the bin location is specified, the batch must exist in the bin location with the specified quantity.

All batch numbers must have the same warehouse.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Material Batch Number Picker (00:29)

Production Order #602 p1001-1 (Red Bike) UoM

Operation 103-2 (oPWE - Welding)

Item Item01 (Batch nbr)

Batch Number Bin Location 01-SYSTEM-BIN-LOC...

Quantity 1

[Batch]	Bin Location	Quantity	[Avail BL Qty]	[Avail WH Qty]	[Total Qty]
BNR4321 (1)	01-SYSTEM (3)	1 (4)	5 (5)	5 (6)	1 (7)
01 (2)					

Quantity (8) 1 Of (9) 1

Done Cancel [Split] Delete

1. Existing batch number
2. Warehouse
3. Bin location
4. Allocated quantity
5. Available quantity in the bin location
6. Available quantity in the warehouse
7. Total allocated quantity
8. Total allocated quantity

9. Needed quantity

To issue the same batch from multiple bin locations, select the batch then press the 'Split' button. The line of the batch will be duplicated but the bin location and the quantity value on the new line will be empty.

Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To delete a line, select a line then press the 'Delete' button.

Press 'Cancel' to go back.

Press 'Done' to proceed.

2.2.5.2. Material Serial Number Picker

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Serial: 17.05.31007.18920 Client: 17.05.31007 Material Serial Number Picker (00:30)

Production Order #602 p1001-1 (Red Bike) UoM

Operation 103-2 (oPWE - Welding)

Item Item03 (Serial nbr)

Serial Number

Serial Number	Bin Location
SNR0008	01-SYSTEM-BIN-LOCATION

Quantity 1 Of 1

Done Cancel Delete


Add the serial number to the serial number field. Already added serial numbers will be listed on the form. Only existing serial numbers can be added. It is not possible to scan serial numbers from different warehouses.


To delete the serial number, select its line and press the 'Delete' button.

You have to add all needed serial/batch numbers. Partial definition is not possible. After all serial/batch numbers have been defined, you can click on 'Done'.

2.2.5.3. Material Bin Location Picker

On the 'Material Bin Location Picker' screen scan the Bin Location or select it by pressing F11 or pressing the '...' button then press TAB to add it to the grid. Select the Bin Location line then add the quantity to consume to the 'Quantity' field.


Mobile PDC


TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

[Material Bin Location Picker] (00:29)


Production Order #596 p1001-1 (Red Bike) UoM pcs
Operation 97-3 (oPAS - Bike Assembly)
Item mM1001 (Painted Bike Framework)
Bin Location
Quantity 1


Bin Location	Quantity	[Available Qty]
01-W2-W2-S1	0	0
01-SYSTEM-BIN-LOCATION	1	9

Quantity 1 pcs Of 1 pcs

Done Cancel Delete

2.2.6. Confirmation


Mobile PDC


TEST_WMSMF (PMX_BUDTOSH2)

12/21/16 02:11 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Partial Job Confirmation (00:25)

PDC Booking #N/A
Production Order #505 mM1101 (Raw Bike Framework)
Operation 6-1 (oPCU - Cutting)
Summary 0 completed quantity 0 rejected quantity
Serial / Batch Numbers 0 serial numbers and 0 batch numbers
By-Products 0 by-products
Materials 0 materials
Error

Done Cancel

You will get a confirmation dialogue with all the data you entered.

Click on 'Done' to finish the process. If the booking does not need approval or quality controlling, it will be processed by the PDC Processor. Click on 'Cancel' to go back to the Materials screen where the entered data can be changed.

2.2.7. Complete Setup (Stop Booking)

To finish a setup, press the 'Stop' button. The steps of a setup completion are identical to the steps of a partial completion. After the setup is completed, the system will ask whether to start the job part of the operation. Press 'Yes' to start the job. A start job booking will be created for the operation. Press 'No' to start the job later. Only a 'Complete setup' booking will be created and the user must manually start the job for the operation.

When a setup was finished, the phase is closed and it will not be listed on the Running jobs screen.

2.2.8. Complete Job (Stop Booking)

To finish a job, press the 'Stop' button.

The screenshot shows the 'Complete Job' screen in the Mobile PDC application. The header bar includes the Mobile PDC logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '06/09/17 12:54 PM'. Below the header, the screen displays the following information:

- Production Order:** #596 p1001-1 (Red Bike)
- Operation:** 97-3 (oPAS - Bike Assembly)
- Started:** 02/22/17 11:51 AM
- Bin Location:** (Empty field)
- Duration:** 6 min
- Quantity:** 4
- Completed:** ☒ Completed
- Rejected Quantity:** 1

At the bottom of the screen, there are two buttons: 'Done' (F1) and 'Cancel' (Esc).

Enter the completed and rejected quantity (if any) for the operation.

Define a Bin Location for material issues/product receipts on the 'Bin Location' field. The default Bin Location is the bin location specified on the [PDC Extended Configurations UDT](#). If no bin location has been defined on that form, the bin location specified for the work center is shown by default. If there is no bin location specified on either form, the bin location is empty by default.

The bin location selected on this screen can be overridden for materials and products.

If the employee has permission to mark operations as completed, the 'Completed' checkbox is active. You can set this permission on the [PDC Extended Configurations user](#) table. If the employee checks the 'Completed' checkbox, the operation is marked as 'Completed' and the status of the operation is changed to 'Finished' when the booking is processed. Finished operations cannot be started again.

Press the 'Done' button to proceed.

If there are by-products for the operation or the operation is the last operation on the production order and the product is linked to it with a milestone, 'Products' screen will open up. Please see: [2.2.4. Product and By-Products](#)

If an operation has materials linked to it with a milestone, the 'Materials' screen will open up. Please see: [2.2.5. Materials](#)

After the booking was created, the system will return to the Running Jobs screen or the Start Job screen if the employee has no running jobs. When the 'Logout after PDC bookings' option is enabled on the Thin client 2 tab, the employee will be automatically logged out and redirected to the Main Menu.

After a job is completed, it is not shown on the running jobs screen.

2.2.9. Admin

On the Admin screen the employee can overview the bookings he created. Press the 'Admin' button to open the 'Admin' screen.

The screenshot shows the 'Mobile PDC' interface for user 'Fred Morrison'. The title bar indicates 'TEST_WMSMF (PMX_BUDTOSH2)'. The main area is titled 'List Of Hours (00:29)'. Below the title, there are filter checkboxes: Unapproved, Approved, Rejected, Processed, and Error. Below these are input fields for 'Operation', 'Employee', 'Work Center', 'From' (12/21/16), 'To' (12/21/16), and 'Production Order'. A 'Refresh' button is present. The main table lists bookings with columns for Allocation Code, DocEntry- LineNumber, Production order number, Booking date and time, Work center, Employee, and Job status. The first row is highlighted in green and shows a booking for '6-3 (oPWE - Welding)' with status 'Start Job'. The second row shows a booking for '6-3 (oPWE - Welding)' with status 'Completed Set'. The third row shows a booking for '5-10 (oPWE - Bell Installation)' with status 'Completed Job'. At the bottom, there are buttons for 'Cancel', 'Modify', 'Details', and 'Complete'.

Allocation Code	DocEntry- LineNumber (operation code -name)	Production order number. Main product code (name)	Booking date and time	Work center	Employee (who made the booking)	Job status
00009193 (1)	6-3 (oPWE - Welding) (2)	#505 mM1101 (Raw Bike Framework) (3)	12/21/16 04:30 PM (4)	wWM2 (5)	John Doe (6)	(7) Start Job (8) 0 / 0 (9) Processed
00009191	6-3 (oPWE - Welding)	#505 mM1101 (Raw Bike Framework)	12/21/16 04:29 PM	wWM2	John Doe	Completed Set 1 / 0 Processed
00009189	5-10 (oPWE - Bell Installation)					Completed Job

1. Allocation Code
2. DocEntry- LineNumber (operation code -name)
3. Production order number. Main product code (name)
4. Booking date and time
5. Work center
6. Employee (who made the booking)

7. State/ Phase
8. Completed/ Rejected quantity
9. Process status

The upper part of the window is a filter. The user can select what type of bookings he wants to see (unapproved, approved, rejected, processed or error) for which operation and work center in which date range. When the user filled the filter fields he has to click on the 'Refresh' button to get the list of the operations in the grid below.

Please note: Only employees with approver role can change the Employee code and see the bookings of other employees. Employees without approver role can only see their own bookings.

Details

To overview the details of a booking, select the operation and press the 'Details' button. First the summary page will be shown. To see the details of the selected materials or products (if any) click on the 'Done' button. To go back to the Admin page, press 'Cancel'.

When the materials/ products are managed by serials or batches, an additional 'Serial/Batch' button is displayed. Press this button to review the added serials/batches. Click on the 'Done' button to proceed.

Modify

If the '[Worker can modify bookings](#)' setting is enabled, employees can change their bookings. If the '[Approver can modify bookings](#)' setting is enabled, employees with approver role can change any bookings.

To modify the booking, press the 'Modify' button. The following can be modified:

- The booked time.
- Completed status. (Please note: Only employees/approvers who have the permission to mark an operation as 'Finished' can modify the completed status. The permission can be set on the [PDC Extended Configurations user table](#).)

It is not advised to use this function for correcting material/product bookings. Use these SAP BO functions instead:

- right-click menu on the Production order: Report completion >Return components
- Goods Issue/ Goods receipt
- Disassembly order

Complete

To finish a job booking, press the 'Complete' button. Only jobs with 'Started' status can be completed.

2.2.10. Approval of PDC Bookings

PDC supports approving of the PDC bookings by the appointed approver person only.

If there is at least one material/product where the '[NeedsPDC Approval](#)' option is set to 'Yes', approval is needed for the PDC booking. To approve the PDC booking the approver employee has to log in to the mobile PDC, and click on the 'Admin' button on the Start Job page.

The filter form will open preloaded with all the operations that are unapproved:

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 List Of Hours (00:29)

☒ Unapproved ☐ Approved ☐ Rejected ☐ Processed ☐ Error

Operation

Employee

Work Center

From 12/22/16 To 12/22/16

Production Order Refresh

00009305	10-1 (oPCU - Cutting)	Completed Job
#509 mM1101 (Raw Bike Framework)		1 / 0
12/22/16 11:39 AM	wJD	Fred Morrison
		Unapproved

Cancel Modify Details Complete

The filter fields works as described in the **2.2.9. Admin section**. Approver employees can see the bookings of other employees too. Press the 'Details' button to review or press the 'Modify' button to revise the details of the selected booking.

On the summary page additional 'Approve' and 'Reject' buttons are displayed if the status of the selected operation is 'Unapproved'.

Mobile PDC		TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison	06/09/17 12:54 PM
Server: 17.05.31007.18920 Client: 17.05.31007		Job Confirmation (00:29)	
PDC Booking	#00009305		
Production Order	#509 mM1101 (Raw Bike Framework)		
Operation	10-1 (oPCU - Cutting)		
Summary	1 completed quantity 0 rejected quantity		
Serial / Batch Numbers	0 serial numbers and 0 batch numbers		
By-Products	1 by-products		
Materials	1 materials		
Error			

Done F1
Cancel Esc
Approve F2
Reject F3

If the PDC booking is rejected, the material bookings will not happen and the booking will be marked as 'Rejected'.

If the PDC booking is approved, it will be processed by PDC Processor.

Employees without approver role cannot perform an operation that has materials or products that needs to be approved. If a non-approver employee starts a job for such operation, it will be disposed automatically to an approver employee. When this setting is enabled, sticky jobs completed by approver employees will be automatically approved.

2.3. Quality Controlling

Quality Controlling is a manufacturing shop-floor quality control/assurance data collection function of Produmex Manufacturing. It supports two major processes:

- QC for production order operations
- QA for outsourcing deliveries

When a worker reports the (partial) completion of an operation with the PDC system (either via the mobile client or shop floor PDC wizard), a QC officer can report QA data for that operation. The QC officer can qualify an operation as rejected (repairable or un-repairable) or approved. The QA data are stored in a database (in the @BXPQAPARAMSJRNL table), and custom reports can be created by the customers or the partner. Saving QA data to that table is the only result of the quality controlling terminal; any additional steps that should be taken after the quality control process (workflow, repairing job, etc.) should be implemented separately as an addition to the quality controlling terminal.

When a delivery (Goods Receipt PO) document is created for an outsourced operation, a QC officer can enter QA data for that delivery. Based on the quality qualifications, the outsourced operation may

be rejected.

2.3.1. Set up quality controlling

In order to set up quality control parameters for an operation, enable the 'Production Operation Parameters' option on the **PDC tab** of Produmex Manufacturing Settings. Next open the Operation Parameter Types form from: Tools > User-Defined Windows.

Here company specific reporting parameter types (dimensions) can be specified. Each operation can have multiple parameter types associated with it.

Typically in QA these parameters are some metric of the component worked on or the result of some QC tests. In the following example four parameter types were added, that will cover all the relevant features.

#	Code	Name	Default Value Default	Is Deleted	Maximum Value Default	Minimum Value Default	UoM	Valid Values	Value Type	Last Modif.
1	COMM	Comment		No					String	
2	DD	DueDate		No					Date	
3	Q	Quantity		No					Float	
4	QUAL	Quality		No					Integer	
5	Y/N	Approval		No				Y:OK N:Defective	Valid Valu	
6				No					String	

Based on the value type

- String: Text can be specified freely. Here it is used for a comment parameter type.
- Float, Integer, Boolean: Numeric fields can be used for measurement.
- Valid Values: This type can be used to create a 'choose from list' parameter. With a taglanguage, the entries in the list can be specified. The syntax is the following: 'Value in database':'Description'|'Value in database':'Description'|... For example in this case Y: OK|N: Defective was specified.
- Date, Time: Date and time is best stored in these types.

Please note: It is not necessary to add timestamp to every operation, as this is automatically collected.

Next open the Production > Manufacturing Operations form. Here, under the Parameters tab, the used parameters can be specified for each kind of operation.

In the Type column, the previously defined parameter types can be chosen.

To use the parameters for the mobile QC terminal the value at the Quality Assurance column has to be set to true. In this example four parameters were specified.


[illegible]

2.3.2. Logging in to QC

Only employees appointed quality inspectors can log into Quality Control.

In the next screen the employee can choose between the two mentioned functions: the in-house QC and the outsourced QC.

Select the type of the operation on the next screen. Press the 'In-house' button to inspect in-house operations, or press the 'Outsource' button to inspect the quality of outsourced products. Press the 'Cancel' button to go back to the previous screen.



Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM


Server: 17.05.31007.18920 Client: 17.05.31007

Operation Type Selection (00:29)

In-House F1 Outsourced F2 Cancel Esc

2.3.3. In-House QC

On the 'In-House Operation Selection' screen enter an operation ID. Choose a work center and the employee who performed the operation. Only operations with at least one PDC booking can be selected.



Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007


In-House Operation Selection (00:30)

Operation	12-10 (oPBI - Bell Installation - 511)	F12
Work Center	wAS (Assembler Team)	F11 F12
Employee	2 (Fred Morrison)	F11 F12

OK F1 Cancel Esc

The system will proceed to the 'Check Results' screen. On this screen the quality of the operation can

be reported with the previously defined parameters. Add the number of the tested instances to the 'Checked Quantity' field.



Mobile PDC | TEST_WMSMF (PMX_BUDTOSH2) - John Doe | 06/09/17 12:54 PM

Server: 17.05.31007.18920 | Client: 17.05.31007 | Check Results (00:30)

Operation	12-10 (oPBI - Bell Installation - 511)
Work Center	wAS (Assembler Team)
Employee	2 (Fred Morrison)
Quantity	0/0/0

0 IsApproved	Y (OK)
0 WeldThickness	40
0 SurfaceQuality	5
0 ApprovalComment	Approved

Checked Quantity: 1

Buttons: Set Value (F1), Good (F2), Rejected (F3), Repairable (F4), Cancel (Esc)

To specify parameters, select the parameter from the list and press the 'Set Value' button. This will prompt the 'Set Value' form.

The method for entering the value varies according to the value type of the parameter:

- String: Enter the text to the textbox.
- Float, Integer, Boolean, Date -Time: Add the value to the textbox.
- Valid Values: Select a value from the list.

To approve the operation quality, press the 'Good' button.

To reject the operation, press the 'Rejected' button.

To register the operation as repairable, press the 'Repairable' button.

2.3.4. Outsourced QC

For more information about outsourced operations please see: [Outsourced Manufacturing](#).

The Quality Control of an outsourced operation can be handled by selecting 'Outsourced' on the Operation Type Selection form. The procedure is the same as an in house operation with the one exception of the selection form.

In the Outsourced Operation Selection window the operation can be specified and then the supplier and the instance of the delivery can be selected.

Operation	Supplier	Delivery
5-3 (oPAS - Bike Assembly - 504)	bGU (Bike Gurus)	500 (Quantity: 1.000000 Due date: 12/21/2016 12:00:00 AM)

After this the procedure is the same as introduced in the in-house case.

Quality Assurance entries can be seen on: Tools > User Defined Windows > QualityAssuranceJournal

2.4. Workshop Monitor

On the workshop monitor ongoing operations can be overviewed. The workshop monitor will display data supplied by the **'bxtc_pdc_workshop_monitor_query'** user query. Before using the workshop monitor, create the custom query. See the example query here: [Workshop Monitor](#)

Only employees appointed as Workshop Monitor inspector can log in the Workshop Monitor.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - John Doe

01/03/17 09:47 AM

Server: 17.05.31007.18920
Client: 17.05.31007

Workshop Monitor

Last Updated On 09:47 AM 01/03/17

	#523 m4 (Wheel) 24-2 (oPAS - Bike Assembly) Planned: 5 Completed: 2	John Doe (1) Due Date: 01/04/17 Open: 5 Rejected: 1	12:49 PM 01/02/17 Completed Job wAS
--	---	---	---

Logout

2.5. Work Center Journal

With Work Center Journal tickets work center unavailability reasons can be reported. To create work center journal entries, login the Work Center Journal module. Every employee can create WC journal entries or modify their entries. Only employees appointed as WC admins can close journal entries or modify entries created by other employees.

2.5.1. Work Center Journal List

After the login, the list of open entries are displayed.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - John Doe

12/22/16 02:50 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Workcenter Journal List (00:30)

John Doe	12/22/16	02:48 PM	wPD (5X Painter and Dryer Machine)	Open
			No Employee	Idle
Fred Morrison	12/22/16	02:47 PM	wAS (Assembler Team)	Open
			No Employee	Error
Test Comment				

Back

New

Modify / View

Close

Press the 'Back' button to go back to the login screen.

Press the 'Modify/View' button to review or modify the elected entry. The 'Work Center Journal Entry' screen of the selected entry will open up.

If the employee is appointed to the Work Center Admin role, an additional 'Close' button is displayed on the screen. Press this button to close the entry.

Press the 'New' button to create a new entry. The 'Workcenter Journal Entry' screen will be prompted.

2.5.2. Work Center Journal Entry

The screenshot shows the 'Mobile PDC' interface for a 'Workcenter Journal Entry'. The header bar includes the 'Mobile PDC' logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '12/22/16 02:47 PM'. Below the header, the form is titled 'Workcenter Journal Entry (00:30)'. The form contains several fields: 'Information' (displaying 'Fred Morrison - 12/22/16 02:46 PM'), 'Work Center' (displaying 'wAS (Assembler Team)'), 'Reason' (a dropdown menu with 'No Employee' and 'No Material' options), 'Entry Type' (a dropdown menu with 'Idle' and 'Error' options), and 'Comment' (a text area containing 'Test Comment'). At the bottom, there are 'Cancel' and 'Done' buttons. The interface also shows server and client IP addresses in the top left corner.

On the 'Information' field the employee name and the date of the creation is displayed. Non modifiable field.

Enter the code of the work center to the work center field or select it from a list after pressing F11.

Select a reason for the work center unavailability. The possible values are: 'No Employee', 'No Material' or 'None'. Select an entry type. The possible values are: 'Idle', 'Error' or 'None'. It is possible to add remarks to the journal with the 'Comment' textbox.

Press the 'Done' button to create the entry or press the 'Cancel' button to go back to the previous screen.

Work Center Journal entries can be reviewed in the office environment as well. Open the Work Center Journal UDT via: Tools > User Defined Windows. On this form closed journal entries are also displayed.

2.6. Work Center Tickets

With work center tickets machine failures and malfunctions can be reported.

2.6.1. Setup Work Center Ticket types

If you would like to use the Work Center Ticket module, it is recommended to setup ticket types for the work center. Open the Form via: Tools > User Defined Fields > WorkCenterTicketTypes. Add the ticket code and name then press 'Update'.

[illegible]

After the login, the list of open tickets are displayed.

After the login, the list of open tickets are displayed.

Fred Morrison (1)	wWM1 (BXC 21 Welding Machine) (3)	(4) Open
12/22/16	03:40 P	(5) BearingFailure
Bearing misalignment (2)		

1. Creator name, date and time of the creation
2. Added comment
3. Work center code and description
4. Ticket status
5. Ticket type

Press the 'Back' button to go back to the login screen. Press the 'Modify/View' button to review or modify to selected ticket. The 'Work Center Ticket Entry' screen of the selected entry will open up.

If the employee is appointed to the Work Center Admin role, an additional 'Close' button is displayed on the screen. Press this button to close the ticket.

Press the 'New' button to create a new entry. The 'Workcenter Ticket Entry' screen will be prompted.

2.6.3. Work Center Ticket Entry

The screenshot shows the 'Workcenter Ticket Entry' screen in the Mobile PDC application. The header bar includes the Mobile PDC logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - John Doe', and the date '12/22/16 03:47 PM'. The title bar indicates 'Workcenter Ticket Entry (00:30)'. The form contains the following fields:

- Information:** John Doe - 12/22/16 03:46 PM
- Work Center:** wPD (5X Painter and Dryer Machine)
- Comment:** (Empty text area)
- Entry Type:** A list with 'Accident' and 'BearingFailure'.

At the bottom, there are 'Cancel' and 'Done' buttons. The 'Cancel' button has an 'Esc' key icon, and the 'Done' button has an 'F1' key icon.

On the 'Information' field the employee name and the date of the creation is displayed. Non modifiable field.

Enter the code of the work center to the 'Work Center' field or select it from a list after pressing F11. Add a comment to the 'Comment' textbox.

Select an entry type. Every ticket type defined on the Work Center Ticket Type UDT can be selected.

Press the 'Done' button to create the entry or press the 'Cancel' button to go back to the previous screen.

Work Center Ticket entries can be reviewed in the office environment as well. Open the Work Center Tickets UDT via: Tools > User Defined Windows. On this form closed ticket entries are also displayed.

2.7. Simple Job module

With the Simple Job module, the user can start and complete a job and a setup at one step.

2.7.1. Start Job

The default work center is the work center defined for the terminal on the '[PDC Terminal Configuration](#)' user table. To disable the default work center, set the 'Work Center Ignore' option to 'Yes' for the employee on the '[PDC Extended Configuration](#)' user table. When there is a default work center, bookings can be created only for operations with the feature assigned to the default work center.

Add the *DocEntry-LineNumber* identifier to the 'Operation' field.

If there is a default work center, the work center field will be populated automatically. The user cannot modify the work center if the default work center is mandatory. The default work center is mandatory in the following cases:

- The employee and/or the work center has no configurations set on the '[PDC Extended Configuration](#)' user table and the 'PDC Modifiable WC for Start' option is disabled on the [Thin Client tab](#) of Produmex Manufacturing settings.
- The 'Work Center Modification' option is disabled on the '[PDC Extended Configuration](#)' user table for the employee and/or work center.

Otherwise the work center is not mandatory and the user can select an alternative work center.

To erase the content of the modifiable fields, press the 'Clear' button.

To log out as the current employee, press the 'Logout' button.

To see the Admin screen, press the 'Admin' button. For more information about the Admin function please see: [2.2.9. Admin](#)

Press the 'Done' button to proceed.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Complete Job (00:30)

Production Order	#512 mM1001 (Painted Bike Framework)	UoM	pcs
Operation	13-1 (oPPD - Painting and Drying)		
Started	12/22/16 03:50 PM		
Bin Location	01-SYSTEM-BIN-L...	Setup	<input checked="" type="checkbox"/>
Duration	25 min	This Day	
Quantity	1	Rejected Quantity	0

Done Cancel

2.7.2. Complete Job

Scan the destination Bin Location or enter its code.

The default Bin Location is the Bin Location defined for the employee/work center on the '[PDC Extended Configuration](#)' user table. If there is no default bin location defined for the employee/work center on the '[PDC Extended Configuration](#)' user table, then the default bin location is the bin location defined for the work center.

To create setup bookings too, tick the 'Setup' box. The box is only active if there is setup time defined for the operation. Scan the destination Bin Location or enter its code.

Then enter the completed and rejected quantity. When the user enters the completed/rejected quantity, the duration is automatically calculated.

- If setup time is defined for the operation and the 'Setup' checkbox is checked, the duration is calculated as {(Setup base quantity + Operation base quantity) * (Completed quantity + Rejected quantity)}.
- If there is no setup time defined for the operation and/or the 'Setup' checkbox is not checked, the duration is calculated as {Operation base quantity * (Completed quantity + Rejected quantity)}.

After the Duration field is filled, the system also calculates the Start time as {Current Date/Time - Duration}.

If the '*Manual Job Duration*' option is enabled on the '[PDC Extended Configuration](#)' user table, the user can enter the duration. When the user enters or modifies the duration, the system recalculates the Start time. Please note: The completed quantity will not be recalculated based on the duration.

If the '*Comment Visible*' option is enabled on the '[PDC Extended Configuration](#)' user table, an additional Comment field is displayed on the screen.

Press the 'Done' button to proceed.

When there are materials linked to the operation with a milestone, receive the materials. Please see: [2.2.7.Materials](#)

When there is a by-product linked to the operation or the operation is the last one on the production order and there is a milestone set for the product, receive the (by-)products too. Please see: [2.2.6.Products](#)

Operation Details

Because the user does not start the job manually, the booked time cannot be measured. The system will automatically create the 'Start Setup', 'Completed Setup', 'Start Job' and 'Completed Job' bookings. The Posting Time of the Complete Job booking is the time when the PDC booking was created. The Posting Time of the 'Start Setup', 'Completed Setup', 'Start Job' bookings is calculated backwards.

Production Order Operation Details - [DocNum: 529, Line: 1]

Operation Code	oPPD		Operation Break	Allowed
Operation Name	Painting and Drying		Operation Time UoM	Minutes
Before Time	min	0.000	Is Parallel Operation	<input type="checkbox"/>
Safety Time	min	0.000	Is Overlapping Operation	<input type="checkbox"/>
Setup Time	min	5.000	Max Parallel Operations	0
Job Time	min	20.000	Overlapping Quantity	0.000
Teardown Time	min	5.000	Allocation Window	0.000
After Time	min	400.000	Min Job Quantity	0.000
Time Base	1.000		Message	
Planned Quantity	2.000		Is Pinned	<input type="checkbox"/>
Completed Quantity	1.000		Pinned Start Date	
Rejected Quantity	1.000		Pinned Start Time	00:00

Time UoM	Minutes	Open Job	53.333
Booked Job	0.000	Open Setup	5.000
Booked Setup	0.000	Open Teardown	5.000
Booked Teardown	0.000	Planned Job	53.333
State	Created	Planned Setup	5.000
Booked Completed Quantity	0.000	Planned Teardown	5.000
Booked Rejected Quantity	0.000		

Posting Date	Posting Time	Posting Code	Compl. Qty.	Rej. Qty.	Mach. Duration	Pers. Duration	Emp. ID	Emp. Name	Reason ...
01/03/17	10:12	Start Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Completed Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Start Job	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:57	Completed Job	1.000	1.000	40.000	40.000	1	Doe, John	

OK Cancel Allocations

3. PDC bookings in SAP B1

3.1. Create PDC bookings

3.1.1. Simplified Production Data Collection

Many manufacturing companies do not need the full-fledged data collection terminal. Instead, they

could do very well with the much simpler PDC office terminal. In this scenario, the production data is collected (mostly) on paper, and the data is entered at the end of the day by an office assistant.

3.1.1.1. Print the PDC sheet

Open the sheet generator via: Production > PDC > PDC Sheet Generator.

The 'PDC Sheet Generator Parameters' screen will open up.

To print a prefilled sheet, tick the 'Prefilled' box then select the data to add to the sheet. The sheet can be prefilled with the following data:

- Employee ID
- Pr. Ord. No
- Operation Code
- Work Center

Enter the number of rows you would like to add for each allocation to the 'Rows per allocation' field.

PDC Sheet Generator Parameters

Prefilled ☒

Employee ID → 1 Doe, John

Pr. Ord. No → 514 p1001-1 * 12/ Primary

Operation Code → oPAS Bike Assembly

Work Center → wAS Assembler Team

Rows per allocation 2

Ok Cancel

Click on 'Ok' then set the printing options on the 'Select Report Layout' screen.

PDC Sheet

Production Order Number: 514

Operation: oPAS





Bike Assembly

WC: wAS

Assembler Team

#	Employee ID	Allocation ID	Posting Date	Posting Time	Posting Code	Compl Qty	Rej Qty	Mach. Duration	Pers. Duration
1	1	00010342							
2	1	00010342							
3	1	00010372							
4	1	00010372							

The Allocation ID is the identification number of the allocation that can be seen on the Job Requirements Report:

Operation:		oPAS - Bike Assembly		<i>Operation ID:</i> 00004039	
	Begin Date&Time: 08/28/17 08:00 AM		Production Order: 43 / 3		
	Before Time: 0.00 [min]		Product Code: ITEM05 - Batch number + best before date		
	After Time: 0.00 [min]		MtO Scenario:		
			Custom Code:		
	ITEM01	No Batch no serial no BBD	10.00		
	00004037	 manual UOM			
	ITEM10	Batch number + 2ND Batch +	20.00		
	00004038	 best before date manual UOM			
Work Center:		wAS - Assembler Team		<i>Allocation ID:</i> 00004006	
<i>OP:</i>					
<i>oPAS</i>				43-2 	
Start Date&Time: 08/28/17 08:00 AM		End Date&Time: 08/28/17 12:00 PM			
Setup Time: 0.00 [min]		Teardown Time: 0.00 [min]			
Quantity: 0.93		Identification Code: 43-2-wAS			
Job Time: 240.00 [min]		Total Duration: 240.00 [min]			
Feature: aSS - Assembly					

The Posting Code stands for the status of a certain phase in PDC booking. (Eg.: 'Partial setup', 'Completed Job')

3.1.1.2. PDC Bookings office terminal

Enter the data collected on the PDC screen on the PDC Bookings office terminal form. Open the form via: Production > PDC > PDC Bookings office terminal.

[illegible]

With the office terminal it is not mandatory to record all phases (setup, job, shutdown, break, etc.) of the operation; most typically only the job completion is booked.

When the bookings have been inserted and user presses the 'Update' button, the appropriate material issue for production or product receipt from production (according to the milestone settings of the operation and material lines) inventory transactions will be committed as well. After a job completion is booked on the office terminal, the status of the operation is set to 'Finished'.

3.1.3. Simple PDC Shop-Floor Wizard

The Simple PDC Shop-Floor Wizard is an obsolete function. It is recommended to use the Mobile PDC instead.

3.2. Manage PDC bookings

3.2.1. PDC Administration

On the PDC Administration form PDC bookings can be reviewed and modified. Open the form via: Production > PDC > PDC Administration.

The upper part of the screen is a filter. Bookings can be filtered with the following:

- Employee
- Work center
- Operation code
- Item code (of the main product)
- Production order number (range)
- Production order operation ID (range)
- Date (range)

Check the 'Errors only' box to list only bookings with processing errors. Uncheck the 'Hide undone bookings' box to include undone bookings in the list as well.

Click on the 'Reload' button to get the list of the bookings with the applied filters. The bookings will be listed on the upper grid.

On the middle of the screen a 'Material' grid and a 'Product' grid is displayed. When the 'Use Operation Parameters' option is enabled on the [PDC tab](#) of Produmex Manufacturing Settings, an additional 'Parameter' grid is shown.

On the 'Material' grid the materials issued during the selected booking are listed. On the 'Product'


grid the products received during the selected booking are listed. On the 'Parameter' grid the quality assurance parameters will be displayed.

Click on the 'Close' button to close the form.

Modify

To modify a booking, select its row and click on the 'Modify' button. The 'Modify PDC Booking' form will open up. On this form the following can be modified:

- Posting Date and Time
- Machine and Person Duration
- Completed and Rejected Quantity



Code	00009033
Posting Code	Completed Job
Posting Date	12/21/16
Posting Time	10:28
Time UoM	min
Machine Duration	2.000
Person Duration	2.000
Completed Qty.	1.000
Rejected Qty.	0.000

Update Cancel

If the PDC booking has inventory transactions, the completed and the rejected quantities cannot be modified.


Set to Unprocessed

To reprocess every failed transaction displayed on the screen, click on the 'Set to Unprocessed' button. The status of the transaction will be set to 'Unprocessed'. These transactions will be reprocessed when the PDC Processor runs again.

Redo failed transactions

To individually reprocess bookings with inventory transaction errors, select the row of the booking and press the 'Redo Inventory Transactions' button.

The System Message shows the number of the successful and failed reprocesses.




Undo a booking

When the 'PDC Allow Undo' option is enabled on the [PDC tab](#) of the Produmex Manufacturing Settings,

PDC transactions can be undone. An additional 'Undo' button is displayed on the screen.

To undo an erroneous booking, select the row of the transaction and click on this button. Undone bookings are marked with a tick in the box on the 'Is Undone' column. Undoing a *Close* or *IsCompleted* booking changes the status of the operation back from *Finished* to *Started* or *Created*.

When the '*PDC Undo Only No Transaction*' option is disabled, PDC bookings with inventory transactions can also be undone. Please note that undoing a PDC booking with inventory transaction is strongly discouraged. During the process a system warning will open up. Press the 'Yes' button to proceed with the undoing. The inventory transactions booked for the PDC transaction will be undone too.



PDC bookings containing materials or products managed by serial or batch numbers cannot be undone.

3.2.2. Managing Rejected Batched PDC Transactions

To correct PDC transactions that were unsuccessful due low stock quantity of batch managed materials, enable the '*Managing Rejected Batched PDC Transactions*' option on the [PDC tab](#) of Produmex Manufacturing settings. Open the form via: Production > PDC > Managing Rejected Batched PDC Transactions.

The screenshot shows the 'Managing Rejected Batched PDC Transactions' form. It has a top section with filters and a main table of transactions. Below the table is a summary section and a bottom bar with action buttons.

Filters:

- Chosen Item: Item01
- All Failed Transactions: 0
- All Stocks: 5,000,000
- Production Warehouse: 01
- In Production Warehouses: 5,000,000
- Base Item Warehouse: 02
- In Base Item Warehouses: 5,000,000
- All Missing Quantity: -5,000,000

Options:

- Show Successful: ☒
- From the Start of the Day: ☒
- Grouped by Batches: ☐
- Grouped by WorkCenters: ☐
- Grouped by Employees: ☐
- Order by Time Descending: ☐
- Beginning of the Item Code: Item01

Item Name	Order	Item Code	Batch Number	Inventory Process Success	Date	Time	Quantity	EmployeeID	Employee Name	Work Center Code	PDC Booking	Production Order Doc Num	Product Code
Item01, Batch nbr	0	Item01	BNR00001	<input type="checkbox"/>	01/04/17	16:27	2,000	1	Doe, John	wPD	00014013	→ 533	Item01
	1	Item01	BNR00001	<input type="checkbox"/>	01/09/17	15:14	6,000	1	Doe, John	wVM2	00018552	→ 544	m1
	2	Item01	BNR00001	<input type="checkbox"/>	01/09/17	15:18	10,000	1	Doe, John	wVM1	00018567	→ 545	m1
	3	Item01	BNR00001	<input type="checkbox"/>	01/09/17	16:52	2,000	2	Morrison, Fred	wVM1	00018584	→ 545	m1
	4	Item01	BNR00001	<input type="checkbox"/>	01/10/17	14:17	2,000	1	Doe, John	wVM1	00018598	→ 545	m1

Summary:

Item Code	Item Name	Batch Number	Quantity	All Missing Quantity	Base Item Warehouse	Transfer Quantity
Item01	Batch nbr	BNR00001	0.000		14.00	0.00

Buttons: OK, Cancel, Reload, PDC Redo, Receipt, Batch Number Change, Undo, Inventory Transfer

On the header transaction details can be overviewed.
The grid can be filtered with the following:

- Show successful: Tick the box to show the successful transactions linked to the rejected batches.
- Beginning of the Item Code: To filter the list based on the item code, start to enter the item code to the textbox.

Displaying options can also be set on the header:

- Grouped by Batches/ Work Centers/ Employees: Enable the grouping options by ticking the box.
- Order by Time Descending: By default the rows are sorted by the batch/ serial numbers. When this option is enabled, the rows are ordered descending by the creation date and time.

Reload

Click on the 'Reload' button to get the list of rejected batched transactions with the applied filters.

The transactions are grouped by the item. Click on the black arrow next to the item code to reveal the rows of the failed transactions belonging to the item.

PDC Redo

To reprocess bookings with rejected batches, select the row(s) of the booking(s) and press the 'PDC Redo' button.

Batch Number Change

When the transaction is failed because there are insufficient stock from the added batch but there are stock available from other batches, the transaction can be corrected by changing the batch number. Select the transaction row to change then click on the 'Batch Number Change' button. The 'Batch Number Change' form will be open.

Batch Number	Quantity	Change Quantity
BNR00001	10.000	0.00
BNR4321	5.000	0.00

Batches with available quantities are listed on the grid. Add the quantity to change to the 'Change Quantity' cell on the row of the new batch. Remarks can be added on the 'Comment' textbox.
The transaction will be reprocessed by the PDC processor.

Receipt

When the transaction is failed because there are insufficient stock in the inventory, the transaction can be corrected by receiving the missing quantity. Select the transaction row(s) then click on the 'Receipt' button.

Add the quantity to receive to the 'Receipt Quantity' cell on the opening form then press the 'Ok' button to create a 'Goods Receipt' document and receive the items.

Please note: In order to create the goods receipt document, a '*GoodsReceipt Series Name*' should be set on the [PDC tab](#).

The selected transaction(s) will be reprocessed by the PDC processor.

Item Code	Item Name	Batch Number	Quantity	Failed Quantity	Receipt Quantity	New Stock Quantity
Item03	Serial nbr	SNR0004	0.000	-1.00	1.00	1.00

Inventory Transfer

When the transaction is failed because there are insufficient stock from the batch in the warehouse, the transaction can be corrected by receiving the missing quantity from another warehouse. Select the transaction row(s) then click on the 'Inventory Transfer' button.

The selected transaction(s) will be reprocessed by the PDC processor.

Undo

Rejected batch transactions have no inventory bookings linked therefore can safely undone. To undo rejected batch transactions, press the 'Undo' button then add the quantity to undone to the 'Undone Quantity' field.

Item Code	Item Name	Batch Number	Issued Quantity	Undone Quantity	Quantity	New Stock Quantity
Serial nbr	Serial nbr	SNR0004	1.00	1	0.000	0.00

Finter

1. Configurations

For more information about the configuration option for PDC please see:

- settings for the office PDC:
 - Produmex Manufacturing Settings > [PDC tab](#)
- settings for the mobile device:
 - Produmex Manufacturing Settings > [Thin client tab](#)
 - Produmex Manufacturing Settings > [Thin client 2 tab](#)
 - [Configuration of Produmex PDC](#)

1.1. Enable modules

In order to use a module on terminals, enable it on the [Thin client 2 tab](#) of Produmex Manufacturing Settings. Every enabled module is displayed on the Main Menu.

The screenshot shows the 'Produmex Manufacturing Settings' window with the 'Thin Client 2' tab selected. The 'PDC' sub-tab is active. A red box highlights the following settings:

Setting	Value
Worker can modify bookings	<input type="checkbox"/>
Approver can modify bookings	<input type="checkbox"/>
Global idle timeout (seconds)	0
Global screen timeout (seconds)	0
Employee approver role	Approver
Employee Workshop Monitor Role	Workshop Monitor
Employee Quality Control Role	QC Inspector
Workcenter Admin Role	
Enable PDC	<input checked="" type="checkbox"/>
Enable PTM	<input checked="" type="checkbox"/>
Enable QC	<input checked="" type="checkbox"/>
Enable Workshop Monitor	<input checked="" type="checkbox"/>
Enable Workcenter Journal	<input checked="" type="checkbox"/>
Enable Workcenter Tickets	<input checked="" type="checkbox"/>
Enable Legacy Mode in PDC	<input type="checkbox"/>
Pre-fill planned material quantities	<input checked="" type="checkbox"/>
Pre-fill planned by-product quantities	<input checked="" type="checkbox"/>
Pre-fill the bin locations quantities with available quantities	<input type="checkbox"/>
Skip material quantities screen	<input type="checkbox"/>
Skip by-product quantities screen	<input type="checkbox"/>
Skip material serial/batch quantities screen	<input type="checkbox"/>
Skip product serial/batch quantities screen	<input checked="" type="checkbox"/>
Logout after PDC bookings	<input type="checkbox"/>
Enable Partial Book & Stay	<input type="checkbox"/>
Can insert new materials into production orders	<input checked="" type="checkbox"/>
Login Is Password Protected	<input type="checkbox"/>
Only Job Bookings On Running Jobs Screen	<input type="checkbox"/>
Force enter product serial/batch numbers and quantities	<input type="checkbox"/>

Buttons: Update, Cancel

The only exception is the 'Simple Job' module because it is terminal dependent and assigned for one work center only per terminal. To enable it, open the PDC Terminal Configuration UDT via: Tools > User Defined Windows.

On this form terminal configurations can be specified. Add the terminal ID and define the work center. Only work centers with extended configurations (defined with the *PDC Extended Configuration* UDT) can be added. Set the 'Simple Job Completion' option to 'Yes'.

It is possible to set the terminal only for Simple Job mode by enabling the '*Simple Job Completion Only*' option too. In this case the system automatically proceeds to the login screen of the module and skips the main menu screen.

PDCExtendedConfiguration

#	ration Select From List	Outsourced Operations	Rejected Quantity	Work Center Ignore	Work Center Modification	Work Center	Last Modif.	Comment Visible	Zero By Product Quantity
1		Yes	Yes	Yes	No	wPD		No	No
2		No	No	No	No			No	No

PDCTerminalConfiguration

#	Code	Name	Simple Job Completion	TerminalID	Work Center	Last Modif.	Simple Job Completion Only
1	1	1	Yes	PMX_BUDTOSH	wPD		No
2			No				No

OK Cancel

1.2. Setup employee roles

The following employee roles can be defined for PDC:

- *Approver role*: Employees appointed as an approver can approve PDC bookings of sticky/ delicate materials or products.
- *Quality Control Role*: Employees appointed as quality control inspector are authorized to conduct quality inspection.
- *Workshop Monitor Role*: Employees appointed to the workshop monitor role are authorized to use the workshop monitor.
- *Workcenter Admin role*: Employees appointed as work center admins can modify and close work center journals and work center tickets.

First create a role in SAP Business One. Open the Employee Master Data and on the 'Membership' tab select the 'Define new' option on the Role grid.

implementation:manufacturing:functionalguide <http://wiki.produumex.name/doku.php?id=implementation:manufacturing:functionalguide>

The screenshot shows a window titled "Roles - Setup". It contains a table with three columns: "#", "Name", and "Description". The table lists five roles:

#	Name	Description
1	Purchasing	Purchasing
2	Sales Employee	Sales Employee
3	Technician	Technician
4	Approver	Approver role for PDC
5		

Below the table are two buttons: "OK" and "Cancel". On the right side of the table, there is a vertical scrollbar and a small icon at the top right corner of the table area.

Add the new role to the employee you would like to appoint. An employee can have more than one roles.

On the **Thin Client 2 tab** of Produmex Manufacturing Settings add the role name to the corresponding employee role.

Produmex Manufacturing Settings

General	SQL	Logs	Reports	MRP	PDC	Prod.Order	Master Data	MTO	Thin Client	Thin Client 2	Food	Scheduled Real
Worker can modify bookings												
Approver can modify bookings												
Global idle timeout (seconds)							0					
Global session timeout (seconds)							0					
Employee approver role							Approver					
Employee Workshop Monitor Role							Workshop Monitor					
Employee Quality Control Role							QC Inspector					
Workcenter Admin Role												
Enable PDC							<input checked="" type="checkbox"/>					
Enable PTM							<input checked="" type="checkbox"/>					
Enable QC							<input checked="" type="checkbox"/>					
Enable Workshop Monitor							<input checked="" type="checkbox"/>					
Enable Workcenter Journal							<input checked="" type="checkbox"/>					
Enable Workcenter Tickets							<input checked="" type="checkbox"/>					
Enable Legacy Mode in PDC							<input type="checkbox"/>					
Pre-fill planned material quantities							<input checked="" type="checkbox"/>					
Pre-fill planned by-product quantities							<input checked="" type="checkbox"/>					
Pre-fill the bin locations quantities with available quantities							<input type="checkbox"/>					
Skip material quantities screen							<input type="checkbox"/>					
Skip by-product quantities screen							<input type="checkbox"/>					
Skip material serial/batch quantities screen							<input type="checkbox"/>					
Skip product serial/batch quantities screen							<input checked="" type="checkbox"/>					
Logout after PDC bookings							<input type="checkbox"/>					
Enable Partial Book & Stay							<input type="checkbox"/>					
Can insert new materials into production orders							<input checked="" type="checkbox"/>					
Login Is Password Protected							<input type="checkbox"/>					
Only Job Bookings On Running Jobs Screen							<input type="checkbox"/>					
Force enter product serial/batch numbers and quantities							<input type="checkbox"/>					

Update Cancel

1.3. Set a product/ material for PDC approval

Enable the approval for the product or a material in the Item Master Data. Set the 'NeedsPDC Approval' UDF field to 'Yes'. If it is enabled for a product/material, operations producing/consuming that item must be approved by an employee appointed as 'Approver'. For more information about the approval process please see: [2.2.10. Approval of PDC Bookings](#)

Item Master Data

Item No. ☒ Inventory Item
 Description ☒ Sales Item
 Foreign Name ☒ Purchase Item
 Item Type
 Item Group
 UoM Group Bar Code Unit Price \$ 30.00
 Price List

General Purchasing Data Sales Data Inventory Data Planning Data Production Data Properties Remarks Attachments

☒ Tax Liab
☐ Do Not Apply Discount Groups
 Manufacturer
 Additional Identifier
 Shipping Type
Serial and Batch Numbers
 Manage Item by

☐ Active From To Remarks
☐ Inactive
☐ Advanced

Update Cancel

Is Unfinished Product
 Item Role
 Items per Production Unit
 Lead Time Type
 MTO Planning
NeedsPDC Approval
 Obsolete Tolerance Days
 Production Multiple
 Production UoM
 Profit Center
 Safety Lead Time
 Use Item Groups Tolerance Days
 Cost Schema
 BXPSS SubGroup
 Price Schema

1.4. Date and Time

The ProDumex PDC module uses the date and time settings of the company database.

It is possible that the company time differs from the server time. If the 'Manage Company Time' checkbox is enabled on the *Display* tab of General settings, the time zone of the company can be set on the *Time Zone* tab of General Settings.

The ProDumex PDC module only considers the daylight saving time if the 'Daylight Saving Time' checkbox is enabled for the company.

General Settings

BP Budget Services Display Font & Bkpd Path Inventory Resources Cash Flow Time Zone Cockpit Cost Accounting Pricing Hide Functions

Server Time
 Time Zone
 Server Time

Company Time Settings
 Time Zone
☒ Daylight Saving Time
 DST Started at: 05/08/18 10:32AM
Company Time

2. Mobile Device

With ProDumex PDC you can start the mobile PDC application itself. You have to start it on the client machine.

The user interface was primarily designed for industrial PCs and mobile devices. It means that the


windows are not 'normal' windows as in any other applications. You can only move the windows with the blue frame around the window and it will not store the form settings so it always starts maximized.


All buttons have a keyboard shortcut, so if you press the keyboard shortcut it is the same as you clicked on the button. In text fields you have a keyboard icon, if you click on that or press F12, the on screen keyboard opens with which you can enter text as well.


If you press tab after adding the code of an employee or operation, the system automatically populates the respective fields. If you have a scanner attached, any data can be added by scanning the barcode.

Main menu

Running the Mobile PDC Client Application the user will find the Main Menu.



On the main menu every enabled module is displayed. If only one module is enabled, the system automatically proceeds with that module and skips the main menu. Click on the  icon to see the system messages.



2.1. Personal Time Management


At each new session or work day the user has to log in with Personal Time Management once. This will track the user as an employee, who is mobile across different workstations.

Personal Time Management is optional for a company. If the setting is not set, the employees can use the rest of the system without logging in to PTM. The user can tap the Personal Time Management button to advance to the Personal Time Management login screen.

2.1.1. Logging in PTM

Here the user can log in to Personal Time Management. To log in simply enter the employee ID, and click on Login button. When the password protection is enabled, the user has to enter the password instead of the employee ID.

The 'History' textbox will list the latest account event of the user, in this example the last login event.



Mobile PDC



TEST_WMSMF




12/20/16 10:18 AM


Server: 17.05.31007.16920


Client: 17.05.31007


Personal Time Management (00:29)





Employee	<div>  <input type="text" value="John Doe"/> </div>
History	Login (, 12/20/16 10:17 AM)
Reason	<div>LB (Lunch Break)</div> <div>   </div>

Login 

Logout 

Log 

Main Menu 

In the Reason box the user can choose from a list of reasons pre-defined on the Absence Reasons UDT in SAP B1. Open the form via: Tools > User Defined Windows > Absence Reasons.

When the '*PTM Reason for Log out mandatory*' option is enabled on the **Thin Client tab** of Produmex Manufacturing Settings, a reason is must be given when creating a log out booking.

[illegible]

Press 'Login' to log in or 'Logout' to log out. To go back to the main menu press the 'Main Menu' button.

To overview the employee actions, press the 'Log' button. The displayed data is supplied by the ***'bxtc_pdc_ptm_log_query'*** user query. Before using this function, create a custom query. Please see the custom query example here: [PTM Log](#)

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) 01/03/17 10:16 AM

Server: 17.05.31007.18920 Client: 17.05.31007 Log (00:30)

Employee John Doe

Tuesday, 12/20/16	10:03 AM - 10:04 AM
Tuesday, 12/20/16	10:09 AM - 10:09 AM
Tuesday, 12/20/16	10:17 AM - 10:18 AM
Tuesday, 12/20/16	10:22 AM - 10:24 AM
Tuesday, 12/20/16	11:43 AM - 11:43 AM
Tuesday, 12/20/16	11:43 AM - 12:08 PM

OK Esc

2.2. Production Data Collector

When Personal Time Management is enabled, you have to log in with PTM before starting the work with the Production Data Collector. Press the PDC icon. Enter the employee ID and click on the 'Login' button to log in.

If the employee has any open jobs, the system will proceed to the 'Running Jobs' screen otherwise the user will be redirected to the 'Start Job' screen.

2.2.1. Running Job screen

The running jobs window shows all operations that were already started by the employee that has logged in. The jobs for which there is already a started booking (setup or job) or a partial booking will appear.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) 12/21/16 02:22 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Running Jobs (00:30)

Operation

	Setup	6-3 (oPWE - Welding) (2)	(5) 02:22 PM
		#505 mM1101 (Raw Bike Framework) (3)	(6) 12/21/16
		Open: 1 Planned: 1 Workcenter: wWM2 (4)	(7) Start Setup
	Job	5-10 (oPBI - Bell Installation)	01:58 PM
		#504 p1001-1 (Red Bike)	12/21/16
		Open: 0 Planned: 1 Workcenter: wAS	Start Job

Start **Stop** **Partial** **Admin** **Logout**

Displayed information:

1. Operation phase
2. Doc Entry - Line Number (Operation code - name)
3. Production order number, Main product code (name)
4. Open quantity, Planned Quantity, Assigned work center
5. Time of the last PDC booking for the operation
6. Date of the last PDC booking for the operation
7. Type of the last PDC booking for the operation

Select an operation from the list. Tick the white box or scan the DocEntry-LineNum identified to the search bar then press TAB.

The DocEntry- LineNum identifier can be found on the Job Requirements report.

Operation:	oPAS - Bike Assembly		Operation ID: 00004039
	Begin Date&Time: 08/28/17 08:00 AM Before Time: 0.00 [min] After Time: 0.00 [min]	Production Order: 43 / 3 Product Code: ITEM05 - Batch number + best before da MtO Scenario: Custom Code:	
	ITEM01 No Batch no serial no BBD 00004037 manual UOM	10.00	
	ITEM10 Batch number + 2ND Batch + 00004038 best before date manual UOM	20.00	
Work Center:	wAS - Assembler Team	Allocation ID: 00004006	
OP: oPAS	Doc Entry - Line Number Identifier 43-2		
	Start Date&Time: 08/28/17 08:00 AM Setup Time: 0.00 [min] Quantity: 0.93 Job Time: 240.00 [min] Feature: aSS - Assembly	End Date&Time: 08/28/17 12:00 PM Teardown Time: 0.00 [min] Identification Code: 43-2-wAS Total Duration: 240.00 [min]	

To start a new operation that is not listed, scan or enter the *DocEntry-LineNum* identifier from the

related production order then press the 'Start' button. The system will proceed to the 'Start Job' screen. See: [2.2.2. Start Job](#)

If the 'Start' button is not active, it means that the employee has reached the maximum number of active operations that can be started at once. The maximum number of parallel operations for an employee can be set on the Maximum Parallel Operations UDF of the Employee Master Data. The employee must close a running operation first before starting another one.

Employee Master Data

General

First Name: John, Middle Name: , Last Name: Doe, Employee No.: 1, Ext. Employee No.: JD, Active Employee: ☒

Job Title: , Position: , Department: , Branch: , Manager: , User Code: , Sales Employee: No Sales Employ, Cost Center: , Linked Vendor: , Office Phone: , Ext.: , Mobile Phone: , Pager: , Home Phone: , Fax: , E-Mail:

Address: , Membership: , Administration: , Personal: , Finance: , Remarks: , Attachments:

Work Address: Street: , Street No.: , Block: , Building/Floor/Room: , Zip Code: , City: , County: , State: , Country:

Home Address: Street: , Street No.: , Block: , Building/Floor/Room: , Zip Code: , City: , County: , State: , Country:

Maximum Parallel Operations: 1

To stop a running operation, press the 'Stop' button. See: [2.2.7. Complete Setup](#) or [2.2.8. Complete Job](#)

To make partial booking for a running operation, press the 'Partial' button. See: [2.2.3. Partial Completion](#)

To review bookings, press the 'Admin' button. See: [2.2.9. Admin](#)

To logout as the current employee, press the 'Logout' button.

2.2.2. Start Job

If the employee has no running jobs, he is redirected to the Start Job page.

Default Work Center		F12
Operation	6-1 (oPCU - Cutting - 505)	F11 F12 ...
Work Center	wJD (John Doe)	F11 F12 ...

Start Setup F1
Start Job F2
Admin F3
Clear F4
Cancel Esc

The default work center is the work center defined for the terminal on the 'PDC Terminal Configuration' user table. To disable the default work center, set the 'Work Center Ignore' option to 'Yes' for the employee on the '[PDC Extended Configuration](#)' user table. When there is a default work center, bookings can be created only for operations with the feature assigned to the default work center.

Scan or enter the *DocEntry-LineNum* identifier of the operation to the 'Operation' field.

If there is a default work center, the work center field will be populated automatically. The user cannot modify the work center if the default work center is mandatory. The default work center is mandatory in the following cases:

- The employee and/or the work center has no configurations set on the '[PDC Extended Configuration](#)' user table and the 'PDC Modifiable WC for Start' option is disabled on the [Thin Client](#) tab of Produmex Manufacturing settings.
- The 'Work Center Modification' option is disabled on the '[PDC Extended Configuration](#)' user table for the employee and/or work center.

Otherwise the work center is not mandatory and the user can select an alternative work center.

If there is no default work center, the user has to enter the work center or select it from a list of available work centers by pressing F11. If there is only one work center for the feature that belongs to the operation, the work center field will be automatically populated with it.

If the operation has a mandatory work center, the operation can only be started on the mandatory work center.

The screenshot shows a web-based interface for a Mobile PDC. The header bar is dark blue with the 'Mobile PDC' logo on the left, the text 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison' in the center, and the date '06/09/17 12:54 PM' on the right. Below the header, there's a status bar showing 'Server: 17.05.31007.18920', 'Client: 17.05.31007', and a timer '(00:28)'. The main area features a search bar at the top with a 'Search' button. Below the search bar, a list of results is displayed. The first result, 'wWM1 BXC 21 Welding Machine', is highlighted in green. The second result, 'wWM2 BXC 22 Welding Machine', is in a light grey row. At the bottom of the list, there are two buttons: 'OK' (with F1 shortcut) and 'Cancel' (with Esc shortcut).

Then he can click on 'Start Setup' or 'Start Job' to start the operation. Based on the settings on the [Thin Client tab](#), setup bookings might be allowed for operations without setup or might be forbidden for every operation. Only operations that meet the following conditions can be started:

- Production order is released
- The operation status is Created or Started

The 'Clear' button erases the contents of all fields, so the entered data will be lost. If the user clicks on the 'Logout' button, he will be logged out and redirected to the Login screen.

On the next screen the user can overview the details of the operation. Press 'Done' to start the setup/job or press 'Cancel' to go back to the previous screen.

Mobile PDC		TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison		06/09/17 12:54 PM	
Server: 17.05.31007.18920 Client: 17.05.31007		Start Job Confirmation (00:30)			
PDC Booking	#N/A				
Production Order	#501 p1001-1 (Red Bike)				
Operation	2-3 (oPAS - Bike Assembly)				
Summary	0 completed quantity 0 rejected quantity				
Serial / Batch Numbers	0 serial numbers and 0 batch numbers				
By-Products	0 by-products				
Materials	2 materials				
Error					
<div> <div>Done <small>F1</small></div> <div>Cancel <small>Esc</small></div> </div>					

During the Start Job/Setup phase, materials might be issued depending on their milestone type. For more information about issuing materials please see: [2.2.5. Materials](#).

2.2.3. Partial Completion

To create bookings for a partially completed job/setup, press the 'Partial' button. After a partial booking the job/setup remains open therefore it will be listed among the running jobs.

Mobile PDC		TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison		06/09/17 12:54 PM	
Server: 17.05.31007.18920 Client: 17.05.31007		Partial Job (00:30)			
Production Order	#596 p1001-1 (Red Bike)	UoM	pcs		
Operation	97-3 (oPAS - Bike Assembly)				
Started	02/22/17 11:51 AM	<input type="checkbox"/> Completed			
Bin Location	<div> <div>...</div> <div>F11</div> <div>F12</div> </div>				
Duration	6 min	This Day			
Quantity	4	Rejected Quantity	1		
<div> <div>Done <small>F1</small></div> <div>Done & Stay <small>F2</small></div> <div>Cancel <small>Esc</small></div> </div>					

Enter the completed and rejected quantity (if any) for the operation.

Define a Bin Location for material issues/product receipts on the 'Bin Location' field. The default Bin Location is the bin location specified on the PDCExtendedConfiguration UDT. If no bin location has been defined on that form, by default the bin location specified for the work center is shown. If there is no bin location specified on either form, the bin location is empty by default.

The bin location selected on this screen can be overridden for materials and products.

Press the 'Done' button to proceed.

If there are by-products for the operation or the operation is the last operation on the production order and the product is linked to it with a milestone, 'Products' screen will open up. Please see: [2.2.4. Product and By-Products](#)

If an operation has materials linked to it with a milestone, the 'Materials' screen will open up. Please see: [2.2.5. Materials](#)

After the booking was created, the system will return to the Running Jobs screen or the Start Job screen if the employee has no running jobs. When the '*Logout after PDC bookings*' option is enabled on the [Thin client 2 tab](#), the employee will be automatically logged out and redirected to the Main Menu.

When the '*Enable Partial Book & Stay*' option is set to true, an additional 'Done & Stay' button is displayed on the Partial Job screen. To stay on the 'Partial Job' screen after the booking was created, perform the partial completion after pressing this button.

2.2.4. Product and By-Products

Receive the products or by-products on the 'Products' screen. On the grid the main product and the by-products (if any) are listed. The main product is always listed first.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 [Products] (00:30)

Production Order #599 mM1101 (Raw Bike Framework) UoM pcs

Operation 100-1 (oPCU - Cutting)

Product Bin Location 01-SYSTEM-BIN-LOC...

Quantity 5

Item	Name	Bin Location	Quantity
mM1101	Raw Bike Framework	01-SYSTEM-BIN-LOCA	5 of 5 pcs
m2	Steel Pipe	01-SYSTEM-BIN-LOCA	10 of 10 m

Done Cancel Serial / Batch Bin Location

Select the product on the grid then enter the quantity. Add the quantity by pressing the 'Add' button or overwrite the quantity by pressing the 'Update' button.

The default quantity of the main product is the quantity added on the partial or complete job/setup screen.

The default quantity of a by-product is calculated from the received quantity of the main product and the base quantity of the by-product. It is possible to receive more or less of a by-product than the calculated quantity.

The default bin location is the bin location specified for the operation but it can be adjusted. Scan or enter the destination bin location to the 'Bin Location' field or select it from a list after pressing F11. To add a product to different bin locations, select the bin location then press the Bin Location button (F3). The 'Product Bin Location Picker' screen will open. (Please see: [2.2.4.3. Product Bin Location Picker](#)). Please note: The bin location for items managed by batches or serial numbers can be added on the Product Batch/Serial Numbers screen therefore the bin location picker function is not available for such items.

When using the [Legacy mode](#), the Bin Location button is not displayed and the Product Bin Location Picker screen cannot be reached.

After the PDC processor processes the booking, the system automatically creates the Receipt from Production document for the main product and receives it to the inventory. By-products will be taken into stock with a Goods Receipt document which will be converted to a Receipt from production document after the main product has been booked.

If the main product is managed by batches or serial numbers, add the serial/batch numbers before receiving the product. Press the 'Serial/Batch' button. If the product is managed by batches, the Product Batch Numbers screen will open. (Please see: [2.2.4.1. Product Batch Numbers](#)).

If the product has serial numbers, the Product Serial Numbers screen will open. (Please see: [2.2.4.2. Product Serial Numbers](#)). If the 'Skip product serial/batch quantities screen' option is enabled on the

[Thin client 2 tab](#), this button will not be active and the serial/batch numbers will be determined by a custom query. For more information please see: [Product serial/batch number](#)

By-products cannot be managed by serials/batches.

2.2.4.1. Product Batch Numbers

If it is a batch numbered product, the 'Product Batch Numbers' form appears.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007

Product Batch Numbers (00:29)

Production Order #600 Item01 (Batch nbr) UoM

Operation 101-1 (oPCU - Cutting)

Item Item01 (Batch nbr) Bin Location 01-W2-W2-S2

Batch Number [User 1]

Quantity 2 [User 2]

Batch Number	Bin Location	Quantity	[Total Quantity]	[User Field 1]	[User Field 2]
PR0001	01-W2-W2-S1	2	4		
PR0001	01-W2-W2-S2	2	4		

Quantity 2 Of 6

Rejected Quantity 2 Of 0

Done Cancel Rejected [Split] Delete

Enter the created batch number into the 'Batch Number' field then press TAB to add the batch number to the grid. Multiple batch numbers might be added.

Select the batch on the grid. Enter the quantity of the batch into the 'Quantity' field and scan the bin location or select it on the 'Bin Location' field then press TAB. All bin locations must have the same warehouse. Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To register the batch for rejected quantities, select the line of the batch number then press the 'Rejected' button. It is possible to set completed and rejected quantities for the same batch number.

To receive the same batch into multiple bin locations, select the batch then press the 'Split' button. The line of the batch will be duplicated but the bin location and the quantity value on the new line will be empty.

To remove a wrongly entered batch number, select it on the grid and click on 'Delete'.

2.2.4.2. Product Serial Numbers

If the product is serial numbered, the 'Product Serial Numbers' window will open.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007

Product Serial Numbers (00:30)

Production Order #601 Item03 (Serial nbr) UoM

Operation 102-1 (oPCU - Cutting)

Item Item03 (Serial nbr) Bin Location 01-W2-W2-S2

Serial Number SN2003 [User 1] [User 2]

Serial Number	Bin Location	[User Field 1]	[User Field 2]	Rejected
SN2001	01-W2-W2-S1			
SN2002	01-W2-W2-S2			Rejected

Quantity 1 Of 2

Rejected Quantity 1 Of 0

Done Cancel Rejected Delete

Add the serial numbers into the 'Serial Number' field then press TAB to add it to the grid. If the serial number already exist, an error message will be shown.

To define the bin location, select a serial number and add the bin location to the 'Bin Location' field then press TAB. all bin locations must have the same warehouse. Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To add serial numbers belonging to rejected quantities, first enter the serial number, then select it on the grid and press the 'Rejected' button. The serial number will be marked as 'Rejected'.

To remove a wrongly entered serial number, select it and press the 'Delete' button'.

After every serial number has been entered, press the 'Done' button to proceed.

Please note: The added batch/serial quantity must equal to the quantity entered on the partial or complete job/setup form.

2.2.4.3. Product Bin Location Picker

On the 'Product Bin Location Picker' screen scan the Bin Location or select it by pressing F11 or pressing the '...' button then press TAB to add it to the grid. Select the Bin Location line then add the quantity to receive to the 'Quantity' field.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

[Product Bin Location Picker] (00:29)

Production Order
#595 mM1101 (Raw Bike Framework)
UoM
pcs

Operation
96-1 (oPWE -)

Item
mM1101 (Raw Bike Framework)

Bin Location

Quantity
1

Bin Location	Quantity
01-W2-W2-S1	0
01-SYSTEM-BIN-LOCATION	1

Quantity
1 pcs
Of
1 pcs

Done

Cancel

Delete

2.2.5. Materials

Consumed materials might be reported in different operation phases, depending on their Milestone type.

- Materials with the milestone type 'Depends On Begin' have to be issued when starting a job.
- Materials with the milestone type 'Depends on Every' can be issued in partial and completed PDC bookings.
- Materials with the milestone type 'Depends on End' can only be issued when completing a job.

If the operation has no linked materials, the system will automatically skip this screen.

The screenshot shows the 'Materials' screen in the Mobile PDC application. At the top, the header bar displays 'Mobile PDC', 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '06/09/17 12:54 PM'. Below the header, the screen is titled 'Materials (00:29)'. The main form contains the following fields:

- Production Order:** #596 p1001-1 (Red Bike)
- Operation:** 97-3 (oPAS - Bike Assembly)
- Item:** (empty)
- Bin Location:** 01-W2-W2-S1
- Quantity:** 1

Below the form is a table with the following columns: Item, Name, Bin Location, and Quantity. The table contains three rows of material data:

Item	Name	Bin Location	Quantity
mM1001	Painted Bike Framewor	01-W2-W2-S1	1 of 1 pcs Warehouse: 01
m3	Chain	01-W2-W2-S1	1 of 1 pcs Warehouse: 01
m4	Wheel	01-W2-W2-S1	2 of 2 pcs Warehouse: 01

At the bottom of the screen are four buttons: 'Done' (F1), 'Cancel' (Esc), 'Serial / Batch' (F2), and 'Bin Location' (F3).

Scan the item code or enter it to the 'Item' field. When the 'Can insert new materials into production orders' option is enabled on the [Thin client settings](#), the user might be able to add items not linked to the operation.

Select the line of the material. If you scan the item code of the material or enter it to the 'Item' field, the material line will be automatically selected.

After that the cursor will be automatically positioned into the Quantity field. Here you can enter the used quantity and click on 'Add' or 'Update'. To add the entered quantity to the already booked quantity, press 'Add'. To overwrite the already booked quantity with the entered quantity, press 'Update'. When the 'Can insert new materials into production orders' option is enabled on the [Thin Client 2 tab](#), new materials can be added during the booking. Scan the item code or enter it to the 'Item' field then press TAB. The item will be listed on the grid. Add the consumed quantity and the bin location as described above. After the booking is processed, a new material line is automatically inserted before the operation on the production order.

If the materials are serial or batch managed, you have to select the batches/serials that were used. Select the line of the material then press the 'Serial/Batch' button. If the material is managed by batches, the Material Batch Number Picker screen will open. (Please see: [2.2.5.1. Material Batch Number Picker](#)) If the material has serial numbers, the Material Serial Number Picker screen will open. (Please see: [2.2.5.2. Material Serial Number Picker](#))

Please note: If you don't enter any quantity on the Materials screen, and click on Serial/Batch button, then the needed quantity will be zero. It means the user can add as many serial/batch numbers as he wants, but he cannot add more than the remaining quantity for the operation.

If the 'Skip material serial/batch quantities screen' option is enabled on the [Thin client 2 tab](#), this button will not be active and the serial/batch numbers will be determined by a custom query. For more information about the custom query please see: [Material serial/batch number](#)

The default bin location is the bin location specified for the operation but it can be adjusted. Scan the

source bin location or add its code to the Bin Location field or select it from a list after pressing F11. To add materials from multiple bin locations select the material then press the 'Bin Location' button. The Material Bin Location Picker screen will open. (Please see: [2.2.5.3. Material Bin Location Picker](#)) When using the [Legacy mode](#), the Bin Location button is not displayed and the Material Bin Location Picker screen cannot be reached.

After the transaction is processed by the PDC processor, the booked materials will be issued with an Issue from Production document.

2.2.5.1. Material Batch Number Picker

Add a batch to the grid by scanning the batch number or entering it to the 'Batch Number' field then press TAB. Only existing batches can be added. Select the batch on the grid then add the quantity to the 'Quantity' field and scan the Bin Location or enter its code to the Bin Location field then press TAB. If the bin location is specified, the batch must exist in the bin location with the specified quantity.

All batch numbers must have the same warehouse.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Material Batch Number Picker (00:29)

Production Order #602 p1001-1 (Red Bike) UoM

Operation 103-2 (oPWE - Welding)

Item Item01 (Batch nbr)

Batch Number Bin Location 01-SYSTEM-BIN-LOC...

Quantity 1

[Batch]	Bin Location	Quantity	[Avail BL Qty]	[Avail WH Qty]	[Total Qty]
BNR4321 (1)	01-SYSTEM (3)	1 (4)	5 (5)	5 (6)	1 (7)
01 (2)					

Quantity (8) 1 Of (9) 1

Done Cancel [Split] Delete

1. Existing batch number
2. Warehouse
3. Bin location
4. Allocated quantity
5. Available quantity in the bin location
6. Available quantity in the warehouse
7. Total allocated quantity
8. Total allocated quantity

9. Needed quantity

To issue the same batch from multiple bin locations, select the batch then press the 'Split' button. The line of the batch will be duplicated but the bin location and the quantity value on the new line will be empty.

Please note: When using [Legacy mode](#), the Bin Location cannot be specified on this screen.

To delete a line, select a line then press the 'Delete' button.

Press 'Cancel' to go back.

Press 'Done' to proceed.

2.2.5.2. Material Serial Number Picker

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison 06/09/17 12:54 PM

Serial: 17.05.31007.18920 Client: 17.05.31007 Material Serial Number Picker (00:30)

Production Order #602 p1001-1 (Red Bike) UoM

Operation 103-2 (oPWE - Welding)

Item Item03 (Serial nbr)

Serial Number

Serial Number	Bin Location
SNR0008	01-SYSTEM-BIN-LOCATION
01	

Quantity 1 Of 1

Done Cancel Delete


Add the serial number to the serial number field. Already added serial numbers will be listed on the form. Only existing serial numbers can be added. It is not possible to scan serial numbers from different warehouses.


To delete the serial number, select its line and press the 'Delete' button.

You have to add all needed serial/batch numbers. Partial definition is not possible. After all serial/batch numbers have been defined, you can click on 'Done'.

2.2.5.3. Material Bin Location Picker

On the 'Material Bin Location Picker' screen scan the Bin Location or select it by pressing F11 or pressing the '...' button then press TAB to add it to the grid. Select the Bin Location line then add the quantity to consume to the 'Quantity' field.


Mobile PDC


TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

[Material Bin Location Picker] (00:29)


Production Order #596 p1001-1 (Red Bike) UoM pcs
Operation 97-3 (oPAS - Bike Assembly)
Item mM1001 (Painted Bike Framework)
Bin Location
Quantity 1


Bin Location	Quantity	[Available Qty]
01-W2-W2-S1	0	0
01-SYSTEM-BIN-LOCATION	1	9

Quantity 1 pcs Of 1 pcs

Done Cancel Delete

2.2.6. Confirmation


Mobile PDC


TEST_WMSMF (PMX_BUDTOSH2)

12/21/16 02:11 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Partial Job Confirmation (00:25)

PDC Booking #N/A
Production Order #505 mM1101 (Raw Bike Framework)
Operation 6-1 (oPCU - Cutting)
Summary 0 completed quantity 0 rejected quantity
Serial / Batch Numbers 0 serial numbers and 0 batch numbers
By-Products 0 by-products
Materials 0 materials
Error

Done Cancel

You will get a confirmation dialogue with all the data you entered.

Click on 'Done' to finish the process. If the booking does not need approval or quality controlling, it will be processed by the PDC Processor. Click on 'Cancel' to go back to the Materials screen where the entered data can be changed.

2.2.7. Complete Setup (Stop Booking)

To finish a setup, press the 'Stop' button. The steps of a setup completion are identical to the steps of a partial completion. After the setup is completed, the system will ask whether to start the job part of the operation. Press 'Yes' to start the job. A start job booking will be created for the operation. Press 'No' to start the job later. Only a 'Complete setup' booking will be created and the user must manually start the job for the operation.

When a setup was finished, the phase is closed and it will not be listed on the Running jobs screen.

2.2.8. Complete Job (Stop Booking)

To finish a job, press the 'Stop' button.

The screenshot shows the 'Complete Job' screen in the Mobile PDC application. The header bar includes the Mobile PDC logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '06/09/17 12:54 PM'. The main form contains the following fields:

- Production Order: #596 p1001-1 (Red Bike)
- Operation: 97-3 (oPAS - Bike Assembly)
- Started: 02/22/17 11:51 AM
- Bin Location: (empty)
- Duration: 6 min
- Quantity: 4
- Completed: ☒ Completed
- Rejected Quantity: 1

At the bottom of the screen, there are two buttons: 'Done' (F1) and 'Cancel' (Esc).

Enter the completed and rejected quantity (if any) for the operation.

Define a Bin Location for material issues/product receipts on the 'Bin Location' field. The default Bin Location is the bin location specified on the [PDC Extended Configurations UDT](#). If no bin location has been defined on that form, the bin location specified for the work center is shown by default. If there is no bin location specified on either form, the bin location is empty by default.

The bin location selected on this screen can be overridden for materials and products.

If the employee has permission to mark operations as completed, the 'Completed' checkbox is active. You can set this permission on the [PDC Extended Configurations user](#) table. If the employee checks the 'Completed' checkbox, the operation is marked as 'Completed' and the status of the operation is changed to 'Finished' when the booking is processed. Finished operations cannot be started again.

Press the 'Done' button to proceed.

If there are by-products for the operation or the operation is the last operation on the production order and the product is linked to it with a milestone, 'Products' screen will open up. Please see: [2.2.4. Product and By-Products](#)

If an operation has materials linked to it with a milestone, the 'Materials' screen will open up. Please see: [2.2.5. Materials](#)

After the booking was created, the system will return to the Running Jobs screen or the Start Job screen if the employee has no running jobs. When the 'Logout after PDC bookings' option is enabled on the Thin client 2 tab, the employee will be automatically logged out and redirected to the Main Menu.

After a job is completed, it is not shown on the running jobs screen.

2.2.9. Admin

On the Admin screen the employee can overview the bookings he created. Press the 'Admin' button to open the 'Admin' screen.

The screenshot shows the 'Mobile PDC' interface for user 'Fred Morrison'. The title bar indicates 'TEST_WMSMF (PMX_BUDTOSH2)'. The main area is titled 'List Of Hours (00:29)'. Below the title, there are filter checkboxes: Unapproved, Approved, Rejected, Processed, and Error. Below these are input fields for 'Operation', 'Employee', 'Work Center', 'From' (12/21/16), 'To' (12/21/16), and 'Production Order'. A 'Refresh' button is present. The main table lists bookings with columns for Allocation Code, DocEntry- LineNumber, Production order number, Booking date and time, Work center, Employee, and State/ Phase. The first row is highlighted in green and shows a booking for '6-3 (oPWE - Welding)' with state '(7) Start Job'. The second row shows a booking for '6-3 (oPWE - Welding)' with state 'Completed Set'. The third row shows a booking for '5-10 (oPWE - Bell Installation)' with state 'Completed Job'. At the bottom, there are buttons for 'Cancel', 'Modify', 'Details', and 'Complete'.

Allocation Code	DocEntry- LineNumber (operation code -name)	Production order number. Main product code (name)	Booking date and time	Work center	Employee (who made the booking)	State/ Phase
00009193 (1)	6-3 (oPWE - Welding) (2)	#505 mM1101 (Raw Bike Framework) (3)	12/21/16 04:30 PM (4)	wWM2 (5)	John Doe (6)	(7) Start Job (8) 0 / 0 (9) Processed
00009191	6-3 (oPWE - Welding)	#505 mM1101 (Raw Bike Framework)	12/21/16 04:29 PM	wWM2	John Doe	Completed Set 1 / 0 Processed
00009189	5-10 (oPWE - Bell Installation)					Completed Job

1. Allocation Code
2. DocEntry- LineNumber (operation code -name)
3. Production order number. Main product code (name)
4. Booking date and time
5. Work center
6. Employee (who made the booking)
7. State/ Phase

8. Completed/ Rejected quantity
9. Process status

The upper part of the window is a filter. The user can select what type of bookings he wants to see (unapproved, approved, rejected, processed or error) for which operation and work center in which date range. When the user filled the filter fields he has to click on the 'Refresh' button to get the list of the operations in the grid below.

Please note: Only employees with approver role can change the Employee code and see the bookings of other employees. Employees without approver role can only see their own bookings.

Details

To overview the details of a booking, select the operation and press the 'Details' button. First the summary page will be shown. To see the details of the selected materials or products (if any) click on the 'Done' button. To go back to the Admin page, press 'Cancel'.

When the materials/ products are managed by serials or batches, an additional 'Serial/Batch' button is displayed. Press this button to review the added serials/batches. Click on the 'Done' button to proceed.

Modify

If the '[Worker can modify bookings](#)' setting is enabled, employees can change their bookings. If the '[Approver can modify bookings](#)' setting is enabled, employees with approver role can change any bookings.

To modify the booking, press the 'Modify' button. The following can be modified:

- The booked time.
- Completed status. (Please note: Only employees/approvers who have the permission to mark an operation as 'Finished' can modify the completed status. The permission can be set on the [PDC Extended Configurations user table](#).)

It is not advised to use this function for correcting material/product bookings. Use these SAP BO functions instead:

- right-click menu on the Production order: Report completion >Return components
- Goods Issue/ Goods receipt
- Disassembly order

Complete

To finish a job booking, press the 'Complete' button. Only jobs with 'Started' status can be completed.

2.2.10. Approval of PDC Bookings

PDC supports approving of the PDC bookings by the appointed approver person only.

If there is at least one material/product where the '*NeedsPDC Approval*' option is set to 'Yes', approval is needed for the PDC booking. To approve the PDC booking the approver employee has to log in to the mobile PDC, and click on the 'Admin' button on the Start Job page.

The filter form will open preloaded with all the operations that are unapproved:

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

List Of Hours (00:29)

☒ Unapproved
☐ Approved
☐ Rejected
☐ Processed
☐ Error

Operation

Employee

Work Center

From 12/22/16 To 12/22/16

Production Order

Refresh

00009305
10-1 (oPCU - Cutting)
Completed Job

#509 mM1101 (Raw Bike Framework)
1 / 0

12/22/16 11:39 AM
wJD
Fred Morrison
Unapproved

Cancel

Modify

Details

Complete

The filter fields works as described in the **2.2.9. Admin section**. Approver employees can see the bookings of other employees too. Press the 'Details' button to review or press the 'Modify' button to revise the details of the selected booking.

On the summary page additional 'Approve' and 'Reject' buttons are displayed if the status of the selected operation is 'Unapproved'.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison

06/09/17 12:54 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Job Confirmation (00:29)

PDC Booking #00009305

Production Order #509 mM1101 (Raw Bike Framework)

Operation 10-1 (oPCU - Cutting)

Summary 1 completed quantity 0 rejected quantity

Serial / Batch Numbers 0 serial numbers and 0 batch numbers

By-Products 1 by-products

Materials 1 materials

Error

Done

Cancel

Approve

Reject

If the PDC booking is rejected, the material bookings will not happen and the booking will be marked

as 'Rejected'.

If the PDC booking is approved, it will be processed by PDC Processor.

Employees without approver role cannot perform an operation that has materials or products that needs to be approved. If a non-approver employee starts a job for such operation, it will be disposed automatically to an approver employee. When this setting is enabled, sticky jobs completed by approver employees will be automatically approved.

2.3. Quality Controlling

Quality Controlling is a manufacturing shop-floor quality control/assurance data collection function of Produmex Manufacturing. It supports two major processes:

- QC for production order operations
- QA for outsourcing deliveries

When a worker reports the (partial) completion of an operation with the PDC system (either via the mobile client or shop floor PDC wizard), a QC officer can report QA data for that operation. The QC officer can qualify an operation as rejected (repairable or un-repairable) or approved. The QA data are stored in a database (in the @BXPQAPARAMSJRN table), and custom reports can be created by the customers or the partner. Saving QA data to that table is the only result of the quality controlling terminal; any additional steps that should be taken after the quality control process (workflow, repairing job, etc.) should be implemented separately as an addition to the quality controlling terminal.

When a delivery (Goods Receipt PO) document is created for an outsourced operation, a QC officer can enter QA data for that delivery. Based on the quality qualifications, the outsourced operation may be rejected.

2.3.1. Set up quality controlling

In order to set up quality control parameters for an operation, enable the '*Production Operation Parameters*' option on the [PDC tab](#) of Produmex Manufacturing Settings. Next open the Operation Parameter Types form from: Tools > User-Defined Windows.

Here company specific reporting parameter types (dimensions) can be specified. Each operation can have multiple parameter types associated with it.

Typically in QA these parameters are some metric of the component worked on or the result of some QC tests. In the following example four parameter types were added, that will cover all the relevant features.

The screenshot shows a window titled "OperationParameterTypes" with a table containing the following data:

#	Code	Name	Default Value Default	Is Deleted	Maximum Value Default	Minimum Value Default	UoM	Valid Values	Value Type	Last Modif.
1	COMM	Comment		No					String	
2	DD	DueDate		No					Date	
3	Q	Quantity		No					Float	
4	QUAL	Quality		No					Integer	
5	Y/N	Approval		No				Y:OK N:Defective	Valid Value	
6				No					String	

At the bottom of the window are "OK" and "Cancel" buttons.

Based on the value type


- String: Text can be specified freely. Here it is used for a comment parameter type.
- Float, Integer, Boolean: Numeric fields can be used for measurement.
- Valid Values: This type can be used to create a 'choose from list' parameter. With a taglanguage, the entries in the list can be specified. The syntax is the following: 'Value in database': 'Description' | 'Value in database': 'Description' | ... For example in this case Y: OK|N: Defective was specified.
- Date, Time: Date and time is best stored in these types.

Please note: It is not necessary to add timestamp to every operation, as this is automatically collected.

Next open the Production > Manufacturing Operations form. Here, under the Parameters tab, the used parameters can be specified for each kind of operation.

In the Type column, the previously defined parameter types can be chosen.

To use the parameters for the mobile QC terminal the value at the Quality Assurance column has to be set to true. In this example four parameters were specified.



Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM


Server: 17.05.31007.18920 Client: 17.05.31007

Operation Type Selection (00:29)

In-House F1 Outsourced F2 Cancel Esc

2.3.3. In-House QC

On the 'In-House Operation Selection' screen enter an operation ID. Choose a work center and the employee who performed the operation. Only operations with at least one PDC booking can be selected.



Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007


In-House Operation Selection (00:30)

Operation	12-10 (oPBI - Bell Installation - 511)	F12
Work Center	wAS (Assembler Team)	F11 F12
Employee	2 (Fred Morrison)	F11 F12

OK F1 Cancel Esc

The system will proceed to the 'Check Results' screen. On this screen the quality of the operation can

be reported with the previously defined parameters. Add the number of the tested instances to the 'Checked Quantity' field.



Mobile PDC | TEST_WMSMF (PMX_BUDTOSH2) - John Doe | 06/09/17 12:54 PM

Server: 17.05.31007.18920 | Client: 17.05.31007 | Check Results (00:30)

Operation	12-10 (oPBI - Bell Installation - 511)
Work Center	wAS (Assembler Team)
Employee	2 (Fred Morrison)
Quantity	0/0/0

0 IsApproved	Y (OK)
0 WeldThickness	40
0 SurfaceQuality	5
0 ApprovalComment	Approved

Checked Quantity: 1

Buttons: Set Value (F1), Good (F2), Rejected (F3), Repairable (F4), Cancel (Esc)

To specify parameters, select the parameter from the list and press the 'Set Value' button. This will prompt the 'Set Value' form.

The method for entering the value varies according to the value type of the parameter:

- String: Enter the text to the textbox.
- Float, Integer, Boolean, Date -Time: Add the value to the textbox.
- Valid Values: Select a value from the list.

To approve the operation quality, press the 'Good' button.

To reject the operation, press the 'Rejected' button.

To register the operation as repairable, press the 'Repairable' button.

2.3.4. Outsourced QC

For more information about outsourced operations please see: [Outsourced Manufacturing](#).

The Quality Control of an outsourced operation can be handled by selecting 'Outsourced' on the Operation Type Selection form. The procedure is the same as an in house operation with the one exception of the selection form.

In the Outsourced Operation Selection window the operation can be specified and then the supplier and the instance of the delivery can be selected.

Operation	Supplier	Delivery
5-3 (oPAS - Bike Assembly - 504)	bGU (Bike Gurus)	500 (Quantity: 1.000000 Due date: 12/21/2016 12:00:00 AM)

After this the procedure is the same as introduced in the in-house case.

Quality Assurance entries can be seen on: Tools > User Defined Windows > QualityAssuranceJournal

2.4. Workshop Monitor

On the workshop monitor ongoing operations can be overviewed. The workshop monitor will display data supplied by the **'bxtc_pdc_workshop_monitor_query'** user query. Before using the workshop monitor, create the custom query. See the example query here: [Workshop Monitor](#)

Only employees appointed as Workshop Monitor inspector can log in the Workshop Monitor.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 01/03/17 09:47 AM

Server: 17.05.31007.18920 Client: 17.05.31007 Workshop Monitor

Last Updated On 09:47 AM 01/03/17

	#523 m4 (Wheel) 24-2 (oPAS - Bike Assembly) Planned: 5 Completed: 2	John Doe (1) Due Date: 01/04/17 Open: 5 Rejected: 1	12:49 PM 01/02/17 Completed Job wAS
--	---	---	---

Logout

2.5. Work Center Journal

With Work Center Journal tickets work center unavailability reasons can be reported. To create work center journal entries, login the Work Center Journal module. Every employee can create WC journal entries or modify their entries. Only employees appointed as WC admins can close journal entries or modify entries created by other employees.

2.5.1. Work Center Journal List

After the login, the list of open entries are displayed.

Mobile PDC

TEST_WMSMF (PMX_BUDTOSH2) - John Doe

12/22/16 02:50 PM

Server: 17.05.31007.18920
Client: 17.05.31007

Workcenter Journal List (00:30)

John Doe	12/22/16	02:48 PM	wPD (5X Painter and Dryer Machine)	Open
No Employee				Idle
Fred Morrison	12/22/16	02:47 PM	wAS (Assembler Team)	Open
Test Comment				Error

Back

New

Modify / View

Close

Press the 'Back' button to go back to the login screen.

Press the 'Modify/View' button to review or modify the elected entry. The 'Work Center Journal Entry' screen of the selected entry will open up.

If the employee is appointed to the Work Center Admin role, an additional 'Close' button is displayed on the screen. Press this button to close the entry.

Press the 'New' button to create a new entry. The 'Workcenter Journal Entry' screen will be prompted.

2.5.2. Work Center Journal Entry

The screenshot shows the 'Mobile PDC' interface for a 'Workcenter Journal Entry'. The header bar includes the 'Mobile PDC' logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - Fred Morrison', and the date/time '12/22/16 02:47 PM'. Below the header, the form is titled 'Workcenter Journal Entry (00:30)'. The form contains several fields: 'Information' (displaying 'Fred Morrison - 12/22/16 02:46 PM'), 'Work Center' (displaying 'wAS (Assembler Team)'), 'Reason' (a dropdown menu with 'No Employee' and 'No Material' options), 'Entry Type' (a dropdown menu with 'Idle' and 'Error' options), and 'Comment' (a text area containing 'Test Comment'). At the bottom, there are 'Cancel' and 'Done' buttons. The interface also shows server and client IP addresses in the top left corner.

On the 'Information' field the employee name and the date of the creation is displayed. Non modifiable field.

Enter the code of the work center to the work center field or select it from a list after pressing F11.

Select a reason for the work center unavailability. The possible values are: 'No Employee', 'No Material' or 'None'. Select an entry type. The possible values are: 'Idle', 'Error' or 'None'. It is possible to add remarks to the journal with the 'Comment' textbox.

Press the 'Done' button to create the entry or press the 'Cancel' button to go back to the previous screen.

Work Center Journal entries can be reviewed in the office environment as well. Open the Work Center Journal UDT via: Tools > User Defined Windows. On this form closed journal entries are also displayed.

2.6. Work Center Tickets

With work center tickets machine failures and malfunctions can be reported.

2.6.1. Setup Work Center Ticket types

If you would like to use the Work Center Ticket module, it is recommended to setup ticket types for the work center. Open the Form via: Tools > User Defined Fields > WorkCenterTicketTypes. Add the ticket code and name then press 'Update'.

#	Code	Name	Last Modif.
1	wctAC	Accident	
2	wctBF	BearingFailure	
3			

2.6.2. Work Center Ticket List

After the login, the list of open tickets are displayed.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 12/22/16 03:41 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Workcenter Ticket List (00:30)

Fred Morrison (1) 12/22/16 03:40 P Bearing misalignment (2) wWM1 (BXC 21 Welding Machine) (3) (4) Open (5) BearingFailure

Back New Modify / View Close

1. Creator name, date and time of the creation
2. Added comment
3. Work center code and description
4. Ticket status
5. Ticket type

Press the 'Back' button to go back to the login screen. Press the 'Modify/View' button to review or modify to selected ticket. The 'Work Center Ticket Entry' screen of the selected entry will open up.

If the employee is appointed to the Work Center Admin role, an additional 'Close' button is displayed on the screen. Press this button to close the ticket.

Press the 'New' button to create a new entry. The 'Workcenter Ticket Entry' screen will be prompted.

2.6.3. Work Center Ticket Entry

The screenshot shows the 'Workcenter Ticket Entry' screen in the Mobile PDC application. The header bar includes the Mobile PDC logo, the user 'TEST_WMSMF (PMX_BUDTOSH2) - John Doe', and the date/time '12/22/16 03:47 PM'. Below the header, the title 'Workcenter Ticket Entry (00:30)' is displayed. The main form area contains four fields: 'Information' (displaying 'John Doe - 12/22/16 03:46 PM'), 'Work Center' (displaying 'wPD (5X Painter and Dryer Machine)'), 'Comment' (a large empty text area), and 'Entry Type' (a list with 'Accident' selected and 'BearingFailure' below it). At the bottom of the screen are two buttons: 'Cancel' and 'Done'.

On the 'Information' field the employee name and the date of the creation is displayed. Non modifiable field.

Enter the code of the work center to the 'Work Center' field or select it from a list after pressing F11. Add a comment to the 'Comment' textbox.

Select an entry type. Every ticket type defined on the Work Center Ticket Type UDT can be selected.


Press the 'Done' button to create the entry or press the 'Cancel' button to go back to the previous screen.

Work Center Ticket entries can be reviewed in the office environment as well. Open the Work Center Tickets UDT via: Tools > User Defined Windows. On this form closed ticket entries are also displayed.

2.7. Simple Job module

With the Simple Job module, the user can start and complete a job and a setup at one step.

2.7.1. Start Job



The default work center is the work center defined for the terminal on the '[PDC Terminal Configuration](#)' user table. To disable the default work center, set the 'Work Center Ignore' option to 'Yes' for the employee on the '[PDC Extended Configuration](#)' user table. When there is a default work center, bookings can be created only for operations with the feature assigned to the default work center.

Add the *DocEntry-LineNumber* identifier to the 'Operation' field.

If there is a default work center, the work center field will be populated automatically. The user cannot modify the work center if the default work center is mandatory. The default work center is mandatory in the following cases:

- The employee and/or the work center has no configurations set on the '[PDC Extended Configuration](#)' user table and the 'PDC Modifiable WC for Start' option is disabled on the [Thin Client](#) tab of Produmex Manufacturing settings.
- The 'Work Center Modification' option is disabled on the '[PDC Extended Configuration](#)' user table for the employee and/or work center.

Otherwise the work center is not mandatory and the user can select an alternative work center.

To erase the content of the modifiable fields, press the 'Clear' button.

To log out as the current employee, press the 'Logout' button.

To see the Admin screen, press the 'Admin' button. For more information about the Admin function please see: [2.2.9. Admin](#)

Press the 'Done' button to proceed.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 06/09/17 12:54 PM

Server: 17.05.31007.18920 Client: 17.05.31007 Complete Job (00:30)

Production Order	#512 mM1001 (Painted Bike Framework)	UoM	pcs
Operation	13-1 (oPPD - Painting and Drying)		
Started	12/22/16 03:50 PM		
Bin Location	01-SYSTEM-BIN-L...	Setup	<input checked="" type="checkbox"/>
Duration	25 min	This Day	
Quantity	1	Rejected Quantity	0

Done Cancel

2.7.2. Complete Job

Scan the destination Bin Location or enter its code.

The default Bin Location is the Bin Location defined for the employee/work center on the '[PDC Extended Configuration](#)' user table. If there is no default bin location defined for the employee/work center on the '[PDC Extended Configuration](#)' user table, then the default bin location is the bin location defined for the work center.

To create setup bookings too, tick the 'Setup' box. The box is only active if there is setup time defined for the operation. Scan the destination Bin Location or enter its code.

Then enter the completed and rejected quantity. When the user enters the completed/rejected quantity, the duration is automatically calculated.

- If setup time is defined for the operation and the 'Setup' checkbox is checked, the duration is calculated as {(Setup base quantity + Operation base quantity) * (Completed quantity + Rejected quantity)}.
- If there is no setup time defined for the operation and/or the 'Setup' checkbox is not checked, the duration is calculated as {Operation base quantity * (Completed quantity + Rejected quantity)}.

After the Duration field is filled, the system also calculates the Start time as {Current Date/Time - Duration}.

If the '*Manual Job Duration*' option is enabled on the '[PDC Extended Configuration](#)' user table, the user can enter the duration. When the user enters or modifies the duration, the system recalculates the Start time. Please note: The completed quantity will not be recalculated based on the duration.

If the '*Comment Visible*' option is enabled on the '[PDC Extended Configuration](#)' user table, an additional Comment field is displayed on the screen.

Press the 'Done' button to proceed.

When there are materials linked to the operation with a milestone, receive the materials. Please see: [2.2.7.Materials](#)

When there is a by-product linked to the operation or the operation is the last one on the production order and there is a milestone set for the product, receive the (by-)products too. Please see: [2.2.6.Products](#)

Operation Details

Because the user does not start the job manually, the booked time cannot be measured. The system will automatically create the 'Start Setup', 'Completed Setup', 'Start Job' and 'Completed Job' bookings. The Posting Time of the Complete Job booking is the time when the PDC booking was created. The Posting Time of the 'Start Setup', 'Completed Setup', 'Start Job' bookings is calculated backwards.

Production Order Operation Details - [DocNum: 529, Line: 1]

Operation Code	oPPD		Operation Break	Allowed
Operation Name	Painting and Drying		Operation Time UoM	Minutes
Before Time	min	0.000	Is Parallel Operation	<input type="checkbox"/>
Safety Time	min	0.000	Is Overlapping Operation	<input type="checkbox"/>
Setup Time	min	5.000	Max Parallel Operations	0
Job Time	min	20.000	Overlapping Quantity	0.000
Teardown Time	min	5.000	Allocation Window	0.000
After Time	min	400.000	Min Job Quantity	0.000
Time Base	1.000		Message	
Planned Quantity	2.000		Is Pinned	<input type="checkbox"/>
Completed Quantity	1.000		Pinned Start Date	
Rejected Quantity	1.000		Pinned Start Time	00:00

Time UoM	Minutes	Open Job	53.333
Booked Job	0.000	Open Setup	5.000
Booked Setup	0.000	Open Teardown	5.000
Booked Teardown	0.000	Planned Job	53.333
State	Created	Planned Setup	5.000
Booked Completed Quantity	0.000	Planned Teardown	5.000
Booked Rejected Quantity	0.000		

Posting Date	Posting Time	Posting Code	Compl. Qty.	Rej. Qty.	Mach. Duration	Pers. Duration	Emp. ID	Emp. Name	Reason ...
01/03/17	10:12	Start Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Completed Setup	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:17	Start Job	0.000	0.000	0.000	0.000	1	Doe, John	
01/03/17	10:57	Completed Job	1.000	1.000	40.000	40.000	1	Doe, John	

OK Cancel Allocations

3. PDC bookings in SAP B1

3.1. Create PDC bookings

3.1.1. Simplified Production Data Collection

Many manufacturing companies do not need the full-fledged data collection terminal. Instead, they

could do very well with the much simpler PDC office terminal. In this scenario, the production data is collected (mostly) on paper, and the data is entered at the end of the day by an office assistant.

3.1.1.1. Print the PDC sheet

Open the sheet generator via: Production > PDC > PDC Sheet Generator.

The 'PDC Sheet Generator Parameters' screen will open up.

To print a prefilled sheet, tick the 'Prefilled' box then select the data to add to the sheet. The sheet can be prefilled with the following data:

- Employee ID
- Pr. Ord. No
- Operation Code
- Work Center

Enter the number of rows you would like to add for each allocation to the 'Rows per allocation' field.

PDC Sheet Generator Parameters

Prefilled ☒

Employee ID → 1 Doe, John

Pr. Ord. No → 514 p1001-1 * 12/ Primary

Operation Code → oPAS Bike Assembly

Work Center → wAS Assembler Team

Rows per allocation 2

Ok Cancel

Click on 'Ok' then set the printing options on the 'Select Report Layout' screen.

PDC Sheet

Production Order Number: 514

Operation: oPAS





Bike Assembly

WC: wAS

Assembler Team

#	Employee ID	Allocation ID	Posting Date	Posting Time	Posting Code	Compl Qty	Rej Qty	Mach. Duration	Pers. Duration
1	1	00010342							
2	1	00010342							
3	1	00010372							
4	1	00010372							

The Allocation ID is the identification number of the allocation that can be seen on the Job Requirements Report:

Operation:		oPAS - Bike Assembly		<i>Operation ID:</i> 00004039	
	Begin Date&Time: 08/28/17 08:00 AM		Production Order: 43 / 3		
	Before Time: 0.00 [min]		Product Code: ITEM05 - Batch number + best before date		
	After Time: 0.00 [min]		MtO Scenario:		
			Custom Code:		
	ITEM01 No Batch no serial no BBD 10.00				
	00004037		manual UOM		
	ITEM10 Batch number + 2ND Batch + 20.00				
	00004038		best before date manual UOM		
Work Center:		wAS - Assembler Team		Allocation ID: 00004006 	
<i>OP:</i>				43-2 	
<i>oPAS</i>					
Start Date&Time: 08/28/17 08:00 AM		End Date&Time: 08/28/17 12:00 PM			
Setup Time: 0.00 [min]		Teardown Time: 0.00 [min]			
Quantity: 0.93		Identification Code: 43-2-wAS			
Job Time: 240.00 [min]		Total Duration: 240.00 [min]			
Feature: aSS - Assembly					

The Posting Code stands for the status of a certain phase in PDC booking. (Eg.: 'Partial setup', 'Completed Job')

3.1.1.2. PDC Bookings office terminal

Enter the data collected on the PDC screen on the PDC Bookings office terminal form. Open the form via: Production > PDC > PDC Bookings office terminal.

[illegible]

With the office terminal it is not mandatory to record all phases (setup, job, shutdown, break, etc.) of the operation; most typically only the job completion is booked.

When the bookings have been inserted and user presses the 'Update' button, the appropriate material issue for production or product receipt from production (according to the milestone settings of the operation and material lines) inventory transactions will be committed as well. After a job completion is booked on the office terminal, the status of the operation is set to 'Finished'.

3.1.3. Simple PDC Shop-Floor Wizard

The Simple PDC Shop-Floor Wizard is an obsolete function. It is recommended to use the Mobile PDC instead.

3.2. Manage PDC bookings

3.2.1. PDC Administration

On the PDC Administration form PDC bookings can be reviewed and modified. Open the form via: Production > PDC > PDC Administration.

The upper part of the screen is a filter. Bookings can be filtered with the following:

- Employee
- Work center
- Operation code
- Item code (of the main product)
- Production order number (range)
- Production order operation ID (range)
- Date (range)

Check the 'Errors only' box to list only bookings with processing errors. Uncheck the 'Hide undone bookings' box to include undone bookings in the list as well.

Click on the 'Reload' button to get the list of the bookings with the applied filters. The bookings will be listed on the upper grid.

On the middle of the screen a 'Material' grid and a 'Product' grid is displayed. When the 'Use Operation Parameters' option is enabled on the [PDC tab](#) of Produmex Manufacturing Settings, an additional 'Parameter' grid is shown.


On the 'Material' grid the materials issued during the selected booking are listed. On the 'Product' grid the products received during the selected booking are listed. On the 'Parameter' grid the quality assurance parameters will be displayed.

Click on the 'Close' button to close the form.

Modify

To modify a booking, select its row and click on the 'Modify' button. The 'Modify PDC Booking' form will open up. On this form the following can be modified:

- Posting Date and Time
- Machine and Person Duration
- Completed and Rejected Quantity



Code	00009033
Posting Code	Completed Job
Posting Date	12/21/16
Posting Time	10:28
Time UoM	min
Machine Duration	2.000
Person Duration	2.000
Completed Qty.	1.000
Rejected Qty.	0.000

Update Cancel

If the PDC booking has inventory transactions, the completed and the rejected quantities cannot be modified.


Set to Unprocessed

To reprocess every failed transaction displayed on the screen, click on the 'Set to Unprocessed' button. The status of the transaction will be set to 'Unprocessed'. These transactions will be reprocessed when the PDC Processor runs again.

Redo failed transactions

To individually reprocess bookings with inventory transaction errors, select the row of the booking and press the 'Redo Inventory Transactions' button.

The System Message shows the number of the successful and failed reprocesses.




Undo a booking

When the '*PDC Allow Undo*' option is enabled on the **PDC tab** of the Produmex Manufacturing Settings, PDC transactions can be undone. An additional 'Undo' button is displayed on the screen.

To undo an erroneous booking, select the row of the transaction and click on this button. Undone bookings are marked with a tick in the box on the 'Is Undone' column. Undoing a *Close* or *IsCompleted* booking changes the status of the operation back from *Finished* to *Started* or *Created*.

When the '*PDC Undo Only No Transaction*' option is disabled, PDC bookings with inventory transactions can also be undone. Please note that undoing a PDC booking with inventory transaction is strongly discouraged. During the process a system warning will open up. Press the 'Yes' button to proceed with the undoing. The inventory transactions booked for the PDC transaction will be undone too.



PDC bookings containing materials or products managed by serial or batch numbers cannot be undone.

3.2.2. Managing Rejected Batched PDC Transactions

To correct PDC transactions that were unsuccessful due low stock quantity of batch managed materials, enable the '*Managing Rejected Batched PDC Transactions*' option on the **PDC tab** of Produmex Manufacturing settings. Open the form via: Production > PDC > Managing Rejected Batched PDC Transactions.

The screenshot shows the 'Managing Rejected Batched PDC Transactions' form. It has a top section with filters and a main table of transactions. Below the table is a summary section.

Filters:

- Chosen Item: Item01
- All Failed Transactions: 3
- All Stocks: 5.000000
- Production Warehouse: 04
- In Production Warehouse: 5.000000
- Base Item Warehouse: 02
- In Base Item Warehouse: 5.000000
- All Missing Quantity: -9.000000

Show Successful:

- From the Start of the Day: ☒
- Grouped by Batch: ☐
- Grouped by Work Center: ☐
- Grouped by Employee: ☐
- Order by Time Descending: ☐
- Beginning of the Item Code: ☐

Transaction Table:

Item Name	Order	Item Code	Batch Number	Inventory Process Success	Date	Time	Quantity	EmployeeID	Employee Name	Work Center Code	PDC Booking	Production Order Doc Num	Product Code
Item01, Batch nbr	0	Item01	BNR00001	<input type="checkbox"/>	01/04/17	16:27	2.000	1	Doe, John	wPD	00014013	533	Item03
	1	Item01	BNR00001	<input type="checkbox"/>	01/09/17	15:14	5.000	1	Doe, John	wVM1	00018552	545	m1
	2	Item01	BNR00001	<input type="checkbox"/>	01/09/17	15:18	10.000	1	Doe, John	wVM1	00018567	545	m1
	3	Item01	BNR00001	<input checked="" type="checkbox"/>	01/09/17	16:52	2.000	2	Morrison, Fred	wVM1	00018584	545	m1
	4	Item01	BNR00001	<input type="checkbox"/>	01/10/17	14:17	2.000	1	Doe, John	wVM1	00018596	545	m1

Summary Table:

Item Code	Item Name	Batch Number	Quantity	All Missing Quantity	Base Item Warehouse	Transfer Quantity
Item01	Batch nbr	BNR00001	0.000	0.000	14.00	0.00

Buttons: OK, Cancel, Reload, PDC Radio, Receipt, Batch Number Change, Undo, Inventory Transfer

On the header transaction details can be overviewed.
The grid can be filtered with the following:

- Show successful: Tick the box to show the successful transactions linked to the rejected batches.
- Beginning of the Item Code: To filter the list based on the item code, start to enter the item code to the textbox.

Displaying options can also be set on the header:

- Grouped by Batches/ Work Centers/ Employees: Enable the grouping options by ticking the box.
- Order by Time Descending: By default the rows are sorted by the batch/ serial numbers. When this option is enabled, the rows are ordered descending by the creation date and time.

Reload

Click on the 'Reload' button to get the list of rejected batched transactions with the applied filters.

The transactions are grouped by the item. Click on the black arrow next to the item code to reveal the rows of the failed transactions belonging to the item.

PDC Redo

To reprocess bookings with rejected batches, select the row(s) of the booking(s) and press the 'PDC Redo' button.

Batch Number Change

When the transaction is failed because there are insufficient stock from the added batch but there are stock available from other batches, the transaction can be corrected by changing the batch number. Select the transaction row to change then click on the 'Batch Number Change' button. The 'Batch Number Change' form will be open.

Batch Number	Quantity	Change Quantity
BNR00001	10.000	0.00
BNR4321	5.000	0.00

Batches with available quantities are listed on the grid. Add the quantity to change to the 'Change Quantity' cell on the row of the new batch. Remarks can be added on the 'Comment' textbox.
The transaction will be reprocessed by the PDC processor.

Receipt

When the transaction is failed because there are insufficient stock in the inventory, the transaction can be corrected by receiving the missing quantity. Select the transaction row(s) then click on the 'Receipt' button.

Add the quantity to receive to the 'Receipt Quantity' cell on the opening form then press the 'Ok' button to create a 'Goods Receipt' document and receive the items.

Please note: In order to create the goods receipt document, a '*GoodsReceipt Series Name*' should be set on the [PDC tab](#).

The selected transaction(s) will be reprocessed by the PDC processor.

Item Code	Item Name	Batch Number	Quantity	Failed Quantity	Receipt Quantity	New Stock Quantity
Item03	Serial nbr	SNR0004	0.000	-1.00	1.00	1.00

Inventory Transfer

When the transaction is failed because there are insufficient stock from the batch in the warehouse, the transaction can be corrected by receiving the missing quantity from another warehouse. Select the transaction row(s) then click on the 'Inventory Transfer' button.

The selected transaction(s) will be reprocessed by the PDC processor.

Undo

Rejected batch transactions have no inventory bookings linked therefore can safely undone. To undo rejected batch transactions, press the 'Undo' button then add the quantity to undone to the 'Undone Quantity' field.

Item Code	Item Name	Batch Number	Issued Quantity	Undone Quantity	Quantity	New Stock Quantity
Serial nbr	Serial nbr	SNR0004	1.00	1	0.000	0.00

Finter

Cost and Price Calculations

Cost and price calculation is an integrated part of Produmex Manufacturing. When calculating the costs and prices of an own manufactured product the prices of the materials are simply added as much quantity is used for the production. Calculating the costs of operations and additional costs including energy, management, amortization, wages and so on is not as straightforward as calculating the material costs.

SAP Business One has basic machinery for manufacturing cost calculations: each item in the component list of a Bill of Material (BoM) or production order may have a price and SAP Business One calculates the total cost of a product by summing the products of item prices and quantities. If more sophisticated cost calculation is needed, instead of adding cost rows in BoMs, the built-in cost calculation facilities of Produmex Manufacturing should be used.

Manufacturing cost calculation starts by defining cost types that are used for any production operation in the company. The cost types are assigned to manufacturing resources (work center groups, work centers, operations, and so on) with their basic cost values. The costs of operations of in BoMs and Production Orders are calculated according to the ratio they use these resources. Manufacturing cost calculation is applicable only for manufactured products and components/parts (with procurement method "Make"). The actual algorithm of calculating the cost of a manufactured product is defined in cost schemas. The cost values calculated with cost schemas may be used to update the prices of the products in the pricelists. For this job price (calculation) schemas and intermediate cost collectors are needed. Costs can be calculated from BoMs and Production Orders. When the costs are calculated from Production Orders, the resource consumption values may come from the (1) planned component list, (2) the released component list where the operations are linked to specific work centers, (3) and the actual resource consumption reported via Production Data Collection (PDC).

Please note: The cost and price calculation logic of Produmex Manufacturing does not support the '*Remove Unpriced Items from Price List in Database*' setting. Make sure that the '*Remove Unpriced Items from Price List in Database*' setting is not enabled on the Pricing tab of General Settings in SAP Business One.

1. Defining Costs

Since calculation is sensitive to numerical precision, it's highly recommended to increase the decimal places for Amounts in the General Settings form.

- **Hourly Wages** – the cost of labor per minute.
- **Performance Bonus** – the bonus for a completed unit of work. For this cost type in this example the time unit is not relevant. We'll see later how it is used to define the actual bonuses when the types of jobs are defined. Whenever the price cannot be defined in general for the cost type, the value should be set to 1.
- **Energy** – the price is the minute cost of one unit of energy. This price is the current price of one unit of energy. Since our example company uses only electrical devices, the number is the price of one Watt-minute. Later we'll define the actual energy consumption of the tools.
- **Tools** – this is an estimated cost of the devices used for manufacturing. These costs will be defined later for the types of jobs.
- **Project Management** – each job should be communicated to the workers and instructions should be given. We'll define the management costs for the type of operations as fix costs. The Time Unit is not relevant for these (fix) type of costs.

All the cost types used for any manufacturing operations or resources of the entire company should be defined here. The cost types are not automatically associated to any of the manufacturing operations or resources; they must be explicitly linked to the resources and/or operations as described in details in the forthcoming sections.

1.2. Defining Resource Cost Amounts for Types of Jobs

A topmost level where manufacturing cost amounts can be defined is when Features are specified. In the Produex Manufacturing add-on Features is a notion to define types of jobs, groups of machines, workers with the same skills, and so on.

Resource Features

Code	Name	Resource Type
aSS	Assembly	Work-Center
aSSU	Assembly Unlimited	Work-Center
cRF	Constraint	Constraint
cUT	Cutting	Work-Center

Cost amounts of work center feature aSS

Cost Type	Setup Amount	Job Amount	Teardown Amount	Cycle Amount	Quantity Amount	Fix Amount
Energy	1.500	3.000	1.500	0.000	0.000	0.000
Performance Bonus	0.000	0.000	0.000	0.000	2.000	0.000
Project Management	0.000	0.000	0.000	0.000	0.000	5.000
Tools	0.000	0.150	0.000	0.000	0.000	0.000
Hourly Wages	1.000	1.000	1.000	0.000	0.000	0.000

OK

Cancel

In the example above the number of costs are defined for the Assembly feature:

- **Hourly Wages** – every minute (since we defined this cost type for minutes) of this (Assembly feature) job requires one minute of work from a worker with the minute price defined for the cost type. That is, for example, if 100 minutes (job time) of Assembly feature operation were required for a manufacturing the Hourly Wages cost would be $100 \times 1 \times 0.6$ (from cost type definition above). If

10 minutes of setup is defined for the operation $10 \times 1 \times 0.6$ is calculated.

- **Performance Bonus** – for every completed unit of job 2 x 1 (from cost type definition) money is paid to the workers. Now it's getting clearer why the Price was set to 1 when this cost type was defined: the cost type amounts defined for the resources (features, work centers, operations) are multiplied by the base cost type price.
- **Project Management** - This cost is non-variable: 5 for each job taken. This is the cost of job administration. It is not dependent on the amount of job time. If a BoM had ten operations of this type, the total project management cost for the entire process would be 50 (10 x 5).
- **Energy** – every minutes, when this (Assembly feature) job is done on any work center (machine), 3 units (Watt-minutes) of energy is used. For Setup and shutdown the energy consumption is much less. The cost for 100 minute job would be 100 x 3 (job amount) x 0.02 (base price of cost type defined earlier).
- **Tools** – the cost of tools have been estimated to be 0.15 for each minute of this job. The total tools cost for a 100 minute job would be 100 x 0.15 (job amount) x 1 (base price of cost type defined earlier).

It's not necessary to define all cost types for all Features; for example, Tools and Energy may be insignificant for Quality Inspection.

It is possible to override these cost type amount values for specific work centers, operation master data, operations in bill of materials, operations in production orders.

1.3. Defining Intermediate Costs

An intermediate cost is actually a predefined name (variable) that can be used in calculation schemas. Intermediate costs are necessary for Price Schemas; intermediate costs are the linking machinery between Cost Schemas and Price Schemas. From the perspective of the calculation engine, Intermediate Costs are a kind of variables, when the engine executes/processes a cost schema it calculates the values and stores them in Intermediate Cost variables as defined in the Cost Schema.

Normally, the calculation of Cost Schemas is followed by the calculation of a Price Schema. Price Schemas contain references to Intermediate Costs, and the values are coming from the calculated results of Cost Schemas.

[illegible]

In our example we define only a couple of Intermediate Costs.

1.4. Defining Cost Schemas with Intermediate Costs

A Cost Schema is used to define the calculation of manufacturing costs for products with BoMs. A schema consists of lines; each line will have a value as defined by the Formula field when executed.

In our example we define a line for collecting the costs of purchased materials. The \$1 in the Formula cell refers to the value in "Source Field 1". Up to nine source fields (Source Field 2, Source Field 3, and so on) may be defined for a line and these values can be referenced with the symbols \$1, \$2, ..., \$9. The calculation engine has a number of predefined values that can be used as data source.

Material Cost is the price of a purchased material component. The calculated value of this cost schema line is saved in the intermediate cost variable "Material". We will see later how this variable is used in a price schema.

In our sample we collect the values for each cost types.

The **Operation Cost** is the total amount of the operation lines in BoMs; for purchased material lines this value is 0. The Cost Type1 is a filter for Source Field1. Each source field has a corresponding filter field.

In our sample the **Wages** cost schema line is the sum of the Hourly Wages defined for operations. We have already explained how operations are related to cost types.

In the **Management** line we collect the costs of the cost type Project Management. Since this type of cost does not depend on the volume of the work, the Fix Amount value should be selected as source field.

In the **Total Labor Cost** line we sum the values from lines {WG} + {BO} + {PM}. The calculated value is saved in the intermediate cost (variable) "Labor". In the Formula fields the previous lines can be referenced either with the line number or with the line ID.

The fields in the cost schema are the following:

Line No

The line number of the calculation row.

LineID.

The ID given by the user with which it is possible to refer to the line.

Description

The textual description of the calculation line.

Intermediate Cost

The type of the intermediate cost can be given here.

Formula

You can here set the formula according which the system should calculate. You can use these symbols:

- \$: The value that is referred in the previous column.
- \$x: Reference to source field (for example \$1, \$2, etc.). There are 10 source fields in the window; you can use the numbers 0-9 to refer to them.
- {LineID} = The result of the line with the given 'Line ID'.
- [LineNo] = The result of the line with the given 'Line No.'.
- [-x]: the result of the line which is x lines above this one.
- x%: A value in percent.

Please note: The only decimal separator supported is the dot (.).

Example:

Description	Formula	Source Field 1
Materials	\$1	Material Cost

The material cost is the price of the purchased material components.

Use the `DataTable.Compute` method to create a more advanced formula. For more information about the method please see:

- [Expression](#)
- [Compute](#)

Example:

Description	Formula	Source Field 1	Source Field 2
Materials	IIF (\$1>2, \$2, 1.2*\$2)	Quantity Produced	Material Cost

If the produced quantity is greater than 12, the material cost is the price of the purchased material components otherwise the material cost is the price of the purchased material components multiplied by 1.2.

MSSQL TIP

If the desired formula cannot be defined with the `DataTable.Compute` method, you can use SQL syntax to define the formula as well. Please keep in mind that defining several formulas with SQL syntax can lead to slower performance due the higher number of the SQL queries that the system executes.

Please note: Defining the formula with SQL syntax is not yet supported on HANA. Always use the `DataTable.Compute` method to define the formula.

Example:

Description	Formula	Source Field 1	Source Field 2
Materials	CASE WHEN \$1 >= 12 THEN \$2 WHEN \$1 >= 6 AND 12 > \$1 THEN \$2*1.25 ELSE \$2*1.5 END	Quantity Produced	Material Cost

If the produced quantity is greater than or equal to 12, then the material cost is the price of the purchased material components. If the produced quantity is less than 12 but greater or equal to 6, then the material cost is the price of the purchased material components multiplied by 1.25. If the produced quantity is less than 6, then the material cost is the price of the purchased material components multiplied by 1.5.

Value

A set value which will be used in the formula given in column Formula.

Source Field 0-9

The source fields which can be used by calculation. These can be:

- **Calculation Base Quantity:** the calculation base quantity given in the head of the BoM.
- **Setup Time:** the Setup Time from the BoM lines.
- **Job Time:** the Job Time from the BoM lines.
- **Teardown Time:** the Teardown Time from the BoM lines.
- **Purchasing Price:** the price based on the price list set in the BoM lines.
- **Inhouse Price:** the Inhouse Price is the price of the product calculated recursively based on the BoM. It means in case of produced goods the program calculates the costs of all raw materials that are in the BoM of the produced good, and the costs of the raw materials will be calculated according to their own calculation schema (for produced goods it will be calculated based on the BoM, for purchased goods the price will be taken from the set price list). The prices of all raw materials are then summed, and if there is an outsourced part of the production, then the in house part will be calculated, and this will be the inhouse price.
- **Outsourcing Price:** The price of the item based on the price list set in the BoM and calculated for the outsourced quantity.
- **By Product Price:** the price of the by-product based on the price list set in the BoM.
- **Quantity Produced:** The Quantity Produced from the BoM.
- **In House Quantity:** The In House Quantity from the BoM.
- **Outsourced Quantity:** The Outsourced Quantity from the BoM.
- **By Product Quantity:** The By Product Quantity from the BoM.
- **Purchased Quantity:** The Purchased Quantity for purchased good from the BoM.
- **Setup Amount:** the Setup Amount for the given resource from the cost amounts.
- **Job Amount:** the Job Amount for the given resource from the cost amounts.
- **Teardown amount:** the Teardown Amount for the given resource from the cost amounts.
- **Quantity Amount:** the Quantity Amount for the given resource from the cost amounts.
- **Fix Amount:** the Fix Amount for the given resource from the cost amounts.
- **Cost Type Price:** the price from the cost amounts (the contents of the Price column in cost amounts).
- **Cycle Amount:** the Cycle Amount for the given resource from the cost amounts.
- **Cycle Count:** the number of setup and teardown cycles (quantity produced/calculation base quantity).

In addition there are calculated fields, the calculation is the following:

- **Setup Cost:** Setup Time * Cycle Count * Setup Amount * Unit Price
- **Job Cost:** Job Time * Quantity Produced * Job Amount * Unit Price
- **Teardown Cost:** Teardown time * Cycle Count * Teardown Amount * Unit Price
- **Cycle Cost:** Cycle Count * Cycle Amount * Unit Price
- **Quantity Cost:** Quantity Produced * Quantity Amount * Unit Price
- **Operation Cost:** Setup Cost + Job Cost + Teardown Cost. + Cycle Cost + Quantity Cost.
- **Fix Cost:** Fix Amount * Unit Price *Where the Unit Price is the price from cost amounts.*

These costs are calculated for both the head and all lines.

Other calculated fields:

- **Purchasing Cost:** Purchased Quantity * Purchasing Price
- **In House Cost:** Inhouse Price * In House Quantity

- **Outsourced Cost:** Outsourced Quantity * Outsourcing Price
- **By Product Cost:** By Product Quantity * By Product Price
- **Material Cost:** Purchasing Cost + Outsourced Cost + By Product Cost Total Cost: Operation Cost + Fix Cost + Material Cost


These costs are calculated only for the lines and not for the head.

Cost type 0-9

The cost type which is referred by the calculation row.

1.5. Defining Price Lists

Before defining Price Schemas the user has to decide how to use the price lists in SAP Business One.



In our sample we have renamed the first three price lists. The price lists are referenced in price list schemas.

1.6. Defining Price Schemas

The main goal of Price Schemas is to aggregate cost schemas intermediate results to final results, as well as to define a mapping between cost schemas and price lists. The values are taken from the cost schemas via the Intermediate Cost variables. The calculated values of the lines in a price schema may be linked to price lists.

Price Schema

Price Schema Code: PS
Price Schema Name: Price Schema

Line No	LineID	Description	Price List	Formula	Intermediate Cost	Value
1	MA	Materials	Labor-Free Price	\$	Material	0.000
2	LA	Labor Costs		\$	Labor	0.000
3	TC	Total Operation Costs	Total Operation Costs	\$	Total	0.000
4		Selling Price	Selling Price	{TC}*1.3		0.000

OK Cancel

Formula field values:

- \$ = The 'Intermediate Cost' value.
- {LineID} = The result of the line with the given 'Line ID'.
- [LineNo] = The result of the line with the given 'Line No.'.
- [-x] = The result of the line which is x lines above.
- x% = A value in percent.

Example:

Line No	Line ID	Description	Price List	Formula	Intermediate Cost	Value
1	MA	Materials	Labor-free price	\$	Material	0.000
2	LA	Labor Cost		\$	Labor	0.000
3	TC	Total Operation Cost	Total Operation Costs	\$	Total	0.000
4		Selling price	Selling price	{TC}*130%		0.000

In our sample the value of the Materials line is linked to the Labor-Free price. The formula field \$ here refers to the selected Intermediate Cost. The Selling Price line is calculated as Total Operation Cost x 1.30.

It is possible to refine the formula by using the DataTableCompute method. For more information about the method please see:

- [Expression](#)
- [Compute](#)

Example:

Line No	Line ID	Description	Price List	Formula	Intermediate Cost	Value
1	MA	Materials	Labor-free price	\$	Material	0.000

2	LA	Labor Cost		\$	Labor	0.000
3	TC	Total Operation Cost	Total Operation Costs	\$	Total	0.000
4		Selling price	Selling price	IIF({LA}=0, {MA}*150%, {TC}*130%)		0.000

In the second example the Selling Price line is only calculated as the Total Operation Cost multiplied by 1.3 if the Labor Cost is greater than zero. Otherwise the Selling Price is the Material Cost multiplied by 1.5.

MSSQL TIP

If the desired formula cannot be defined with the DataTable.Compute method, you can use SQL syntax to define the formula as well. Please keep in mind that defining several formulas with SQL syntax can lead to slower performance due the higher number of the SQL queries that the system runs.

Please note: Defining the formula with SQL syntax is not yet supported on HANA. Always use the DataTable.Compute method to define the formula.

Example

Line No	Line ID	Description	Price List	Formula	Intermediate Cost	Value
1	MA	Materials	Labor-free price	\$	Material	0.000
2	LA	Labor Cost		\$	Labor	0.000
3	TC	Total Operation Cost	Total Operation Costs	\$	Total	0.000
4		Selling price	Selling price	CASE WHEN {LA} > {MA}*2 THEN {LA}*1.5 WHEN {MA} > {LA}*2 THEN {MA}*1.5 ELSE {TC} END		0.000

In this example the selling price is calculated with the following method: If the labor cost is greater than the double of the material cost, then the selling price is calculated by multiplying the labor cost by 1.5. If the material cost is greater than the double of the labor cost, then the selling price is the material cost multiplied by 1.5. Otherwise the selling price is the total operation cost.

2. Calculating Costs and Prices

At this point we have defined cost types for resources and calculation algorithms (schemas). The next

step is to calculate production costs. Basically there are a number of possibilities for calculating the costs of a product. It is possible to calculate the costs of a product based on:

1. bill of material structure
2. the component list in a specific production order
3. the actual work and used materials reported via PDC

2.1. Reviewing Bill of Materials for Cost Calculations

The screenshot displays the 'Bill of Materials (Resource List)' window in SAP. The main table lists components and their associated costs. The 'Price List' column is highlighted with a red box, showing 'Price List 01' for all items. The sidebar on the right contains various configuration options, with 'Calculation Base Quantity' also highlighted by a red box and set to '1'.

#	Row Type	R..	Type	No.	Description	Quantity	UoM N...	Warehouse	Issue Method	Milestone Type	Production Std...	Total Production...	Price List
1	Material	Item	m1		5m Steel Pipe	1	pcs	01	Manual	Depends On Every	\$ 0.00	\$ 0.00	Price List 01
2	Operation	Item	oPCU		Cutting	5	min	01	Backflush	Milestone	\$ 0.00	\$ 0.00	Price List 01
3	By-Product	Item	m2		Steel Pipe	-2	m	01	Backflush	Depends On Every	\$ 0.00	\$ 0.00	Price List 01
4	Operation	Item	oPWE		Welding	5	min	01	Backflush	Milestone	\$ 0.00	\$ 0.00	Price List 01
5													Price List 01

The Price List in a BoM should be set to an unused price list, if the Produmex Manufacturing cost calculation module is intended to be used for calculating and updating price list prices for the product of the BoM. The reason is that whenever the Update button is pressed, SAP Business One automatically updates the price of the product for the price list defined.

The Price Lists in the component matrix are important; the calculation logic retrieves the prices for purchased material items from the price list defined in the BoM. The price list for operations and own-manufactured materials are calculated and not simply retrieved from price lists.


The Calculation Base Quantity is a estimated quantity of a typical production order. This number is used when the setup and shutdown costs are calculated for a single unit of product.

2.2. Reviewing Item Procurement Methods


It's very important that the procurement method for own-manufactured components be set to "Make"; otherwise, the calculation engine will simply take its cost from a price list when the item is used as a component in another product's BoM.

2.3. Sales Calculation: Calculating Sales Orders and Quotations

This is a preliminary calculation of costs before producing your product. You can start it from the sales order or the sales quotation with the right click menu:



You will get a window with the calculation parameters:



Use schema above for recursed BoMs as well	The calculation schema of the main item will be used in all BoMs in the structure that are part of the main item.
Trace Calculated Values	There will be a golden arrow for calculated values. If you click on them, you will have a small explanation from where the value is coming (if available).
Override Child BoM Base Quantities	Base calculation quantity will be used in all child BoMs as well.

If you click on OK, the calculation will be done for all make items, and you will get a summary window with the calculation results.

[illegible]

You will see a list of all sales order/quotation rows and the items with the ordered/quoted quantity and the calculation base quantity from the BoM of the item. The calculation will take the higher from the Quantity and the Calculation Base Quantity and will use it as calculation base quantity. If the item is purchase item, it will show up in the list, but in the remarks field, you will see a message that it has not been calculated.

In the price list field you will see the price list that belongs to the item and the customer in the sales order/quotation. The New Price field contains the result of the calculation. It is possible to update the sales order/sales quotation with the calculated price. Check the 'Selected' checkbox on the line of the item(s) and click on the Accept Prices button.

To check the calculation details click on the arrow in the Status column. The arrow will not open up the result form if the calculation finished with an error or if the item is a purchase item.

During the sales order calculation, currency differences are not taken into consideration.

2.4. Calculating Costs from Bill of Materials

The most straightforward and simple way of cost calculation is when the cost of our products are calculated based on their, usually hierarchical, component structure in their BoMs. In the following sample we calculate the costs of all our products using the cost and price schemas shown above.

The main grid of the results form contains all our products that have BoM.


This form requires bigger screen resolution than 1024×768 to avoid that the OK button should not overlap the bottom matrix.

Product Tree Calculation Result									
Date of calculation (for currency conversion)									
02/03/17									
Item Code	Item Name	Quantity Produced	Calculation Base Quantity	Price Schema	Cost Schema	Error			
mM1001	Painted Bike Framework	1.000	1.000	PS	CS1				
mM1001	Raw Bike Framework	1.000	1.000	PS	CS1				
p1001-1	Red Bike	1.000	1.000	PS	CS1				

Price Schema									
Structure									
Line No	LineID	Description	Result	Result Per Unit	PL Currency	Price List	Intermediate Cost	Old Price	New Price
1	MA	Materials	10.000		\$	Labor-Pre Price	Material	0.000	10.000
2	LA	Labor Costs	0.000		\$	Total Operation Costs	Labor	0.000	0.000
3	TC	Total Operation Costs	10.000		\$	Price List 01	Total	300.000	13.000
4		Selling Price	13.000		\$				

An important thing with the way the costs are calculated that the intermediate costs are collected hierarchically from subordinate components as if the primary had a giant BoM. For example, the Labor Costs calculated for the product p1001-1 (Red Bike) contains the labor costs calculated for the subordinate component mM1001 (Raw Bike Framework). The item mM1001 is a material component in the BoM of p1001-1. Since mM1001 has its own BoM and its procurement method is set to “Make”, it is not calculated as a simple material with a price list price. With this way the material cost, for example, of p1001-1 is the sum of all the cost of purchased materials (procurement method = Buy) in the BoM tree.

Note: in newer versions of ProDumex Manufacturing all calculation results are saved, and you can review them later on. To do this open the List of Calculated Bills of Materials from the right click menu in the BoM.




2.5. Price List Recalculations

A main objective of the cost calculation module of Produmex Manufacturing is that the standard price lists in SAP Business One can be updated with the calculated prices with a single button click.

2.5.1. Defining Default Schemas for Items and Item Groups

Since Produmex Manufacturing allows the definition of multiple calculation schemas and each item may have different schemas, the simplest way to associate items with calculation schemas is when schemas are defined for the item groups.



The items inherit the schemas defined for their item group, but these can be overridden in the Item Master Data form.

2.5.2. Batch Updating Price Lists with Calculated Prices

When the schemas are in place and all the manufactured products are associated with a price schema and a calculation schema, you can batch calculate the items and update the price lists based on the calculated values.

Select the 'Calculate Price Lists' option. On the Opening Calculate Price Lists form define the date of the calculation. It is possible to narrow down the calculation to an item group, to selected items or to items with certain properties. Define the filters on the 'Group Name' and 'Product From-To' field or click on the Item Properties button to select the filtering item properties.

In order to save the results of the calculation in the database, enable the 'Save Calculations' button.

Press the 'Calculate' button to calculate the price lists.

When the calculation process is completed, the Calculated Prices form is opened. On this screen every

active inventory item that has a Bill of Materials is listed. Values for different price lists are displayed on separate lines.

By default the 'Update It' checkbox is checked if there is a difference between the old and the new price for the item in the given price lists. Press the 'Update' button to update the prices to the new prices on every line where the 'Update It' checkbox is checked.

If the 'Update Price Lists' checkbox was enabled on the Calculate Price Lists form, the prices are automatically updated after the calculation.

It is also possible to update the standard cost for the items. If the 'Update Price Lists' checkbox is enabled, the 'Update Standard Costs' checkbox becomes active. In order to update the standard cost as well, check this checkbox and select the source price list from the 'Std. Cost Price List' dropdown menu.

The screenshot shows a window titled "Calculated Prices" with a date of calculation set to 02/06/17. The table below displays the calculated prices for various items and price lists.

Item Code	Price List	Old Price	Is Manual	New Price	Update It	Difference	Currency
⇒ mM1001	Labor-Free Price	0.000	<input type="checkbox"/>	10.000	<input checked="" type="checkbox"/>	10.000	\$
⇒ mM1001	Total Operation	0.000	<input type="checkbox"/>	10.000	<input checked="" type="checkbox"/>	10.000	\$
⇒ mM1001	Price List 01	300.000	<input type="checkbox"/>	13.000	<input checked="" type="checkbox"/>	-287.000	\$
⇒ mM1101	Labor-Free Price	0.000	<input type="checkbox"/>	10.000	<input checked="" type="checkbox"/>	10.000	\$
⇒ mM1101	Total Operation	0.000	<input type="checkbox"/>	10.000	<input checked="" type="checkbox"/>	10.000	\$
⇒ mM1101	Price List 01	100.000	<input type="checkbox"/>	13.000	<input checked="" type="checkbox"/>	-87.000	\$
⇒ p1001-1	Labor-Free Price	0.000	<input type="checkbox"/>	10.000	<input checked="" type="checkbox"/>	10.000	\$
⇒ p1001-1	Total Operation	0.000	<input type="checkbox"/>	86.950	<input checked="" type="checkbox"/>	86.950	\$
⇒ p1001-1	Price List 01	482.010	<input type="checkbox"/>	113.035	<input checked="" type="checkbox"/>	-368.975	\$

At the bottom of the window, there are several buttons: Update, Cancel, Check All Modified, Check All Except Manual, Calculation Details, and Show Error List.

Pressing the Calculation Details button will open Product Tree Calculation Results form containing the details of calculations for all the items.

2.6. Calculating Production Orders

When a right-click menu is opened on Production Order form, the user may select the Calculate Production Order menu.

Production Order

Type: Standard
 Status: Released
 Product No.: p1001-1
 Product Description: Red Bike
 Planned Quantity: 5
 Warehouse: 01

No.: 569
 Order Date: 02/02/17
 Start Date: 02/06/17
 Due Date: 02/10/17
 User: manager
 Origin: MRP

#	Description	Base ...	Planned...	Issued	Avail...	UoM ...	UoM ...	Milestone Type	Milestone Group	Issue Method	Distr. Rule	WIP Account
1	Painted Bike Frame	1	5			Manual	pcs	Depends On E	cPAS_4	Manual		
2	Chain	1	5		4	Manual	pcs	Depends On E	cPAS_4	Manual		
3	Wheel	2	10		3	Manual	pcs	Depends On E	cPAS_4	Manual		
4	Bike Assembly	180	900			Manual	min	Milestone	cPAS_4	Backflush		
5	Project Management	1	5			Manual				Backflush		
6	Red Bike (Basic)	-1	-5		11	Manual	pcs	Depends On E	cPAS_4	Backflush		
7	Red Bike (Basic)	1	5		11	Manual	pcs	Depends On E	cPQA_8	Manual		
8	Quality Assurance	1	5			Manual	min	Milestone	cPQA_8	Backflush		
9	Bell											
10	Screw 8mm (Nut + E											
11	Bell Installation											
12	Energy											

Calculate Production Order

Price Schema: PS
 Cost Schema: CS1
 Calculation Type: Expected - Planned
 Date of calculation (for currency conversion): 02/06/17
 Trace Calculated Values: ☐

Calculate Cancel

In the parameter form the user selects the Price and Cost Schema for the calculation and the source of the (planned) resource consumption/allocation of the production order. Note: All calculation results are saved just like the BoM calculations, so that you can compare them later on. You can find the saved calculations in the right click menu List of Calculated Production Orders. Some generic information about the calculation method of production order calculation:

- In the production order calculation the structure of calculation is flat. The BoMs of materials (if there is any) is not expanded. Second level rows are for resource allocations under the operations. They contain the real cost of the operation as different work centers can be assigned to the same operation with different costs.
- In planned and released mode the produced quantity is the planned quantity of the product.
- In actual mode the produced quantity is the completed quantity of the production order.
- In planned mode the cycle count is always one, the setup and teardown time is multiplied by the cycle count.
- In released mode the cycle count is the number of allocations and the setup and teardown time is multiplied by it.
- In actual mode the cycle count is the number of start setup bookings created for that operation and the setup and teardown time is multiplied by it.
- The purchase price for the materials comes from the SAP item cost in the item master data except for the actual mode where it comes from the issue for production bookings.

2.6.1. Planned Cost Calculation for Production Orders

In the case of "Expected - Planned", the source of resource usage is the component list of the production order. When a "standard" production order is first created the component list is copied from the BoM of the item. This component list can be modified for a production order; therefore, the component list with its quantities could be significantly different from the original BoM of the product.

When the production order is in “Planned” status the only meaningful calculation type is “Expected – Planned”. Note, that when a production order is in planned mode, no actual work centers are allocated (unless mandatory work centers are manually defined for the operations). Because of the logic, at this time the cost amounts may come from work center features and operations but not from actual work centers.

2.6.2. Released Cost Calculation for Production Orders

When a production order is released, Produmex Manufacturing allocates actual work centers for the operations. If the cost types are more specifically defined for work centers the “Expected – Released” calculation type may be more specific since in this case the cost amounts are coming from the work centers (if they are defined to override the cost amounts from higher levels). Even when no cost amounts are defined for work centers the operation cost for released production orders may be slightly higher because of the multiple setup and shutdown costs of the operations. When a production order is released the required resource capacities are allocated and reserved. During this resource allocation multiple work-centers may be allocated for an operation and if that operation has setup and shutdown costs the operation cost will be slightly higher than calculated for a planned production order.

2.6.3. Actual Cost Calculation for Production Orders

With the Actual calculation type, a precise idea of the cost of every job can be obtained. With these data a commercial analysis of the production process can be carried out. The quantities of materials come from the Issue for Production transactions. The costs of operations come from PDC. The prices for materials, normally, come from the Inventory Master Data (OITM.AvgPrice or OITW.AvgPrice). Remember that in Production Orders there is no possibility to define price lists for the material components. The prices of batch and serial numbered components can come from the same source as the normal components.


How to work with both Produmex Manufacturing and Produmex WMS

1. Recommended installation steps

First install Produmex Manufacturing. For more information regarding the installation process of Produmex Manufacturing please see: [Produmex Manufacturing Installation Guide](#)

Then install Produmex WMS. In order to install Produmex WMS in a way that it will be integrated with Produmex Manufacturing, Produmex Manufacturing database elements should be existent in the company database.

Execute the installation as described in the [Produmex WMS Installation Guide](#). Do not forget to enable the [stored procedures](#) and the [Notification Listener stored procedures](#). Make sure that the ‘*Integration with Produmex Manufacturing*’ checkbox is checked before you start the database upgrade.



Produmex Database Upgrade

Connection: Database:

☒ Upgrade database ☒ Update localizations

☒ Create User Defined Fields (slow on big DB's) ☒ Update add-on files

☒ Integration with Produmex Manufacturing

2. Prerequisites

Produmex Manufacturing

Install the initial manufacturing data as described in [Setup initial data](#).

Produmex WMS

Set up the production line(s). For more information about the production line settings please see: [Production line](#). Configure the production settings on the [Production controller](#). In order to execute the production picking based on a pick list, enable the *Create proposal for picking* option on the [Picking for production controller](#).


For more information about the Produmex WMS extensions on the Bill of Materials and the Production order please see: [Configurations/Production](#)

For more information about other production settings for Produmex WMS please see: [Configuration settings for the production](#)

Setup Time UoM

In order to create [operations](#), add the following time units of measure to the Units of Measure - Setup (OUOM) standard table:

- min - Minutes
- hr - Hours
- week - Week
- S - Seconds
- day - Day



#	UoM Code	UoM Name	Length	Width	Height	Volume	Volume UoM	Weight
1	Manual	Manual					ci	
2	min	Minutes					ci	
3	hr	Hours					ci	
4	week	Weeks					ci	
5	S	Seconds					ci	
6	day	Day					ci	
7							ci	

BOM Setup with unfinished products

The material flow of the unfinished products can be monitored with the help of the '[Unfinished Product](#)' items. Set the 'Qty tolerance %' to 100 for the unfinished product on the 'Unfinished material' line in order to allow pick list to be created even though no pickable stocks of the unfinished materials are found.

#	R.	Row Type	Type	No.	Quantity	UoM N...	Warehouse	Milestone Type	Issue Method	Qty tolerance %	B.
1		Material	Item	ITEM01	1	PCS	02	Depends On Begin	Manual	0.000	
2		Material	Item	ITEM10	2	CAN	02	Depends On Begin	Manual	0.000	
3		Operation	Item	oPAS	180	min	02	Milestone	Backflush	0.000	
4		Unfinished Product	Item	UFPR01	-1		02	Depends On Every	Manual	0.000	
5		Unfinished Material	Item	UFPR01	1		02	Depends On Every	Manual	100	
6		Operation	Item	oPCU	5	min	02	Milestone	Backflush	0.000	

During a production it is possible that not the total produced quantity of the unfinished product is consumed. In order to avoid stock allocation on pick list/pick list proposals for unfinished products only store the remaining unfinished products on a location that verifies one of the following:


- [Disallowed location](#)
- Location where the 'Block stock from being used for the picking process' option is enabled.

3. Production steps

In order to work with both Produmex Manufacturing and Produmex WMS you have to create a production order in a WMS managed warehouse. Otherwise the production flow will be the same as described in [Produmex Manufacturing Functional Guide](#).

Make sure that both add-on runs.

Please note: The 'Backflush' issue type is only supported for operation and cost items for production orders in a Produmex WMS warehouse.



3.1. Create production order

First create the production order(s). Production orders can be created:

- manually
- from MRP recommendations (For more information please see: [Everyday work](#))
- from MTO recommendations (For more information please see: [Make to Order manufacturing](#))

3.2. Assign the production line

3.2.1. Assign production line to a single production order

Assign a production line to the production order by selecting a production line from the dropdown menu next to the warehouse field. Every active [production line](#) from the warehouse can be selected.

A production line can only be assigned while the production order status is 'Planned'.

Production Order

Type: Standard
 Status: Planned
 Product No.: ITEM05
 Product Description: Batch number + best before date manual UOM
 Warehouse: 02 (highlighted in red)
 PR, PL2

No. Primary: 42
 Order Date: 05/02/17
 Start Date: 05/02/17
 Due Date: 05/02/17
 User: manager
 Origin: Manual
 Sales Order:
 Customer:
 Distr. Rule:
 Project:

Components				Summary				Produmex								
#	R..	Row Type	Type	No.	Base ...	Planned...	Issued	Milestone Type	Milestone Group	Avail...	UoM ...	UoM ...	Wareho...	Issue Method	Qty tolerance...	Has ...
1		Material	Item	ITEM01	1	1		Depends On Begin	cPAS_3	18	Manual	PCS	02	Manual	0.000	False
2		Material	Item	ITEM10	2	2		Depends On Begin	cPAS_3	69	Manual	CAN	02	Manual	0.000	False
3		Operation	Item	cPAS	180	180		Milestone	cPAS_3		Manual	min	02	Backflush	0.000	False
4		Unfinished Proc	Item	UFPR01	-1	-1		Depends On Every	cPAS_3	8	Manual		02	Manual	0.000	False
5		Unfinished Ma	Item	UFPR01	1	1		Depends On Every	cPCU_6	8	Manual		02	Manual	100.000	False
6		Operation	Item	cPCU	5	5		Milestone	cPCU_6		Manual	min	02	Backflush	0.000	False
7			Item													False

Remarks:
 Pick and Pack Remarks:
 Update Cancel View Create pick list proposal

The assigned production line defines the input, output and lined up locations for the production. During the production, materials will be consumed from the input location, lined up location and the production line and the products and by-products will be received into the output location.

3.2.2. Assign production line to multiple production orders

Open the [Production Management Cockpit](#) from the Production module. Select the production orders and click on the 'Set Production Line' button. On the opening screen select the production line from the dropdown list then press 'Update'.

Please note: The production line can only be set for 'Planned' production orders. The selected production orders must be from the same warehouse.

3.3. Release production order

As the next step release the production order. The production order can be released in the following ways:

3.3.1. Single order release

- **On the production order**

- Set the status of the production order to 'Released' then click on the 'Update' button.

- **On the Production Manager**

- Open the Production Manager from the Produmex Production module. Click on the 'Production orders' button. On the 'Production order' screen select the production line from the dropdown menu. Select the production order and click on the 'Release order' button.

- For more information please see: [Release the production order](#)

3.3.2. Mass order release

Open the [Production Management Cockpit](#) from the Production module. Select the production order(s) and click on the 'Change Selected' button. On the opening form select 'Released' as the *Pr.Ord. Status* from the dropdown menu and click on 'OK'. Recalculate the production orders by clicking on the 'Recalculate' button.

The following additional columns are displayed on the Production Management Cockpit:

- Pmx Production Line:** The code of the assigned production line.
- Pmx Status:** The Produmex status of the production order. Possible values: Planned/Started/On hold/Closed

3.4. Pick components

The picking can be executed in the following ways:

- Based on the production order. The stock to be picked will not be locked and the system allows overpicking. For more information please see: [Picking for production](#).
- Based on a pick list. The stock to be picked will be locked for the pick list and the system only allows overpicking if the 'Allow continuous picking for production' option is enabled on the [Picking for production controller](#). For more information please see: [Pick list for production](#).

When creating a pick list proposal, every item on a material line will be proposed, if there is available stock except for lined up materials with the Allow to pick lined up? option set to 'False'. Please note: A pick list proposal cannot be created if there is a material with a non-Produmex warehouse set.

3.5. Start the production

Usually is not required to set the PMX status to start in order to work with Produmex PDC. However we recommend to do so for better visibility: started production orders are marked on the [Production Management Cockpit](#).

Starting the production order with Produmex is only required in the following cases:

- To assign lined-up locations
- To pre-assign batch based on the batch number generator for production
- If the batch has a best before date definition

Start the production in the office environment. After the production is started, the Produmex status of the order will be changed to *'Started'*.

The production order can be started by clicking on the 'Start' button on the production order, or from the Production Manager: Open the Production Manager from the Produmex Production module. Click on the 'Production orders' button. On the opening *Production order* screen select a production line from the dropdown menu. Select the production order and click on the 'Start production' button. Only released production orders can be started. The *Start production* screen will open.

On the Start production screen define the batch number and the best before date for the product and the source locations for the lined up components. For more information please see: [Start production order/4.1.Office](#)

Define the batch number and best before date of the product

If the product is managed by batches, a *'Batch number'* field is shown on the screen. For more information about the settings of the second batch number please see: [Batchnumber production company](#)

If the product has a second batch number, a *'Batch number 2'* field is shown on the screen. For more information about the settings of the second batch number please see: [Batchnumber production company](#)

If the product has a best before date, an additional *'Best before date'* field is shown on the screen. The default best before date depends on the [Expiry definition](#) set on the [Produmex Production tab](#) of the Item Master Data. The adjustment of the default best before date can be enabled on the [Best before for production generator](#).

Define the batch number and best before date of the product

If there are components on the production order that has to be lined up, assign a lined up location for the component. For more information about assigning a lined up location for an item please see: [Start production order/4.1.1. Assign a tank](#)

To start the production, click on the *'Start production'* button. The Produmex status of the production order will be changed to *'Started'*.

Start production

Production order	Item	Qty to make
13	ITEM25 - SAP serial number + best before date + 2ND Batch + track location manual UOM	5 PCS

Batch number 2

PR66666

Best before date

Thursday . April 25, 2019

Lined up tanks

Item code	Description	Tank
ITEM29	No Batch no serial no BBD manual UOM	PR.BL1

Assign tank

Tanks

Tank	# in tank	Produce?
PR.BL1	10.00 PCS	<input type="checkbox"/>

Start production

Cancel

3.6. Execute the production or the shopfloor

Execute the production on the shopfloor with Produmex PDC as described in [Production Data Collector](#). Because the materials will be issued from the input/lined up location or the production line and the (by-)products will be received to the output location, the steps of the material issue and the product receipt will differ from the standard PDC steps.

Please note: The integrated production execution will not work when using the [PDC legacy mode](#).

3.6.1. Receive main product and by-products

Receive the main product or by-products on the 'Products' screen. On the grid the main product, the by-products and the unfinished product(s) are listed. The main product is always listed first.

The default quantity of the main product is the produced quantity defined on the partial or complete job/setup screen. The quantity of the main product cannot be adjusted.

The default quantity of the by-product and the unfinished product is calculated based on the quantity received from the main product and the base quantity on the production order. The quantity of the by-product and the unfinished product can be adjusted.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 04/20/17 04:53 PM

Server: 17.05.31007.18920 Client: 17.05.31007

[Products]

Production Order #666 sA1101 (Raw Bike Framework) UoM pcs

Operation 167-1 (oPCU - Cutting)

Product SSCC

Quantity 0

Item	Name	SSCC	Quantity
sA1101	Raw Bike Framework		0 of 1 pcs

Done Cancel Serial / Batch

Destination SSCC

Main product and by-product(s)

To add the main product/by-product into an existing logistic unit, scan the SSCC or select it from a list after pressing the SSCC field. On the next screen select the SSCC from the list. Only SSCC's stored on the output location of the production line can be scanned or selected. To add the main product/by-product into an SSCC, select the SSCC and press the 'Ok' button.

It is also possible to add the produced product into a new SSCC. Press the 'New' button. A new SSCC will be added to the list.

The list of SSCC's can be filtered on the Search field. Add the text/numbers to search for then press the 'Search' button. Only the SSCC's containing the entered text/numbers will be listed.

If no SSCC number has been selected, the system will automatically add the main products/by-products onto a new SSCC.

After the product receipt booking has been processed, the main product and the by-product(s) are received to the output location of the production line.

The screenshot shows the Mobile PDC application interface. At the top, there is a header bar with the Mobile PDC logo, the user name 'TEST_WMSMF (PMX_BUDTOSH2) - John Doe', and the date '05/08/17 11:54 AM'. Below the header, there is a search bar with the text 'Search' and a 'Search' button. The main area displays a list of products with columns for 'Y001' and a numerical value. The product with 'Y001' 2034 is highlighted in green. At the bottom, there are three buttons: 'OK' (F1), 'Cancel' (Esc), and 'New' (F2).

Y001	Value
2033	00000000000000000383
2034	00000000000000000390
2036	00000000000000000413
2044	00000000000000000451
2045	00000000000000000468
2046	00000000000000000475

Unfinished product

The produced unfinished product will be received onto the production line from where it can be consumed in the next operation. Unfinished products will not be received onto an SSCC, regardless whether the user defined one or not.

Batch number and best before date

If the main product/by-product is managed by batches and/or has a best before date, press the 'Serial/Batch button'.

The 'Product Batch Number' screen will open.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 04/20/17 04:59 PM

Server: 17.05.31007.18920 Client: 17.05.31007

Product Batch Numbers

Production Order #666 sA1101 (Raw Bike Framework) UoM pcs

Operation 167-1 (oPCU - Cutting)

Item sA1101 (Raw Bike Frame) SSCC (2) 000000000000000338

Batch Number (1) Batch Number (3)

Quantity 1 [Best Before] (4) 10/31/17

Batch Number	SSCC	Quantity	[Total Quantity]	Batch Number	[Best Before]
PR11017 (1)	000000000000000338 (2)	1	1	(3)	10/31/2017 12:00 (4)

Quantity 1 pcs Of 1 pcs

Rejected Quantity 0 pcs Of 0 pcs

Done Cancel Rejected Delete

- Batch number:** The default batch number is the batch number specified on the Start production screen of the Production Manager. The batch number can be modified on this screen regardless of the [Batch number production company controller](#) setting.
Please note: Every product produced during a job has to have the same batch number and best before date.
- SSCC number:** The SSCC number of the destination logistic unit. Cannot be modified.
- Second batch number:** The default batch number is the batch number specified on the Start production screen of the Production Manager. The batch number can be modified on this screen regardless of the [Batch number production company controller](#) setting.
- Best before date:** The default date is the best before date set on the Start production screen of the Production Manager. The best before date can be modified on this screen regardless of the [Best before for production generator](#) setting.

Serial numbers

If the main product/by-product is managed by SAP serial numbers, press the 'Serial/Batch' button. The 'Product serial numbers' screen will open. Add the serial numbers as described in [Product Serial numbers](#).

Please note: Do not select a bin location for the serial numbers.

Batch Attributes

If the *Enable batch attributes in PDC* option is enabled on the [Thin Client 2 tab](#) of Produmex Manufacturing settings, an additional 'Attributes' button is displayed on the screen.

Press the 'Attributes' button to add the batch attributes of the product.

On the next screen every required and optional batch attribute that is defined for the product on the [Produmex Attributes tab](#) is listed.

The *Attribute Name* is the name of the [batch attribute type](#). The Required column marks whether the batch attribute is set as required or optional. If a batch attribute is required, the user must set a value in order to proceed. On the value column the current batch attribute value is displayed.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 02/05/18 10:37 AM

Server: 17.12.15001.18920 Client: 17.12.15001 [Batch Attributes]

Production Order #164 MLCHB (Mild Cheddar Block) UoM PCS

Operation 164-0 (oPAS - Bike Assembly)

Item MLCHB (Mild Cheddar Block)

Batch Number BN2018020005 Quantity 4

[Attribute Name]	[Required]	Value
Country of origin	True	
Manufacturing date	True	
Moist	True	
Fat content	True	

Done F1 Cancel Esc Set Value F3

To set a value, select the line of the batch attribute and press the 'Set value' button. On the next screen set the value. The method for entering the value varies according to the batch attribute convertor:

- List: Select the value from the list. Every value that is defined for the batch attribute type on the [Batch attribute valid values user table](#) is listed.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 02/05/18 10:37 AM

Server: 17.12.15001.18920 Client: 17.12.15001 [Batch Attribute Value]

Production Order #164 MLCHB (Mild Cheddar Block) UoM PCS

Operation 164-0 (oPAS - Bike Assembly)

Item MLCHB (Mild Cheddar Block)

Batch Number BN2018020005 Quantity 4

[Attribute Name] Country of origin ✓ [Required]

[Attribute Value] Hungary F12

[VV Code]	[VV Description]
00001	Belgium
00002	USA
00003	Canada
00004	Hungary

Set F1 Cancel Esc

- Date: Enter the date in the following format: *mm/dd/yy*. To select the date on a form, press F12 and set the date with the up and down arrows. By default the current date is displayed. Press the icon to set the date back to the current date. Press the icon to close the date selector. Press the icon to set the date.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 02/05/18 10:39 AM

Server: 17.12.15001.18920 Client: 17.12.15001 [Batch Attribute Value]

Production Order	#164 MLCHB (Mild Cheddar Block)	UoM	PCS
Operation	164-0 (oPAS - Bike Assembly)		
Item	MLCHB (Mild Cheddar Block)		
Batch Number	BN2018020005	Quantity	4
[Attribute Name]	Manufacturing date	<input checked="" type="checkbox"/> [Required]	
[Attribute Value]	02/05/18		

02 05 18 Monday

Set F1 Cancel Esc

- Int: Enter the value to the *Attribute Value* field. You can add a whole number as the value.
- Double: Enter the value to the *Attribute Value* field. You can add a number with decimals as the value.
- String: Enter the value to the *Attribute Value* field. You can add a sequence of alphanumeric characters as the value.

Mobile PDC TEST_WMSMF (PMX_BUDTOSH2) - John Doe 02/05/18 10:41 AM

Server: 17.12.15001.18920 Client: 17.12.15001 [Batch Attribute Value]

Production Order	#164 MLCHB (Mild Cheddar Block)	UoM	PCS
Operation	164-0 (oPAS - Bike Assembly)		
Item	MLCHB (Mild Cheddar Block)		
Batch Number	BN2018020005	Quantity	4
[Attribute Name]	Comment	<input type="checkbox"/> [Required]	
[Attribute Value]	Add your comment here		

Set F1 Cancel Esc

After the booking is processed, you can see the booked batch attributes on the [PDC Bookings Administration](#) form.

Select the line of the booking. On the product grid click on the golden arrow in the *Compl. Qty.* column. On the opening form you can see the batch attribute values.

PDC Bookings Administration

Production...	Item Code	Item Name	Serial Batch No	Is Serial Number	Quantity	UoM	Pr.Ord.Op.ID	Work Center	Is Rejected	Attribute Name	Attribute Is Required	Attribute Value
00047303	BATCH_ATTR	Batch attributes	BN222	<input type="checkbox"/>	2.000		00047299	vrAS	<input type="checkbox"/>		<input type="checkbox"/>	
				<input type="checkbox"/>	0.000				<input type="checkbox"/>	Comment	<input checked="" type="checkbox"/>	Comment
				<input type="checkbox"/>	0.000				<input type="checkbox"/>	Country of origin	<input checked="" type="checkbox"/>	00002
				<input type="checkbox"/>	0.000				<input type="checkbox"/>	Fat content	<input checked="" type="checkbox"/>	2.000000
				<input type="checkbox"/>	0.000				<input type="checkbox"/>	Manufacturing date	<input type="checkbox"/>	20180204

OK

Modify batch attributes

Batch attributes can be modified after the booking is created. On the Admin screen, press the Modify button and navigate to the Batch Attributes screen.

For more information about the Admin screen please see: [Admin](#)

3.6.2. Issue Materials

Specify the consumed quantities on the 'Materials' screen. Every material linked to the milestone operation are listed. Add the quantities as described in: [2.2.5. Materials](#)

Materials will be consumed from the input location/lined up location of the production line or from the production line directly therefore no bin locations can be selected.

Stocks to be consumed from a lined up will be sorted based on the [consumption algorithm](#) of the lined up location. Other stocks will be sorted by FEFO, then in the order they were moved to the production input line: PMX_ITRI."BestBeforeDate", PMX_INVT."InternalKey".

After the PDCProcessor processed the booking, the material(s) will be issued in SAP Business One with the specified quantities.

Batch number

Press the 'Serial/Batch' button to identify the batch number. Follow the steps described in: [Material Batch Number Picker](#)

Because the materials are issued from the input location/lined up location/production line, no bin locations can be selected and the 'Split' button is not displayed.

Serial numbers

Press the 'Serial/Batch' button to scan the serial numbers. Follow the steps described in: [Material Serial Number Picker](#)

3.7. Close production order

After the production has been finished, close the production order. First set the 'Prod.Status' UDF to 'Closed' on the production order then change the 'Status' on the header to 'Closed'.

Production Order

Type: Standard
Status: Closed
Product No.: 118105
Product Description: Batch number + best before date manual UOM
Planned Quantity: 1
Warehouse: 02
Pick list type: PR.PLS

No.: 24
Primary: 24
Order Date: 04/26/17
Start Date: 04/26/17
Due Date: 10/26/17
User: manager
Origin: Manual
Sales Order:
Customer:
Distr. Rule:
Project:

#	R...	Row Type	Type	No.	Base ...	Planned...	Issued	Milestone Type	Milestone Group	Avail...	UoM ...	UoM ...	Wareho...	Issue Method
1		Material	Item	ITEM01	1	1		Depends On E	cPAS_3	28	Manual	PCS	02	Manual
2		Material	Item	ITEM10	1	1		Depends On E	cPAS_3	87	Manual	CAN	02	Manual
3		Operation	Item	cPAS	180	180	180	Milestone	cPAS_3		Manual	min	02	Backflush
4		By-Product	Item	ITEM10	-1	-1		Depends On E	cPAS_3	87	Manual	CAN	02	Manual
5														

Remarks:
Pick and Pack Remarks:
Update Cancel View Create pick list proposal

Details Panel:
 Earliest Begin Time: 10:46AM
 Planned Outsourced Quantity:
 Parent Production Order DocNum:
 Completed Outsourced Quantity:
 Earliest End Date: 04/27/17
 End Date: 10/24/17
 IsDueAndReqDatesInvalidated: No
 Milestone Type: Depends On Every
 Production Order Step list key:
 Earliest End Time: 3:09PM
 End Time: 1:12PM
 Milestone Group: cPAS_3
 Operation Granularity:
 Rejected Outsourced Quantity:
 Production run:
 Latest Begin Date: 10/25/17
 Parent Due Date:
 Planned Due Date: 04/26/17
 Rejected Warehouse:
 Prod. Status: Closed
 Is Auto Roll:
 Latest Begin Time: 2:00PM
 Parent Due Time:
 Planned Due Time: 12:00AM
 Batch Number: PR11617
 Job Ticket Print Multiple:
 Parent Production Order:
 Preferred Begin Date: 10/24/17
 Release Due Date: 05/26/17
 Batch Number 2: PR11617
 Force Reallocation: No
 Parent Sales Order:
 Preferred Begin Time: 8:00AM
 Release Due Time: 12:00AM
 Best before date: 04/26/18
 Allocation Message:

Limitations

- Advanced outsourcing with unfinished products
- Items having a second batch number or a best before date that are not managed by batches are not supported as products or by-products.
- Materials with PMX serial number
- Do not use the 'Skip material serial/batch quantities screen' setting

16. Scheduled Reallocator

The Scheduled Reallocator will run on predefined times and reschedules the allocations of certain production orders.

16.1. Set up the Scheduled Reallocator


Configure the settings of the Scheduled Reallocator on the [Scheduled Reallocator tab](#) of Produmex Manufacturing settings.

Add the query for the Scheduled Reallocator with the Query Manager. Save it as the Query Name defined on the [Scheduled Reallocator tab](#) of Produmex Manufacturing settings.

In the example we will add the following query:

```
SELECT "DocEntry" FROM "OWOR" WHERE "Status" in ('R')
```

The query will get every released production order.




16.2. Reallocation

The Scheduled Reallocator will run on times defined and on the machine defined in the [Scheduled Reallocator](#) tab of Produemex Manufacturing settings.


If the add-on is not running at the defined time, the reallocation begins after the add-on is started.

When the scheduled reallocator runs, the system reschedules the production orders that are the result of the scheduled reallocator query.



16.3. Message

After the reallocation is finished, the SBO user selected as the as the Recipient on the [Scheduled Reallocator](#) tab will get a notification. The list of the allocation errors will be also included in the message.



17. Drag & Relate

Produmex Manufacturing extended the standard SAP Business One drag&relate feature with the following reports specialized for manufacturing:

1. BoM Tree
2. BoM Tree without Operations
3. BoM Usage
4. Production Material Requirements
5. Material Account Grid
6. Material Account Diagram
7. Operations Sequence Diagram
8. Job Requirements Report
9. Allocation Status

17.1. BoM Tree

To see the complete BoM of a product, grab the item code, place it on the 'BoM Tree' line, and then

click on 'BoM Tree'. If the grabbed item has a BoM, the BoM Tree View report will open.

The report lists every BoM element of the dropped item. If the Bill of Materials contains an assembly material or a phantom item, the BoM of the assembly material/phantom item will be shown as well. Assembly lines can be collapsed and expanded.

The following information is displayed:

- *Item Code*: This field contains an icon that indicates the role of the item in the BoM and the item code.
- *Item Name*: The description of the item.
- *Base Quantity*
- *Quantity*
- *UoM*
- *Is MTO*: Indicates whether the item will be considered for MTO planning or not.

BoM Tree View					
Item Code	Item Name	Base Quantity	Quantity	UoM	Is MTO
▼ p1001-1	Sports Bike	1.000	1.000		
▼ mM1001	Painted Bike Framework	1.000	1.000	pcs	✓
▼ mM1101	Raw Bike Framework	1.000	1.000	pcs	✓
▼ m1	5m Steel Pipe	1.000	1.000	pcs	✓
▼ oPCU	Cutting	40.000	40.000	min	
▼ m2	Steel Pipe	-2.000	-2.000	m	✓
▼ oPWE	Welding	40.000	40.000	min	
▼ oPPD	Painting and Drying	20.000	20.000	min	
▼ m3	Chain	1.000	1.000	pcs	
▼ m4	Wheel	2.000	2.000	pcs	✓
▼ oPAS	Bike Assembly	180.000	180.000	min	✓
▼ cOST1	Project Management	1.000	1.000		
▼ uP1001-0	Red Bike (Basic)	-1.000	-1.000	pcs	
▼ uP1001-0	Red Bike (Basic)	1.000	1.000	pcs	
▼ oPQA	Quality Assurance	3.000	3.000	min	
▼ m5	Bell	1.000	1.000	pcs	✓
▼ m6	Screw 8mm (Nut + Bolt)	1.000	1.000	pair	✓
▼ oPBI	Bell Installation	5.000	5.000	min	✓
▼ cOST2	Energy	1.000	1.000		

17.2. BoM Tree without Operations

To see the complete BoM of a product without operations, grab the item and drop it on the 'BoM Tree without Operations' line, then click on the line. If the grabbed item has a BoM, the BoM Tree without Operations report will open.

The report lists every element of the item's Bill of Materials, except the operations. If the Bill of Materials of the dropped item contains an assembly material or a phantom item, the BoM of the assembly material/phantom item will be shown as well. Assembly lines can be collapsed and expanded.

Item Code	Item Name	Base Quantity	Quantity	UoM	Is MTO
p1001-1	Sports Bike	1.000	1.000		
mM1001	Painted Bike Framework	1.000	1.000	pcs	✓
mM1101	Raw Bike Framework	1.000	1.000	pcs	✓
m1	5m Steel Pipe	1.000	1.000	pcs	✓
m2	Steel Pipe	-2.000	-2.000	m	✓
m3	Chain	1.000	1.000	pcs	
m4	Wheel	2.000	2.000	pcs	✓
cOST1	Project Management	1.000	1.000		
uP1001-0	Red Bike (Basic)	-1.000	-1.000	pcs	
uP1001-0	Red Bike (Basic)	1.000	1.000	pcs	
m5	Ball	1.000	1.000	pcs	✓
m6	Screw 8mm (Nut + Bolt)	1.000	1.000	pair	✓
cOST2	Energy	1.000	1.000		

17.3. BoM Usage

To see the products that require the given item as a component, grab the item, place it on the 'BoM Usage' line, and then click on the line.

A product is listed on the opening BoM Usage form if its BoM contains the selected item.

If the item is a phantom item, the BoMs that contain the phantom item will be listed under the item.

The report can be used for materials, components, operations, by-products and costs.

The following information is displayed:

- *Item Code*: This field contains an icon that indicates the role of the item in the BoM and the item code.
- *Item Name*: The description of the item.
- *Base Quantity*
- *UoM*
- *Is MTO*: Indicates whether the item will be considered for MTO planning or not.
- *On hand*: The quantity in stock.
- *On order*: The ordered quantity.
- *Is committed*: The committed quantity.

Item Code	Item Name	Base Quantity	Quantity	UoM	Is MTO	On hand	On order	Is committed
oPAS	Bike Assembly	1.000	1.000	min		0.000	0.000	0.000
mM1102	Assembly	0.006	180.000	min	✓	0.000	0.000	0.000
Item01	Batch nbr	180.000	180.000	min		2.000	17.000	1.000
p1001-1	Sports Bike	0.006	180.000	min	✓	38.000	105.000	101.000
p1001-2	Red Bike_nos	0.006	180.000	min	✓	0.000	0.000	0.000

17.4. Production Material Requirements

To see the list of production orders that require the given item as a material, open the Production Material Requirements report. Grab a component/material item, drop it on the 'Production Material Requirements' line, and then click on the line.

On the grid every open production order that contains the item as a material will be listed and linked.

Please note: If a material is not linked to an operation, it will not be listed.

The following information is displayed:

- *Pr.Ord.Line*: The production order line where the material is located.
- *Op.Beg.Date*: The begin date of the linked operation.
- *Op.Beg.Time*: The begin time of the linked operation.
- *Pr.Ord.Beg.Date*: The begin date of the production order.
- *Pr.Ord.Beg.Time*: The begin time of the production order.
- *Qty.*: The required quantity.

Production Material Requirements							
Item Code		mM1101					
Item Name		Raw Bike Framework					
Pr.Ord.No	Pr.Ord.Line	Op.Beg.Date	Op.Beg.Time	Pr.Ord.Beg.Date	Pr.Ord.Beg.Time	Qty.	
584	1	05/04/17	08:20	05/04/17	08:20	1.000	
587	1	03/09/17	15:10	03/09/17	15:10	10.000	
589	1	02/17/17	16:28	02/17/17	16:28	1.000	
590	1	02/17/17	15:56	02/17/17	15:56	1.000	
594	1	05/04/17	08:00	05/04/17	08:00	1.000	
597	1	03/02/17	08:00	03/02/17	08:00	1.000	
617	1	05/03/17	09:58	05/03/17	09:58	1.000	
632	1	05/25/17	08:00	05/25/17	08:00	1.000	
635	1	04/06/17	10:13	04/06/17	10:13	10.000	
638	1	04/14/17	15:10	04/14/17	15:10	10.000	
643	1	04/14/17	15:10	04/14/17	15:10	10.000	
656	1	05/04/17	08:40	05/04/17	08:40	10.000	
661	1	07/25/17	17:20	07/25/17	17:20	10.000	
666	1	08/17/17	16:30	08/17/17	16:30	0.000	

17.5. Material Account Grid

To see the incoming and outgoing inventory transactions of an item, open the Material Account Grid. Drag a non-operation item and drop it on the 'Material Account Grid' line, then click on the line. The 'Material Account Grid' form will open.

Material Account

Item Code

UoM

BATCH01

From Date

To Date

07/25/17

12/01/17


Due Date	Due Time	MRP Resource Type	Doc Entry	Doc Number	Doc Line	Quantity	Warehouse Code	Delta Quantity	Warehouse Quantity	Total Quantity
	00:00	Stock	0	0	0	0.000	01	0.000	0.000	0.000
	00:00	Stock	0	0	0	20.000	02	20.000	20.000	20.000
	00:00	Stock	0	0	0	0.000	03	0.000	0.000	20.000
	00:00	Stock	0	0	0	0.000	04	0.000	0.000	20.000
	00:00	Stock	0	0	0	0.000	05	0.000	0.000	20.000
05/31/17	00:00	Production Enter	52	52	1	1.000	02	1.000	21.000	21.000
06/20/17	00:00	Production Enter	61	61	1	8.000	01	8.000	8.000	29.000
06/23/17	00:00	Production Enter	64	64	1	1.000	01	1.000	9.000	30.000
06/26/17	00:00	Production Enter	65	65	1	1.000	01	1.000	10.000	31.000
06/27/17	00:00	Production Enter	66	66	1	1.000	02	1.000	22.000	32.000
06/27/17	00:00	Production Enter	67	67	1	1.000	02	1.000	23.000	33.000
06/27/17	00:00	Production Enter	68	68	1	1.000	01	1.000	11.000	34.000
06/27/17	00:00	Sales Exit	90	90	0	10.000	02	-10.000	13.000	24.000
06/27/17	00:00	Sales Exit	91	91	0	10.000	02	-10.000	3.000	14.000
06/27/17	00:00	Sales Exit	98	98	0	10.000	02	-10.000	-7.000	4.000

Refresh

Close

17.6. Material Account Diagram

To see the incoming and outgoing inventory transactions of an item on a diagram, open the Material Account Diagram. Drag a non-operation item, drop it on the 'Material Account Diagram' line, and then click on the line. The 'Material Account Diagram' form will open.




17.7. Operations Sequence Diagram

To see the MTO sequence of a production order, drag it, place it on the 'Operations Sequence

Diagram’ line, and then click on the line. The [Operations Sequence Diagram](#) will open.


The operations sequence diagram can only be opened for release production orders that are part of an MTO chain.



17.8. Job Requirements Report


The Job Requirements report can be printed with the drag & relate function as well.

Drag a released production order, drop it on the 'Job Requirements Report' line, and then click on the line. The 'Select Report Layout' window will open up. After the report is selected, the system will print the Job Requirements Report for the production order.




17.9. Allocation Status

To see the allocation status of a released production order, drag the production order, place it on the 'Allocation Status' line, and then click on the line. The [Allocation error list window](#) will open.



If there are no allocation errors, the following system message will open:



Bills of Materials

The first character of a row defines the row type and drives the processing of the row. If a comment token was defined, all rows beginning with the given character are skipped.

The following row types are supported:

- H - Header row
- I - Item row
- S - Supplier row
- R - Resource row
- T - Text row

Every other first character, except the comment token, generates an error message.

Download an example CSV file from here: [Bills of Materials importer file example](#)

Header row type

It represents the header of the Bill of Materials.

No.	Name	Mandatory	Possible types/values	Description
1	Row type	✓	H	
2	Product No.	✓	Text	Item code of the product/sub-assembly. Must be a valid item code.
3	Planned Average Production Size		Number	
4	Quantity		Number	If left empty, the value will be 1.
5	Warehouse (To)		Text	Must be a valid code of a warehouse.
6	Price List		Integer	Must be a valid code of a price list.
7	Distribution Rule 1		Text	The Distribution rule for Dimension 1. Must be a valid identifier of a distribution rule.
8	Distribution Rule 2		Text	The Distribution rule for Dimension 2. Must be a valid identifier of a distribution rule.
9	Distribution Rule 3		Text	The Distribution rule for Dimension 3. Must be a valid identifier of a distribution rule.
10	Distribution Rule 4		Text	The Distribution rule for Dimension 4. Must be a valid identifier of a distribution rule.
11	Distribution Rule 5		Text	The Distribution rule for Dimension 5. Must be a valid identifier of a distribution rule.
12	Project		Text	Must be a valid identifier of a project.
13	Calculation Base Quantity		Number	
14	Custom Code		Text	
15	Is Auto Roll		N/Y	N - No Y - Yes If left empty, the value will be 'N'.
16	Milestone type		Integer between 0 and 4	0 - 1 - Milestone 2 - Depends on Begin 3 - Depends on Every 4 - Depends on End If left empty, the value will be '0'.
17	Operation Granularity		Number	
18	Recipe Version		Number	<i>No validation</i>
19	Rejected Warehouse		Text	Must be a valid code of a warehouse.
20	Timestamp		Text	<i>No validation</i>

If there is a value beyond 20th column, the row is invalid. A format error message is generated, and BoM is not processed.

Item row type

It represents a row on the grid of the Bill of Materials. The BoM row type is defined by the row sub type (second column) in the import file.

The first 15 column is the same for every-sub type. If the sub type of the row is operation, operation specific information can be added on the 16-39 columns.

No.	Name	Mandatory	Possible types/values	Description
1	Row type	✓	I	
2	Row sub-type	✓	Integer between 1 and 8	1 - Material 2 - Operation 3 - Unfinished Material 4 - Supplier Material 5 - By-Product 6 - Unfinished Product 7 - Cost 8 - Phantom
3	Item Code	✓	Text	Define an item with the given sub-type. Must be a valid item code. <i>The row sub-type is not validated.</i>
4	Quantity	✓	Number	This field should be empty for operations. The importer automatically calculates the quantity and updates this field with the calculated quantity.
5	Warehouse		Text	Must be a valid code of a warehouse.
6	Issue Method		M/B	M - Manual B - Backflush If left empty, the value will be 'B'.
7	Milestone type		Integer between 0 and 4	0 - 1 - Milestone 2 - Depends on Begin 3 - Depends on Every 4 - Depends on End If left empty, the value will be '0'.
8	Price List		Integer	Must be a valid code of a price list.
9	Comments		Text	
10	Distribution Rule 1		Text	The Distribution rule for Dimension 1. Must be a valid identifier of a distribution rule.
11	Distribution Rule 2		Text	The Distribution rule for Dimension 2. Must be a valid identifier of a distribution rule.
12	Distribution Rule 3		Text	The Distribution rule for Dimension 3. Must be a valid identifier of a distribution rule.
13	Distribution Rule 4		Text	The Distribution rule for Dimension 4. Must be a valid identifier of a distribution rule.
14	Distribution Rule 5		Text	The Distribution rule for Dimension 5. Must be a valid identifier of a distribution rule.
15	WIP Account		Text	The internal reference of a WIP Account. The internal reference code can be found in the OACT.ACCTCODE field.
16	Consignation Size		Number	
17	Drawing Position Number		Integer	
18	Profit Center		Text	
19	Rejected Warehouse		Text	Must be a valid code of a warehouse.

If the sub-type of the row is not operation, and there is a value beyond 19th column, the row is invalid. A format error message is generated, and BoM is not processed.

Operation row sub-type

No.	Name	Mandatory	Possible types/values	Description
20	Before Time		Number	The importer converts it to a base time using the Operation Time UoM from actual row of CSV or from Manufacturing Operation.
21	Safety Time		Number	
22	Setup Time		Number	
23	Job Time		Number	
24	Teardown Time		Number	
25	After Time		Number	
26	Time Base		Number	
27	Operation Break		Integer between 0 and 5	0 - 3 - Allowed 1 - Denied 2 - Allowed WC 4 - Allowed NBP 5 - Allowed WCNBP If left empty, the system will copy the value from the manufacturing operation.
28	Operation Time UoM		Text	The value must be a valid time code defined on the TimeUnits (BXPTIMEUNITS) user table.*
29	Is parallel operation		N/Y	N - No Y - Yes If left empty, the system will copy the value from the manufacturing operation.
30	Is overlapping operation		N/Y	N - No Y - Yes If left empty, the system will copy the value from the manufacturing operation.
31	Max Parallel Operations		Integer	
32	Overlapping Quantity		Number	
33	Allocation Window		Number	The importer converts it to a base time using Allocation Window UoM from actual row of CSV or from Manufacturing Operation.
34	Allocation Window UoM		Text	The value must be a valid time code defined on the TimeUnits (BXPTIMEUNITS) user table.*
35	Min Job Quantity		Number	
36	Feature		Text	Must be an existing work center feature.

No.	Name	Mandatory	Possible types/values	Description
37	Is Mandatory Work Center		N/Y	N - No Y - Yes If left empty, the system will copy the value from the manufacturing operation.
38	Preferred Work Center		Text	Must be an existing Work Center which supports selected Work Center Feature (from CSV or from Manufacturing Operation)
39	Outsourced		N/Y	N - No Y - Yes If left empty, the system will copy the value from the manufacturing operation.
40	In House Quantity		Number	
41	Outsourcing Lead Time		Number	If the Outsourced flag is set to Y, the importer converts it to a base time using Outsourcing UoM from actual row of CSV or from Manufacturing Operation. If the Outsourced flag is set to N, this field must be empty.
42	Outsourcing UoM		Number	If the Outsourced flag is set to Y, the value must be a valid time code defined on the TimeUnits (BXPTIMEUNITS) user table.* If the Outsourced flag is set to N, this field must be empty.
43	Items per Outsourcing Unit		Number	If the Outsourced flag is set to N, this field must be empty.

* In order to use Produmex Manufacturing integrated with Produmex WMS. the UoM must exist in the Units of Measure - Setup (OUOM) standard SBO table as well.

If the row is an operation row, and there is a value beyond 43th column, the row is invalid. A format error message is generated, and BoM is not processed.

Supplier row type

It represents information about outsourcing partners. It can follow only an operation row or another supplier row, otherwise a format error message is generated and BoM is not processed.

No.	Name	Mandatory	Possible types/values	Description
1	Row type	✓	S	
2	Supplier Code	✓	Text	Must be a valid supplier code.
3	Planned Quantity	✓	Number	

If there is a value beyond 3rd column, the row is invalid. A format error message is generated, and BoM is not processed.

Resource row type

No.	Name	Mandatory	Possible types/values	Description
1	Row type	✓	R	
2	Resource Code	✓	Text	Must be a valid resource code.
3	Quantity	✓	Number	
4	Warehouse		Text	Must be a valid code of a warehouse.
5	Issue Method		M/B	M - Manual B - Backflush If left empty, the value will be 'B'.
6	Unit price		Number	
7	Comments		Text	
8	Distribution Rule 1		Text	The Distribution rule for Dimension 1. Must be a valid identifier of a distribution rule.
9	Distribution Rule 2		Text	The Distribution rule for Dimension 2. Must be a valid identifier of a distribution rule.
10	Distribution Rule 3		Text	The Distribution rule for Dimension 3. Must be a valid identifier of a distribution rule.
11	Distribution Rule 4		Text	The Distribution rule for Dimension 4. Must be a valid identifier of a distribution rule.
12	Distribution Rule 5		Text	The Distribution rule for Dimension 5. Must be a valid identifier of a distribution rule.
13	WIP Account		Text	The internal reference of a WIP Account. The internal reference code can be found in the OACT.ACCTCODE field.

If there is a value beyond 13th column, the row is invalid. A format error message is generated, and the BoM is not processed.

Text row type

No.	Name	Mandatory	Possible types/values
1	Row type	✓	T
2	Text	✓	Text

If there is a value beyond 2th column, the row is invalid. A format error message is generated, and the production order is not processed.

From:
<http://wiki.produmex.name/> -

Permanent link:
<http://wiki.produmex.name/doku.php?id=implementation:manufacturing:functionalguide>

Last update: **2018/03/12 11:00**

