


Customization Example: Micro-Vertical Solution for Serial Numbered Appliance Trading Organizations

This document describes how the Free Goods Receipt PO process in WH9 was customized to fit a typical client and form a part of the micro-vertical solution for serial numbered appliance trader and similar companies. The customizations for each screen are described in detail.

1. Free Goods Receipt PO



In BX Mobile WH9, the Free Goods Receipt PO consist of 3 screens: a main screen used to start creating and preparing a new Goods Receipt document, a screen showing item lines and quantities and a detail screen on which the receiving bin location and serial numbers can be specified.

In standard WH9, these screens are optimized for receiving items sequentially, that is, start receiving ITEM1, enter to location, quantities or serial numbers, then start receiving ITEM2, enter location, quantities or serial numbers. This is a good solution in many cases when there are a couple of different items being received and they are grouped.

However, in this micro vertical solution the typical customer wants to receive many different items, a kind of assortment, which are not grouped by item code, maybe only by similar items. These items are also mostly serial numbered, which means the standard WH9 way of receiving requires a lot of extra actions on the mobile user interface. The goal here was to allow the warehouse worker to use the bar code scanner button 99% of the time when doing the receiving. In practice this means: he will take the next piece of item (boxed), scan the item code bar code, then scan the serial number bar code, and then move on to the next piece of item (boxed).

During receipt, the items are moved to a temporary bin location, which is an empty pallet labelled with a bin code. When a pallet is full the warehouse worker can change the bin location to the next temporary bin location, the next pallet's location. In a later step, these pallets are moved to shelves


with a forklift and the WH9 Mass Transfer function, which moves all the stocks on one bin to another.

1.1. Comparison of the Original and New Receiving

Below you can see the original process for receiving.

The extra steps that this micro-vertical solution eliminates have been colored.


If we look at just the main action (from Set warehouse to just before Finish), receiving 10 serial items takes $10 \times 5 = 50$ actions this way. It needs 3 bar code scans (item, to bin, serial number) and 2 button presses (Add, Done) per item piece.



The following picture shows you the new process with these steps eliminated.

The core steps of receiving 10 items means $10 \times 2 = 20$ steps, plus changing the destination palette (to bin) occasionally. Even better, these actions are all bar code scans (item code, serial number), only 2 per item.

This shows how we optimized the process. Please also note, that there are other types of companies who might receive only a few different serial numbered items at once, for them, the original WH9 process of scanning one item code then scanning a lot of serial numbers is much more effective.



1.2. Free Goods Receipt PO - Main Screen

This screenshot shows the 'Create GR PO' window. The title bar includes standard window controls and icons. The 'Supplier' field is at the top with a dropdown arrow. Below it is a large, empty light blue area. At the bottom, there is a 'Reload' button and two buttons labeled 'New' and 'Cancel'.

This screenshot shows the 'Create GR PO' window with an additional field. The 'Ref.No.' field is now visible below the 'Supplier' field. A red circle with the number '1' is placed over the 'Ref.No.' field, indicating a change or a specific action related to this field. The rest of the interface, including the 'Reload', 'New', and 'Cancel' buttons, remains the same.

Changes:

(1) Added Ref. No. field which will be copied to the new Delivery document. The user queries and custom fields for the above custom logic:

- (1) To add the RefNo field to the screen, add a record to the Customization Fields (BXPCUSTFD) user table. WH9 automatically recognizes the BO_* prefix and looks for a DI API property with the same name in DI Delivery document and maps it automatically.

FieldName	Label	Screen
BO_NumAtCard	Ref.No.	CreateGoodsReceiptPOScreen

1.3. Free Goods Receipt PO - Item Lines Screen

Supplier: LG * LG vendor

Warehouse: []

Item: []

UoM: [] (5)

Quantity: [] Add Upd

Item: H001 * Clima 001
WH: 05 2

Item: H002 * Clima 002
WH: 05 1

Item: A00001 * IBM Infoprint 1312
WH: 05 2

Item: H003 * Clima 003
WH: 05 1

Back

Supplier: LG * LG vendor

Warehouse: 05 (2)

Item: [] (3)

Quantity: [] Add Upd

H001 * Clima 001
VH001 2

H002 * Clima 002
VH002 1



A00001 * IBM Infoprint 1312
A1 2

H003 * Clima 003
VKH3 1

Back

Changes:

1. List items are changed to show Item Code + Item Name without prefix and to show bar code (EAN) in the second line instead of warehouse.
2. The warehouse is filled by the last selected warehouse for the employee by default and the value is saved if it has changed.
3. After the item has been scanned, it is checked if that item has any open Purchase Orders from the same supplier.
4. If the item was valid and there are no problems, after scanning item code or bar code the screen automatically opens the next (bin locations) screen. No need to press the [Add] button explicitly.
5. The Add button checks if there is still open quantity for the given item from the same supplier. It gives a warning if there are no more open quantities.
6. UoM field is hidden because it's not used.



The user queries and custom fields for the above custom logic:

1

```
-- BXMobileWH9_CreateGoodsReceiptPOLineScreen_DataRepeater_InternalDataLoad
-- fill UIItem with item code and name
-- and UIWarehouse with OITM.CodeBars in list
SELECT SUBSTRING (S.splitdata,7,50) AS [DataRepeater.UIItem],
C.CodeBars AS [DataRepeater.UIWarehouse]
FROM dbo.SplitStringForDataRepeater($[DataRepeater.UIItem]) S, OITM C
WHERE C.ItemCode=SUBSTRING(S.splitdata,7,PATINDEX('%*%',S.splitdata)-8)
```

2

```
-- BXMobileWH9_CreateGoodsReceiptPOLineScreen_TextWarehouse_validate_after
-- save Warehouse value to OHEM to remember it for next time
IF (SELECT ISNULL (OHEM:U_ToWH,'') FROM OHEM
WHERE empID = $[Employee.EmployeeID]) <> $[TextWarehouse]
    UPDATE OHEM SET [U_ToWH]=$[TextWarehouse]
    WHERE empID = $[Employee.EmployeeID]
```

3

```
-- BXMobileWH9_CreateGoodsReceiptPOLineScreen_TextItem_validate
-- check Item and see if it has open quantity in Purchase orders from
-- this supplier, if not, show error message
DECLARE @ckod nvarchar (MAX)
SET @ckod = $[TextItem]
IF NOT EXISTS (SELECT (T0.ItemCode FROM OITM T0 WHERE T0.ItemCode=@ckod)
SELECT @ckod=T1.ItemCode FROM OBCD T1 WHERE T1.BCdCode=@ckod

IF @ckod<>' ' AND (SELECT ISNULL (SUM(T1.[OpenQTX]),0) FROM OPOR T0 INNER
JOIN
POR1 T1 ON T0.[DocEntry] = T1.[DocEntry] WHERE T1.[ItemCode] = @ckod AND T0.
[CardCode] = LEFT($[TextSupplier],PATINDEX('%*%', $[TextSupplier])-1))=0
SELECT 'There is not Purchase Order: '+@ckod
AS 'Message$', 'E' AS 'MessageType$' ELSE SELECT '' AS dummy
-- BXMobileWH9_CreateGoodsReceiptPOLineScreen_TextItem_validate_after
-- If item is filled then set quantity to empty and press Add automatically
IF $[TextItem]<>' ' SELECT '' AS TextQuantity, 'ButtonAdd' AS Click$
```


4

```
-- BXMobileWH9_CreateGoodsReceiptPOLineScreen_ButtonAdd_click
-- when add button is pressed check if there is open quantity
-- for that item in Purchase Orders
DECLARE @ckod nvarchar(MAX)
SET @ckod = $[TextItem]
IF NOT EXISTS (SELECT T0.ItemCode FROM OITM T0 WHERE T0.ItemCode=@ckod)
SELECT @ckod=T1.ItemCode FROM OBVD T1 WHERE T1.BCdCode=@ckod

IF (SELECT
SUM(CAST(LEFT(S.splitdata2,PATINDEX('% %',Splitdata2)-1) AS DECIMAL (1,5)))
FROM
dbo.SplitStringForDataRepeater2($[DataRepeater.UIItem],$[DataRepeater.
UIQuantity]) S
WHERE
@ckod=SUBSTRING(S.splitdata,1,PATINDEX('%*%',S.splitdatda)-1))>=(SELECT
ISNULL (SUM(T1.[OpenQty]),0) FROM OPOR T0.[CardCode]=LEFT($
[TextSupplier],PATINDEX('%*%', $[TextSupplier])-1))
SELECT 'There is no more PO fr this item. Continue?' AS 'Message$', 'YM' AS
'MessageType$'
```

5

To hide the UoM item on the screen, add a record to the Customization Fields(BXPCUSTFD) user table:

FieldName	Label	Screen
TextUoM	NO	CreateGoodsReceiptPOLinesScreen

1.4. Free Goods Receipt PO - Serial Numbers Screen

Changes:

1. Save the last bin for next time and load it with last value
2. New field: EAN (Item's bar code) added and loaded with data
- 3., 4. After serial number has been scanned, automatically press Done to go to previous WH9 screen

The user queries and custom fields needed for these are:

1

```
--
BXMobileWH9_CreateGoodsReceiptPOQuantitiesSerialScreen_TextBinLocation_validate_after
-- Save Bin Location from screen to employee so it can be loaded next time
IF (SELECT ISNULL (OHEM.U_ToBL, '') FROM OHEM WHERE empID = $
[Employee.EmployeeID]) <> $[TextBinLocation]
UPDATE OHEM SET [U_ToBL]=$[TextBinLocation] WHERE empID = $
[Employee.EmployeeID]
```

1,2

```
-- BXMobileWH9_CreateGoodsReceiptPOQuantitiesSerialScreen_Load
-- On screen load fill bin location from saved value-- and fill EAN field
from OITM.CodeBars
SELECT
(SELECT OHEM.U_ToBL FROM OHEM WHERE empID = $[Employee.EmployeeID])
AS 'TextBinLocation',
(SELECT CodeBars FROM OITM WHERE ItemCode=SUBSTRING
($[TextItem],1,PATINDEX('%*%', $[TextItem])-2) )
AS 'EanKod'
```

2

To show the new EAN field on the screen, add a record to the Customization Fields (BXPCUSTFD) user table:

FieldName	Label	ReadOnly	Screen
EanKod	EAN	YES	CreateGoodsReceiptPOQuantitiesSerialScreen

3, 4

```
--  
BXMoblieWH9_CreateGoodsReceiptPOQuantitiesSerialScreen_TextSerial_validate_a  
fter  
-- After the serial number has been scanned, press OK button-- to go back to  
previous screen  
IF $[TextSerial]<>' ' SELECT 'OK' AS Click$
```

1.5. Free Goods Receipt PO - Regular Items Screen

Create GR PO

Item: A00001 * IBM Infoprint

Bin: 05-F2-P2-S2

UoM: (highlighted with red line and circled 6)

Quantity: (empty)

Add Upd

05-MR01 2

Print Qty 2

Done Cancel

Create GR PO

Item: A00001 * IBM Infoprint

Bin: 05-MR01 * Mobil BinLoc (2)

EAN: A1 (1)

Quantity: 1 (3)

Add (4) Upd

05-MR01 2

Print Qty 2

Done (5) Cancel

Changes:

1. New field: EAN (Item's bar code) added and loaded with data
2. Save the last bin for next time and load it with last value
3. Set quantity to 1 by default and focus on quantity
- 4., 5. When the Add button is pressed automatically press Done to go back to previous WH9 screen
6. UoM field is hidden because it's not used

The user queries and custom fields needed for these are:

1, 2, 3

```
-- BXMobilWH9_CreateGoodsReceiptPOQuantitiesNormalScreen_Load
-- When screen is loaded fill bin location with last value
-- fill EAN with bar code from OITM, set quantit to 1 and-- focus on
Quantity field
SELECT
(SELECT CodeBars FROM OITM WHERE
ItemCode=SUBSTRING($[TextItem],1,PATINDEX('%*%', $[TextItem])-2) ) AS
'EanKod',
(SELECT OHEM.U_ToBL FROM OHEM WHERE empID = é[Employee.EmployeeID]) AS
'TextBinLocation',
'1' AS 'TextQuantity',
'TextQuantity' AS Click$
```

2

```
--
BXMobilWH9_CreateGoodsReceiptPOQuantitiesNormalScreen_TextBinLocation_validate_after
-- Save bin location for next time
IF (SELECT ISNULL(OHEM.U_ToBL, '') FROM OHEM WHERE empID = $
[Employee.EmployeeID]) <> $[TextBinLocation]
UPDATE OHEM SET [U_ToBL]=$[TextBinLocation] WHERE empID = $
[Employee.EmployeeID]
```

4, 5

```
--
BXMobilWH9_CreateGoodsReceiptPOQuantitiesNormalScreen_ButtonAdd_click_after
-- When Add button is pressed, automatically press OK to close screen
SELECT 'OK' AS Click$
```

2, 6

To show the new EAN field on the screen and hide UoM, add record to the Customization Fields (BXPCUSTFD) user table:udf_pic.png

2. Appendix

2.1. User fields to SAP tables

Fields for storing default from/to warehouses and from/to bins have to be added to the Employee Master Data (OHEM) table:

OHEM.U_FromBL - From Bin - Alphanumeric(30)

OHEM.U_ToBL - To Bin - Alphanumeric(30)

OHEM.U_ToWh - To warehouse - Alphanumeric(8)

OHEM-U_FromWh - From warehouse - Alphanumeric(8)

2.2. Helper SQL procedures

```
-- This function is a helper for WH9 list splitting
CREATE FUNCTION [dbo].[SplitStringForDataRepeater]
( @string NVARCHAR (MAX))
RETURNS @output TABLE (splitdata NVARCHAR (MAX))
BEGIN
    DECLARE @START INT, @END INT
    SELECT @START = 1, @END = CHARINDEX ('##', @string)
    WHILE @START < LEN (@string) + 1 BEGIN
        IF @END = 0
            SET @END = LEN (@string) + 2
        INSERT INTO @output (splitdata)
        VALUES (SUBSTRING(@string, @START, @END - @START))
        SET @START = @END + 2
        SET @END = CHARINDEX('##', @string, @START)
    END
    RETURN
END
```

```
-- This function is a helper for WH9 list splitting
CREATE FUNCTION [dbo].[SplitStringForDataRepeater2]
( @string NVARCHAR (MAX), @string2 NVARCHAR (MAX))
RETURNS @output TABLE (splitdata NVARCHAR (MAX), splitdata2 NVARCHAR (MAX))
BEGIN
    DECLARE @START INT, @END INT @start2 INT, @end2 INT
    SELECT @START = 1, @END = CHARINDEX ('##', @string) , @start2 = 1, @end2
= CHARINDEX ('##', @string2)
    WHILE @START < LEN (@string) + 1 BEGIN
        IF @END = 0
            BEGIN
                SET @END = LEN (@string) + 2
                SET @end2 = LEN (@string) + 2
            END
        INSERT INTO @output (splitdata, splitdata2)
        VALUES (SUBSTRING(@string, @START, @END - @START)
, SUBSTRING(@string2, @start2, @end2 - @start2))
        SET @START = @END + 2
        SET @END = CHARINDEX('##', @string, @START)
        SET @start2 = @end2 + 2
        SET @END = CHARINDEX('##', @string2, @start2)
    END
    RETURN
END
```

From:

<http://wiki.produmex.name/> -

Permanent link:

<http://wiki.produmex.name/doku.php?id=implementation:bxmobwh:serialfreegr>



Last update: **2016/10/17 09:57**