

Produmex Scan Functional Guide

This document describes the functionality of Produmex Scan. Produmex Scan is a mobile application for SAP Business One 9 to manage stock transactions.

The architecture of the solution supports even dozens of warehouse workers to perform tens of thousands of inventory transactions in conjunction with the company warehouse database. All major SAP Business One 9 inventory transactions are supported including pick-lists, stock counting, bin locations, serial/batch numbers as well as deliveries and goods receipts.

The client component is a native Windows CE/Mobile application for ultimate speed, while the server component is a scalable, robust, high performing business logic transaction engine.

It is worthwhile to understand the structure of the system first, so the workflow of each function can be seen in context.

The mobile devices require a constant connection to the system. This communication is facilitated by the Service Broker. Each mobile device's data is saved to a temporal database. This makes it possible to use multiple devices at the same time on a task (for example two employees unloading the same shipment). Each employee can see the changes made by his co-worker in real time, so they can work parallel. This also makes sure, that if the mobile device's connection is lost (network error, low battery, etc.) the work done so far is not lost.

The user can review all the changes before committing to the SAP Company Database. We call the procedure when changes are made to the company database Posting. This step suits the typical workflow of company's well, the employee in charge of the operation can verify the results at the end.

When you use the Produmex Scan application and you prepare your inventory data to create SBO documents from it, this data will be sent to the Service Broker each time you tap the Done button (so practically for each material line). The Service Broker will save this data in a so called mobile transaction. This mobile transaction data will contain all necessary information to create the appropriate booking, and when you tap the trigger button to create the document (usually the Post button), this mobile transaction will be processed and the relevant SBO document will be created with DI API based on the data.

This logic ensures that if you already created a long list of transactions and you have a failure for example in the network connection to the mobile device, you won't have to start the whole process again. In the Produmex Scan Add-on there are functions to handle those mobile transaction data. You will find more information on that at the end of the document.

Note, that while no posting is made, the changes can not be seen from the SAP BO Client.

Prerequisites


Before using the Produmex Scan application, you should have set up correctly the necessary master data (employees, printers, authorizations, settings, etc.) Please refer to the [Produmex Scan Installation](#) and [Configuration Guide](#) for instructions regarding setup and configuration.

1. Logging in

After the set up if you start the mobile application, the login screen will appear.

If the Pin code is set in the [employee master data](#) (Employee Master Data form > User-defined fields > Mobile password), then you can either enter it at the User field or you can use the SAP BO employee code. After leaving the user field, the application will automatically fill the User Name field.


The user can also select a printer to work with by clicking on the ... button beside the Printer field. Tapping Exit will close the mobile application. Tapping Login the user will be navigated to the main menu or his last active screen.



The user will see all the menu entries for which he has rights (the rights can be set in the [employee master data](#)). Note, that the user will always see the Query Stocks and Print Labels menu. By tapping the entries in the Main Menu the user can begin the indicated processes. Each process will be explained in the following sections.

2. Goods Receipt PO

2.1. GRPO



2.1.1. Selecting Purchase Orders

From the Main Menu the GR PO entry leads to the form that can create a goods receipt PO in SAP BO. First the user will be prompted a list of the existing purchase orders in the SAP BO database. Filters can be used to find relevant purchase orders quickly. The user can set the filters and then tap the Reload button to load the relevant data from the database. The grid below the filter fields will be filled with the available purchase order entries.

The screenshot shows the 'GR PO' screen with the following fields and data:

Field	Value
Doc. No.	
Supplier	MSLLC * Mega Supplier LLC
Due Date	
Item	

The list of purchase orders is displayed below the filters:

PO #	Supplier	Due Date	Recv
PO #18	MSLLC * Mega Sup	Due: 11/29/17	0 / 3

The 'Reload' button is highlighted with a red box. The 'Receive' and 'Cancel' buttons are also visible at the bottom.

In one entry the user can see the document number of the purchase order, the name and description of the supplier, the due date and the already received full purchase order lines/all lines. In this example two orders were filtered, both have zero lines already filled out.

If the user taps Cancel, he will be navigated back to the Main Menu.

The user can select an entry and then tap Receive to enter the items and quantities for the Goods

receipt PO.

2.1.2. Receiving Items

At the beginning of the entry the user can also see the purchase order line status. Only open purchase order lines are listed here. If the user enters the item number in the Item field and leave the field, the line containing the item will be automatically selected. Alternatively the user can select a line manually in the grid. The user cannot add items that are not in the purchase order.

Once the item line is selected, the user can enter the quantity he wants to receive in the Quantity field and then click on Add or Upd. If the user clicks on Add, the quantity entered will be added to the already set quantity. If the user clicks on Upd, the already set quantity will be overwritten with the new quantity. To cancel an entry, the user can update a quantity to zero.


The image shows three sequential screenshots of the GRPO (Goods Receipt PO) interface, illustrating the process of adding and updating quantities for a specific item.

- First Screenshot:** The 'Purch.Ord.' is '18 * Mega Supplier LLC'. The 'Item Filter' is 'A1000 * Normal paper'. The 'UoM' is 'pcs'. The 'Quantity' field is set to '5'. The 'Add' button is highlighted with a red box. Below the input fields, a list of items is shown: #1 A1000 * Normal paper (0 / 10 pcs), #2 B1000 * TESTB1 (10 / 10), and #3 S1000 * Serial paper (10 / 10). The 'OK' button is at the bottom.
- Second Screenshot:** The 'Item' field is 'A1000 * Normal paper' and the 'Bin Loc.' is '1-SYSTEM-BIN-LOCATION'. The 'UoM' is 'pcs'. The 'Quantity' field is set to '3'. The 'Add' and 'Upd' buttons are visible. Below, the list shows '01-RECEIVING-BIN-LOCATION' with '2 pcs'. The 'Print' button is highlighted, and the 'Qty' field shows '2 of 5 pcs'. The 'Update' and 'Cancel' buttons are at the bottom.
- Third Screenshot:** The 'Purch.Ord.' is '18 * Mega Supplier LLC'. The 'Item Filter' is empty. The 'UoM' is 'pcs'. The 'Quantity' field is empty. The 'Add' and 'Upd' buttons are visible. Below, the list shows #1 A1000 * Normal paper (5 / 10 pcs), #2 B1000 * TESTB1 (10 / 10), and #3 S1000 * Serial paper (10 / 10). The 'OK' button is at the bottom.

2.1.3. Printnig Lables

Tapping Print will navigate the user to the Goods receipt PO print label making form. Here the user can review the contents of the label, can change the [unit of measure \(UoM\)](#) of the products, can change the number of labels printed and can specify the [printer device](#) to be used.

Tapping the Print button will start the printing process. In the following example a printed label can be seen. Typically this label is printed on a sticker paper, ready to be attached to the product. These labels contain for example barcode to be scanned later. Each company can have its own, specific layout. For now, press Back to return to the GR PO screen.



Remarks	A1000 * Normal paper
Quantity	5 pcs
UoM	pcs
Labels	1
Printer	Mobile Zebra 01

Print **Back**

After setting the quantities in the GR PO screen the user can tap Done to progress.

2.1.4. Posting the Goods Receipt PO


If the warehouse uses bin locations the user will be prompted the bin location selection form to enter the bin location(s) to which the item will be received. If the warehouse has no bins or the items are normal (not a batched or serialized items) the window will not be prompted.

In most of the scenarios the bin location and batch/serial selection form will be presented as a professional company relies heavily on these features. This is explained in the next section.

In this example the bin location selection form is not prompted as the 'A1000 Normal Paper' is a normal item and the warehouse '02' does not use bin locations.

In this simple example the user will be taken back to the main GR PO screen. It can be seen below, that an order has been already received and a new option is available, to post some or all received orders. The user can tap Post to go to the GRPO Post screen, where he can specify which orders to post. Posted orders will become bookings in the SAP BO system.

After selecting the entries in the GRPO Post screen the user can tap Cancel to abandon the posting or Post to book the orders. A message will be prompted to confirm a successful posting. Tap Ok to return to the main GR PO screen.



The image shows two side-by-side SAP windows. The left window is titled 'GR PO' and contains fields for 'Doc. No.', 'Supplier', 'Due Date', and 'Item'. Below these fields is a list of documents, with 'PO #18' selected. The right window is titled 'GR PO Post' and contains a list of documents, also with 'PO #18' selected. At the bottom of the 'GR PO' window, there are buttons for 'Reload', 'Post', 'Receive', and 'Cancel'. The 'Post' button is highlighted with a red box. At the bottom of the 'GR PO Post' window, there are buttons for 'Post' and 'Cancel'.

2.1.5. Dealing with Batched or Serialized Items and Bin Locations

As mentioned before, after for example adding the quantity of an item in the goods receipt PO there may be extra steps involved. If the warehouse uses bin locations or the item is a batched or serialized item the user will be prompted the bin location and batch / serial selection form.

In the following example ten cartons of 'B1001SD' papers will be added to warehouse '01'. This item is tracked by batches (see Item Master Data / General / Manage Items by) and the warehouse uses bin locations (see Inventory / Inventory Reports / Bin Location List). In this case the bin location and batch / serial selection form will be prompted.

First the Bin Location can be specified. If set, the bin location must exist in SAP BO or else, the user will receive an error message. The user cannot enter bin locations that are in a different warehouse than the warehouse in the related SAP BO document line. The Bin Location can be left empty, indicating that no bin location is used. If the 'Receiving Bin Locations' setting is enabled in SAP BO, the system will automatically choose a bin location.

Next, if it is a batch/serial item, the user can enter the batch/serial numbers. Alternatively the user can tap the New button to automatically generate batch/serial numbers. In this example a batch item is used, the serial item works with similar logic. Note, that a company specific User Query is needed for the generation feature to function. See the [Customization Examples](#) for instructions. Next unit of measure (UoM) can be specified.


Next the user can divide the stock among the bin locations. The functionality of the Add and Upd buttons are the same as before. In this example five cartons were added as one batch.

If the user taps on the Print button, the labels for the newly received items can be printed with the already introduced printing form. Tap Back to return to the bin location and batch / serial selection form.

The user can tap Done to go back to the preceding screen with saving the changes; in this case the received quantity in the line of the purchase order will be updated with the newly created quantity. If the user taps Cancel, he will lose all changes and go back to the preceding screen.

The user has to specify the correct quantity of items if batched/serialized items are involved.

2.2. Free GRPO



To receive stock without a purchase order, press the 'Free GR PO' button.

Press the 'Reload' button to see the list of the preliminary goods receipt documents. It is possible to filter the preliminary documents based on the supplier. Enter the supplier code to the *Supplier* field or select it after pressing the '...' button.

To create a new *Goods Receipt PO* document, select the supplier then press the 'New' button. If there are preliminary Goods receipt documents, two additional buttons are displayed:

- Resume
- Post

To modify the list of items to receive, select the documents then press the 'Resume' button. To create the *Goods Receipt PO* document in SAP Business One, press the 'Post' button.

Displayed information:

1. Code of the preliminary document
2. Supplier code * Supplier name
3. Number of document lines

On the next screen add the warehouse. To select the warehouse from a list, press the '...' button. Then add the item code to the *Item* field and specify the [UoM code](#).

To select the item from a list, press the '...' button. Enter the quantity to the *Quantity* field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button.


If the destination warehouse has bin locations and/or the product is managed by batches or serial numbers, the system will prompt the user to a screen where the batch/serial number(s) and the bin location can be added.

It is also possible to adjust the UoM of the product. For more information please see: [Managing Unit of Measure Groups](#).

It is possible to receive products with different batch numbers. Press the 'New' button to clear the entered batch number.

Products can be received into different bin locations.

If the item is managed by serial numbers, add the quantity by scanning the serial numbers. To remove a serial number, select its line and press the 'Delete' button.




Press the 'Print' button to print the item label of the selected item.

Press the 'Done' button to add the identified products to the list of items to receive or press the 'Cancel' button to go back without adding the products to the list.

3. Production

3.1. Issue for Production



Select the Issue option in the Main Menu under the Production section.

Issue > Prod

Pr. Ord. No.

Product

Due Date 11/29/17

Warehouse 01

#4 11/29/17 WH: 01
B3000 * Batch paper Iss: 0 / 3
Remarks:

Reload

Issue **Back**

Issue > Prod

Prod. Order 4 * 11/29/17

Item Filter

UoM

Quantity **Add** **Upd**

#1 A3000 * Normal paper
✓ WH: 01 5 / 5 pcs

#2 B2000 * Batch paper
WH: 01 0 / 5

#3 S1000 * Serial paper
WH: 01 0 / 5

OK

Select a Production Order using the filters available then tap 'Issue'. Possible filters:

- Production order number
- Product code
- Due date
- Warehouse

Only 'Released' production orders will be listed.

On the next screen every component from the selected production order with 'Manual' issue method are listed.

Select the item you would like to issue. Enter the quantity then tap 'Add'.

Issue > Prod

Item B2000 * Batch paper

Bin Loc. 01-ST-P0012 * Input location

Batch B1170803

UoM

Quantity 3 **Add** **Upd**

01-ST-P0012
Batch: B1170803 2

Find Stocks Qty 2 of 5

Update **Cancel**

Stock Info

WH / Bin 01

Item B2000 * Batch paper

BN/SN

B2000 * Batch paper
01-RECEIVING-BIN-L 105

B2000 * Batch paper
01-ST-P0011 25

B2000 * Batch paper
01-ST-P0012 15

B2000 * Batch paper
01-SYSTEM-BIN-LOC 10

Print **Ser./Bat.** Tot 155

Select **Back**

On the next screen specify the stock you would like to issue. Add the bin location, batch and the quantity.

To select the stock from a list, tap the Find Stocks button. On the following screen you can see all the items on stock. Select the stock on the list then press the 'Select' button.

After you are finished, tap the 'Update' button.


The system will automatically select the next line with open quantity to issue. If the 'Keep focus on prepared line (all processes)' option is set to true on the [Produmex Scan General tab](#) of Produmex Scan settings, then the last issued line will be selected.

Issue the next material or press the 'OK' button to finish the process.

The image displays two screenshots of the 'Issue > Prod' screen in SAP Business One. The left screenshot shows a list of items to issue: #1 A3000 * Normal paper (5/5 pcs), #2 B2000 * Batch paper (5/5), and #3 S1000 * Serial paper (0/5). The right screenshot shows the details for item #4, B3000 * Batch paper, with a due date of 11/29/17 and warehouse 01. It also shows a 'Remarks' field and buttons for 'Reload', 'Post', 'Issue', and 'Back'.

Back to the issue screen, you can select your constructed issue for production transaction. Press the 'Post' button to generate the *Issue For Production* document in SAP Business One.

3.2. Return Components



Select the Return option in the Main Menu under the Production section.

The image shows two screenshots of the 'Return Comp' screen. The left screenshot shows the initial form with fields for Pr. Ord. No., Product, Due Date, and Warehouse. The right screenshot shows the same form with a list of items added, including 'A1000 * Normal Paper' and 'B1001SD * Batch Paper'.

Select a Production Order using the filters available then tap Return.

In the following screen you can see all the items associated with the Production Orders, for which some quantity has already been issued and can therefore be returned. Select an item, type in a quantity, then tap Add.


You can plan that which items to which bin should be selected to return. You can add items with the Add button.

The image shows two screenshots of the 'Return Comp' screen. The left screenshot shows the form with fields for Item, Bin Loc., UoM, and Quantity. The right screenshot shows the same form with a list of items added, including 'A1000 * Normal Paper' and 'B1001SD * Batch Paper'.

Continue constructing the return from production in the manner explained. When you are finished, tap Done.

Back to the return components screen, you can select your constructed return from production and tap Post, to generate the Return From Production document in SAP BO.

3.3. Receipt for Production



Select a Production Order using the filters available then tap Receive.

The screenshot shows the 'Receipt < Prod' application window. It features several input fields: 'Pr. Ord. No.', 'Product' (with a dropdown menu showing 'B3000 * Batch paper'), 'Due Date', and 'Warehouse' (with a dropdown menu showing '01'). Below these fields is a table with columns for item number, date, and warehouse. The table contains one row: '#4', '11/29/17', 'WH: 01'. Below the table, there is a 'Remarks' section and a 'Recv: 0 / 5' indicator. At the bottom of the screen, there are three buttons: 'Reload', 'Receive', and 'Back'.

You can add produced items in this screen with the Add button, specifying the bin location and quantity. The bin location is optional. If the warehouse has no bins, no bin will be selected. For a normal item the window will not be prompted, but it will be for an item with a batch or serial. If set, the bin location must exist in SAP BO. If you have a flawed product, check the Rejected checkbox while adding the product.

Receipt < Prod

Item: B3000 * Batch paper

Bin Loc.: 1-RECEIVING-BIN-LOCATION

Batch: BN291111 **New**

UoM: pcs

Rejected: ☐

Quantity: 3 **Add Upd**

Item	Bin Loc.	Batch	Rejected
01-RECEIVING-BIN-LO			No
Batch: BN291110			2

Print Qty 2 of 5 **Update Cancel**

Receipt < Prod

Item: A1000 * Normal paper

Warehouse: 02

UoM: pcs

Rejected: ☒

Quantity: **Add Upd**

Item	Bin Loc.	Batch	Rejected
WH: 02			No
			1 pcs
WH: 02			Yes
			1 pcs

Print Qty 2 of 3 pcs **Update Cancel**

In the Receipt from Production screen select the order and tap Post to generate the Receipt From Production document in SAP BO.

Receipt < Prod

Pr. Ord. No.:

Product:

Due Date:


Warehouse:

#	Date	Warehouse	Item	Recv
#4	11/29/17	WH: 01	B3000 * Batch paper	5 / 5
Remarks:				
#5	11/29/17	WH: 02	A1000 * Normal paper	0 / 3 pi
Remarks:				

Reload Post

Receive Back

3.4. By-product



To receive by-products from a production, press the 'By-Products' button.

On the next screen press the 'Reload' button to load the production orders. Every released production order that contains a by-product will be listed on the screen.

The production orders can be filtered with the following fields:

- Pr.Ord.No.: Filter down the list to the production order with the added production order number.
- Product: Filter the list based on the main product.
- Due date: Filter down the list to production orders with the selected due date.
- Warehouse: Filter the list based on the warehouse.

Press the 'Reload' button to apply the filters.

Select a production order and press the 'Receive' button to receive the by-product(s). Press the 'Back' button to go back to the Main Menu.

The screenshot shows the 'By-Products' application window. It features a title bar with standard icons. Below the title bar are four input fields for filtering: 'Pr. Ord. No.', 'Product' (with a dropdown arrow), 'Due Date', and 'Warehouse' (with a dropdown arrow). Below these fields is a list of production orders. The first entry is highlighted in green and shows: '#3', '05/10/17', 'WH: 02', 'B1001SD * Batch Paper', and 'Recv: 0 / 1'. Below the list is a 'Remarks' section. At the bottom of the window are three buttons: 'Reload', 'Receive', and 'Back'.

The system will proceed to the next screen where the by-products from the production order are listed. Scan or select the item then enter the quantity. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button.

Prod. Order	Item Filter	UoM	Quantity	Add	Upd
3 * 05/10/17		Box			
#2 B1002B * Batch Paper B1002B					
WH: 01 0 / 10 Box					
#3 R00001 * Printer Paper					
WH: 01 0 / 10 Box					

Done

If the destination warehouse for the main product has bin locations and/or the by-product is managed by batches or serial numbers, the system will prompt the user to a screen where the batch/serial number(s) and the bin location can be added.

It is also possible to adjust the UoM of the by-product. For more information please see: [Managing Unit of Measure Groups](#).

It is possible to receive by-products with different batch numbers. By-products can be received into different bin locations.

If the item is managed by serial numbers, add the quantity by scanning the serial numbers. To remove a serial number, select its line and press the 'Delete' button.

The screenshot shows a software interface titled 'By-Products'. At the top, there are icons for navigation and a close button. Below the title bar, there are input fields for 'Item' (containing 'B1002B * Batch Paper'), 'Bin Loc.' (containing '02-SYSTEM-BIN-LOCATION'), 'Batch' (empty), 'UoM' (containing 'Box'), and 'Quantity' (empty). To the right of the 'Batch' field is a 'New' button. Below the input fields are 'Add' and 'Upd' buttons. A list of items is displayed below the input fields, with the first item highlighted in green: '02-DOCKS' with 'Batch: BN0001' and '5 Box'. The second item is '02-SYSTEM-BIN-LOCATION' with 'Batch: BN0005' and '2 Box'. At the bottom of the screen, there are 'Print', 'Qty', and 'Cancel' buttons. The 'Qty' field shows '7 of 10 Box'.

To go back to the list of by-products press the 'Done' button. To print the product label, select the line then press the 'Print' button. On the next screen select the printer and add the number of labels to print. Press the 'Print' button to [print the label](#) or press the 'Back' button to go back without printing.

After the total quantity has been added the system will automatically go back to the list of by-products. Press the 'Done' button to go back to the list of production orders.

The screenshot shows a software interface titled 'By-Products'. At the top, there are icons for navigation and a close button. Below the title bar, there are input fields for 'Prod. Order' (containing '3 * 05/10/17'), 'Item Filter' (empty), 'UoM' (containing 'Box'), and 'Quantity' (empty). To the right of the 'UoM' field is a '...' button. Below the input fields are 'Add' and 'Upd' buttons. A list of items is displayed below the input fields, with the first item highlighted in green: '#2 B1002B * Batch Paper B1002B' with 'WH: 02' and '10 / 10 Box'. The second item is '#3 R00001 * Printer Paper' with 'WH: 02' and '0 / 10 Box'. At the bottom of the screen, there is a 'Done' button.


After the total quantity has been added, the system goes back to the previous screen. Select the next by-product or press the 'Done' button to finish the reception.

To create the *Receipt from production* document, select the line of the production order then press the 'Post' button. The 'Post' button is only active if there are already identified by-products for the production order.

4. Deliveries

4.1. Sales Orders

From the Main Menu the Sales Order entry leads to the form that can create a sales order in SAP BO. First the user will be prompted a list of the existing sales orders in the SAP BO database. Filters can be used to find relevant sales orders quickly. The user can set the filters and then tap the Reload button to load the relevant data from the database. The grid below the filter fields will be filled with the available sales order entries.



The entry contains the document number of the sales order, the customer's code and its name, the due date and the already delivered full sales order lines/all lines. As you can see in this example no deliveries have done yet for the filtered sales orders. If the user taps Cancel, he will be navigated back to the Main Menu.

The user can select an entry and then tap Issue to display the lines of the order. In this example you can see the status for the lines of sales order 2 is open.

Sales Order

Doc. No.

Customer

Due Date

Item

SO #1 C00001 * Customer 01
Due: 05/10/17 Delv: 0 / 2
Remarks:

SO #2 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 3
Remarks:

Reload

Issue **Cancel**

Sales Order

Sales Order 2 * Customer 01

Item Filter

UoM

Quantity **Add** **Upd**

#1 Item: A1000 * Normal Paper
Open
WH: 01 0 / 5

#2 Item: B1001SD * Batch Paper
Open
WH: 01 0 / 10

#3 Item: ITEM01 * Item 01
Open
WH: 01 0 / 10

Done

There are two possibilities to select a line, you can use the read the barcode, or you can add it manually from the list. Once you have added a line, the bin location and the quantity is required. With the Find Stock function, the user has the opportunity to look for further information about the related item in the warehouse.

Sales Order

Item B1001SD * Batch Paper

Bin

UoM

Quantity **Add** **Upd**

Find Stocks Qty 0 of 5

Done **Cancel**

Sales Order

Sales Order 2 * Customer 01

Item Filter

UoM

Quantity **Add** **Upd**


#2 Item: B1001SD * Batch Paper
Open
WH: 01 5 / 10

#3 Item: ITEM01 * Item 01
Open
WH: 01 0 / 10

#1 Item: A1000 * Normal Paper
Open
WH: 01 5 / 5

Done

After to press the Done button, you can see that 5 cartons from the 10 ordered will be delivered. Repeat this step as much as it is necessary. After that you have selected and add the item to be delivered, you can proceed to post it. If the transaction was successfully posted, you will receive a confirmation.



Sales Order

Doc. No.

Customer

Due Date

Item

SO #1 C00001 * Customer 01
Due: 05/10/17 Delv: 1 / 2
Remarks:

SO #2 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 2
Remarks:

Reload **Post**

Issue **Cancel**

4.2. BN Create SO

With the 'BN Create SO' function a sales order can be created based on the batch from the mobile device.

First add the customer to the 'Customer' field. To select the customer from a list, press the '...' button. To create a new sales order press the 'New' button

To see the list of the preliminary sales orders, press the 'Reload' button. Please note: *The preliminary sales orders do not exist in SAP Business One.*



BN Create SO

Customer C00002 * Customer 02

Reload

New **Back**

On the next screen scan the batch/serial number. Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.

To remove a product from the list, select its line then press the 'Delete' button.

Scan the next batch number or press the 'Done' button to create the preliminary sales order.

Customer	BN/SN
C00002 * Customer 02	PN0001

Item	Quantity
02-SYSTEM-BIN-LO PN25100-G1 * Pin PN0015	5
02-SYSTEM-BIN-LO PN25100-G2 * Pin PN0015	5
02-SYSTEM-BIN-LO PN25100-G3 * Pin PN0015	5
02-DOCKS PN25100-G1 * Pin PN0015	5
02-DOCKS PN25100-G2 * Pin PN0015	5


The system will return to the list of the preliminary sales orders.

- Press the 'Reload' button to reload the screen.
- Press the 'Resume' button to adjust the selected preliminary order.
- Press the 'Post' button to create the sales order from the selected preliminary order. The sales order will be created in SAP Business One.

Customer
C00002 * Customer 02

Item	Date	Lines
#00000225 C00002 * Customer 02	05/17/17	3

4.3. Picking



On the Picking screen the user can filter the existing pick lists according to Pick list number, Customer Code, Due Date, Item Code and Warehouse. Tap Reload after you have filled in the relevant fields to load the appropriate pick lists.

In the grid you will see the pick list number, the date of the pick list, and the number of lines that the pick list contains. You can select one of the lines and tap Pick. The next window will show the lines of the pick list. Here you will see the pick list number and due date and the customer name and description. If you enter a bin location code in the Bin Code field and this bin code appears only once in the list, then this line will be selected. If the bin code appears several times in the list, then the list will be filtered according to the bin location.

Picking

Pick List No:

Customer:

Due Date:

Item:

Warehouse:

PickList #1 Open Lines: 1
Date: 05/04/17
Remarks:

PickList #2 Open Lines: 0
Date: 05/04/17
Remarks:

Reload

Pick **Back**

Picking

Pick List: 2 * 05/04/17

Customer: C00001 * Customer 01

Bin/Item:

#1 A1000 * Normal Paper
Picked WH: 01
SO 10 / 10

#2 B1001SD * Batch Paper
Picked WH: 01
SO 5 / 5

Deliver

Pick **Back**

Here select the item line that you want to pick and tap Pick or you can go back to the previous screen by tapping Back.

The lines are sorted by:

1. LineStatus: Open, Picked, Closed
2. BinLocation - AlternativeSortCode (if exists)
3. BinLocation - BinCode
4. ItemCode

On the next screen you can enter the bin location to which the item will be received. It is optional. If

the warehouse has no bins, no bin will be selected. For a normal item the window will not be prompted, but it will be for an item with a batch or serial.

Picking		Stock Info	
Pick List	2 * 05/04/17	WH / Bin	01
Customer	C00001 * Customer 01	Item	A1000 * Normal Paper
Item	A1000	BN/SN	
Open Qty	0	A1000 * Normal Paper	
Warehouse	01	WH: 01 170	
UoM			
Quantity			
Find Stocks		Print Tot 170	
Post	Back	Reload	Back

If you tap button Find Stocks, the Query Stocks function will open with the item code and warehouse code prefilled and you can search for stocks that you need to be able to enter them for picking.

Note: If the pick list already contains assigned batch/serial numbers or bin locations, then you can only pick those batches/serials and bin locations and the Rec.Bin and Rec.Batch fields are prefilled with them. You can remove the recommendations in SAP BO by opening the pick list, right click the line, and choose Bin Location Allocation or Batch/Serial Selection and then choose Clear Allocations or remove the assigned batch/serial numbers.

To validate the picking tap Post. Then you can pick other stocks from other location if needed or tap Cancel to go back to the previous screen.

On the picking screen tap the Deliver button to create the delivery based on the pick list. If the delivery can be created, you will get a message with the delivery number.

Note: you can create only one delivery for one pick list line, so if you created a partial delivery for a pick list line, you have to create another pick list line for the remaining quantity. It is possible to create delivery Draft documents with custom configuration. For more information please see:

[Customization Technologies - Pick Lists](#)

4.4. Cash & Carry

With this function you can create “cash & carry” delivery for a customer and pick the items you want to deliver. First you have to enter the customer number and tap New.

On the next screen you can enter the warehouse, item code and quantity that you want to deliver and then tap Add or Upd.

After that you can choose the bin location from which to take the stock and the serials/batches if needed. It is optional. If the warehouse has no bins, no bin will be selected. For a normal item the window will not be prompted, but it will be for an item with a batch or serial.

You can check the actual stock with button Find Stocks, then enter the bin location and tap Add or Upd.

The stocks you entered will be listed in the grid. Tap Done if you are finished adding the stock to deliver. You will return to the item selection screen, where you can tap Post to create the delivery in SAP BO.

If the delivery can be created, you will get a message with the document number of the new delivery.


If you tap Back instead of Post, the delivery lines will be added to the mobile transaction data, but the delivery will not be created. You can come back later on, and enter the customer code tap Reload

then select your delivery and tap Resume. This way you can continue working on the same delivery without posting it.


4.5. Packing (Delivery)

The Packing function can be started from the Warehouse main menu.

On the Packing (list of deliveries) screen, you can select from a list or it is possible to input a Delivery number and press Reload to filter to only that delivery document number. After selecting the Delivery document, press the Pack button to start Packing that order.



On the next screen, you can see the Packing data for the Delivery. First the list of packages will be empty (unless it has been already defined in SAP).



You have to enter a package number (eg. 1) then press Pack to start packing into that package. Optionally, the New button can be used to automatically generate a package number with a customizable user query ***bx_mobile_warehouse_get_new_delivery_packagenumber***. The Pack button will take you to the Packing - Package contents screen where the list of not-yetpacked items is displayed. You can select a line from the list or you can scan an Item code in the appropriate field. After a line is selected, you can enter a quantity and press Add / Upd button to set that quantity packed.

The screenshot shows two overlapping windows. The 'Delivery' window at the top contains fields for Customer (C00001), Name (Customer 01), Contact Person, Customer Ref. No., Local Currency, No. (Primary), Status (Open), Posting Date (05/04/17), Delivery Date (05/04/17), and Document Date (05/04/17). Below these is a 'Contents' table with columns for Item/Service Type, Item No., and Quantity. It lists two items: 1 A1000 and 2 B1001SD. At the bottom of the Delivery window are fields for Sales Employee (-No) and Owner, and a Remarks field with a 'Bas' button. The 'Packing Slip' window is in the foreground. It has a title bar and a 'Existing Packages' table with columns: #, Package No., Type, Total Weight, and Units. It shows one package with #1, Package No. 1, Type, Total Weight, and Units Ounce. Below this is an 'Available Items' table with columns: #, Item Number, Available, and Selected. It shows one item with #1, Item Number B1001SD, Available 5, and Selected. To the right of the Available Items table is a 'Package Contents' table with columns: #, Item Number, Quantity, and UoM Name. It shows one item with #1, Item Number A1000, Quantity 10, and UoM Name. Between the Available Items and Package Contents tables are '>' and '<' buttons. At the bottom of the Packing Slip window are 'Update' and 'Cancel' buttons.

It is also possible to select one or multiple lines from the list and press 'Pack selected'. This will set all of the line item quantity to be packaged into the package. When you press the Done button, packing data is recorded into SAP.

4.6. BN Delivery

With the 'BN Delivery' function items can be picked and delivered based on their batch and a sales order created from the 'BN Create SO' function.

Press the 'Reload' button to see the list of sales orders. Every sales order that contains at least one open line with an allocated batch will be listed. It is possible to filter the list with the following values:

- Doc. No.
- Customer
- Due Date

- Item

Press again the 'Reload' button to apply the filter(s).

Please note: *This function is only meaningful for sales order created with the 'BN Create SO' function. It is not recommended to create the delivery for sales orders not created with the 'BN Create SO' function.*

BN Delivery

Doc. No.

Customer

Due Date

Item

SO #2 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 2
Remarks:

SO #4 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 1
Remarks:

Reload

Issue Cancel

Select the sales order then press the 'Issue' button.

On the next screen batches allocated for the sales order are listed. Scan the batch number to pick the items. Already scanned batch numbers are marked with a green tick icon.

Displayed information:

1. Sales order number*Customer name
2. Batch number
3. First bin location
4. Number of picked sales order lines/Number of sales order lines with the batch allocated

BN Delivery

Sales Order: 16 * Customer 02 (1)

Batch No.:

PN0015 (2)	(4)
02-SYSTEM-BIN-LOC(3)	0 / 3
PN0030	
02-SYSTEM-BIN-LOC	0 / 1

Done **Details**

Press the 'Details' button to see the details of the picked stock on the selected line. On the next screen the stock to pick is listed. Different items and stocks stored on different locations are displayed on separate lines.

Press the 'Delete' button to remove an entry from the list. Press the 'Done' button to go back to the previous screen.

Scan the next batch number or press the 'Done' button to finish the picking. The system will return to the list of sales orders.

Batch Details

Sales Order: 16 * Customer 02


Batch No.: PN0015

02-SYSTEM-BIN-LO	PN25100-G1 * Pin	5
PN0015		
02-SYSTEM-BIN-LO	PN25100-G2 * Pin	5
PN0015		
02-SYSTEM-BIN-LO	PN25100-G3 * Pin	5
PN0015		
02-DOCKS	PN25100-G1 * Pin	5
PN0015		
02-DOCKS	PN25100-G2 * Pin	5
PN0015		

Delete


Done

Select the sales order and press the 'Post' button to create the delivery document. The *Delivery* document will be created in SAP Business One.



The image shows a mobile application interface titled "BN Delivery". It features a header bar with a Windows logo, the title, and several icons. Below the header, there are input fields for "Doc. No.", "Customer" (with a dropdown menu showing "C00002 * Customer 02"), "Due Date", and "Item" (with a dropdown menu). A green box highlights the selected item information: "SD #16", "C00002 * Customer 02", "Due: 05/18/17", "Delv: 3 / 3", and "Remarks:". At the bottom, there are four buttons: "Reload", "Post", "Issue", and "Cancel".

4.7. Sales Return



The image shows two side-by-side screenshots of a mobile application interface titled "Sales Return". The left screenshot shows a form with fields for "Delivery", "Customer" (dropdown), "Due Date", and "Item" (dropdown). A green box highlights the selected item information: "#1", "C00001 * Customer 01", "Due: 05/04/17", "Ret: 0 / 2", and "Remarks: Based On Sales Orders 2.". Below this, there are two more items listed: "#2" and "#3", both with "C00001 * Customer 01" and "Due: 05/04/17". At the bottom, there are two buttons: "Reload" and "Return". The right screenshot shows a similar form, but with a "Delivery" field set to "1 * Customer 01". It also has an "Item Filter" field, a "UoM" dropdown, and a "Quantity" field with "Add" and "Upd" buttons. A green box highlights the selected item information: "#1", "A1000 * Normal Paper", "Open", "WH: 01", and "0 / 5". Below this, there is another item listed: "#2", "B1001SD * Batch Paper", "Open", "WH: 01", and "0 / 5". At the bottom, there are two buttons: "Done" and "Cancel".

The Sales Return process is similar to the Sales Order process on the mobile. The input is the Delivery document and the result is Sales Return document. The maximum amount is limited by the Delivery document line quantities.

4.8. AR/Credit memo

The AR/Credit memo process is similar to the Sales Order process on the mobile. The input is the A/R Invoice document and the result is A/R Credit Memo document.

5. Stock Transfers

5.1. Stock Transfer

With stock transfer you can relocate stock from one bin location to another (the bin locations can be in different warehouses).

The image displays two screenshots of the 'Stock Transfer' application interface. The left screenshot shows the initial selection screen with filters for Warehouse/Bin (02), Item, and BN/SN. A list of items is shown, including 'A1000 * Normal Paper' and 'B1001SD * Batch Paper'. The 'Reload' button is visible, and the total quantity is 200. The right screenshot shows the 'Find Stocks' screen where the target bin location is set to '02-STORAGE' and the quantity is 2. The 'Post' button is visible, and the transfer is 2 of 100.

First you can filter the stock that you want to transfer according to Warehouse, Bin Location, Item Code or Batch Number. Then you can tap Reload to load the relevant stock, select one of them and tap Transfer.

On the next screen you have to enter the target bin location, the batch/serial number if any and the quantity, then tap either Add or Upd. If you are finished adding the stocks to be transferred, tap Post to create the stock transfer document in SAP BO.

If you tap Find Stocks button, you will get to the query stocks functionality, only the item code will be prefilled for you, and you cannot change it. You can learn more about query stock below.

5.2. Stock Transfer Request

With this function you can handle inventory transfer request documents. First you have to create the documents in SAP BO and then you can load them on the mobile device. You can filter them according to Request Number, Warehouse from and Warehouse to. If you tap Reload, the existing requests will be loaded into the grid.

Stock Transfer

Req. No.

WH From

WH To

Req. No.: 1 Due: 05/04/17
Lines: 2 Transferred: 0
Remarks:

Req. No.: 2 Due: 05/04/17
Lines: 2 Transferred: 0
Remarks:

Reload

Transfer **Cancel**

Stock Transfer

Req. No.

Item Filter

UoM

Quantity **Add** **Upd**

#0 Item: A1000 * Normal Paper
Open From: 02 To: 02 0 / 10

#1 Item: B1001SD * Batch Paper
Open From: 02 To: 02 0 / 10

Done

Here you can select the inventory transfer request that you want to process and tap Transfer. On the next screen you can see a list of the items that are on the request:

Here you can either select an item in the grid and tap Add or Upd, or you can enter one above the grid in field Item Filter, enter a quantity, then tap Add. Note: you cannot add items that are not on the stock transfer request document.

Stock Transfer

Item

From Bin

To Bin

Batch

UoM

Quantity **Add** **Upd**

From: 02-SYSTEM-BIN-LOCATION
To: 02-STORAGE
BN: BN0001 5

Find Stocks Trfd 5 of 10

Done **Cancel**

Stock Transfer

Req. No.

WH From

WH To

Req. No.: 1 Due: 05/04/17
Lines: 2 Transferred: 0
Remarks:

Req. No.: 2 Due: 05/04/17
Lines: 2 Transferred: 1
Remarks:

Reload **Post**

Transfer **Cancel**

Here you can enter the From bin location and the To bin location, the serial/batch number (if needed) and the quantity, then you can tap Add or Upd. You can check the existing stocks with the Find Stocks button.

If you tap Done, you will get back to the previous screen and your entered data will be taken over to there. If you tap Cancel, your changes will be lost, and you get back to the previous screen.


Here if you tap Post, the stock transfer document will be created in SAP BO based on the inventory transfer request document. If you tap Cancel, you will get back to the main menu without creating the

stock transfer. You can come back any time, load your request and continue working on it.

5.3 Mass Transfer

This function allows you to move all stocks from one bin location to another (or one warehouse to another, if the warehouse is non-bin location warehouse).

First you must input the WH / Bin From, after leaving this field you will see all the current stocks on that location in the list. There is no option to select only partial quantities. Next the WH / Bin To field must be entered, and after pressing Transfer, a Stock Transfer document is created in SAP Business One.



5.4. BN Transfer

With the 'BN Transfer' function stock can be moved based on a batch number. *Please note: Only sales items can be moved with the BN Transfer function.*

Scan the destination bin location and the first batch to move.

BN Transfer

Batch No. PN0015

Bin To 02-DOCKS

Delete

Done Cancel

Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.

To remove a product from the list, select its line then press the 'Delete' button.

Displayed information:

1. Bin location
2. Item code*Item name
3. Batch number
4. Quantity on stock

BN Transfer

Batch No.

Bin To 02-DOCKS

02-SYSTEM-BIN-LO	PN25100-G1 * Pin		
PN0015			5
02-SYSTEM-BIN-LO(1)	PN25100-G2 * Pin(2)		
PN0015(3)		(4)	5
02-SYSTEM-BIN-LO	PN25100-G3 * Pin		
PN0015			5
02-DOCKS	PN25100-G1 * Pin		
PN0015			5
02-DOCKS	PN25100-G2 * Pin		
PN0015			5

Delete

Done Cancel

Press the 'Done' button to transfer the stock. An *Inventory Transfer* document will be created in SAP Business One.

5.5. BN SO Transfer

With the 'BN SO Transfer' function stock can be moved based on the sales order and the batch number. During the process the base sales order can be modified.


Select the sales order from the list. Every sales order that contains at least one open line with an allocated batch will be listed. Please note: *The BN SO Transfer function is only meaningful for sales orders created from the BN Create SO function. It is not advised to move stock with this function based on a sales order not created with the BN Create SO function.*

It is possible to filter the sales orders with the following:

- Doc. No.
- Customer
- Due Date
- Item

Press the 'Reload' button to apply the filter.

Select the sales order then press the 'Transfer' button to transfer the items.



Scan the destination bin location then scan the first batch.

Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.

Scan the batch number to pick the items.

It is possible to scan a batch number not allocated for the sales order. In this case the stock with the scanned batch number will be added to the sales order.

Information displayed on the screen:

1. Document line number

2. Item code*Item name
3. Bin location
4. Batch number
5. Picked quantity
6. Picked quantity/Ordered quantity

Doc. No.	Bin To	Batch No.
13		

Item	First Bin	Quantity
#3(1) Item: PN25100-G3 * Pine 25x10(2)	02-SYSTEM-BIN-LOC(3)	5
#1 Item: PN25100-G1 * Pine 25x10	02-SYSTEM-BIN-LOC	5
#2 Item: PN25100-G2 * Pine 25x10	02-SYSTEM-BIN-LOC	5

Buttons: Find Stocks, Details, Delete, Done, Cancel

Press the 'Find Stocks' button to open the 'Stock Info' screen. On this screen the warehouse, the item code and the batch number is displayed. Press the 'Ser./Bat.' button to see the batch number. Press the 'Print' button to print the item label. For more information about printing please see: [Print labels](#)

WH / Bin	Item	BN/SN
02	PN25100-G1 * Pine 25x100 G1	PN0001

Item	Bin Loc.	Quantity
PN25100-G1	02-SYSTEM-BIN-LOCATION	5

Buttons: Print, Ser./Bat., Reload, Back, Total 5

Press the 'Details' button to see the details of the selected stock. The 'Batch Details' screen will open.

Batch Details

Sales Order: 13 * Customer 02

Batch No.: PN0001

02-SYSTEM-BIN-LO PN25100-G1 * Pin
Batch: PN0001 5

Delete Done Cancel

Press the 'Delete' button to unpick the selected stock.

- If the stock line is from the original sales order, the stock line will remain on the screen and the picked quantity will be set to zero.
- If the stock line is added by scanning a batch, it will be removed from the screen and will not be added to the sales order.

Batch SO Transfer

Doc. No.:
Customer: ...
Due Date:
Item: ...


SO #13 C00002 * Customer 02
Due: 05/17/17 Trfd: 3 / 3
Remarks:

Reload Post
Transfer Cancel

Scan the next batch number or press the 'Done' button to finish the picking. The system will return to the list of sales orders. In order to transfer the picked stock, select the sales order then press the 'Post' button. An *Inventory Transfer* document will be created in SAP Business One.


6. Recommendations

For further information about this topic, please see the documentation: [Strategies in Produmex Scan](#).



7. Inventory Transactions

7.1. Goods Receipt



Select the Goods Receipt option in the Main Menu under the Inventory Transactions section. Support the SAP Goods Receipt document on the mobile device. Allow to input: comment, have a separate main menu item. Support batches, serial numbers, location.

On the Good Receipt (lines) screen it is possible to add new items for the to-be-created Goods Receipt. You have to select the Warehouse (default: empty, or last warehouse in the same document), then select an item (scan item code or barcode).

If there are multiple UoMs for the item, you can select a different UoM than the default. Default: inventory/base UoM.

If the warehouse is non-bin warehouse (and item is not serial/batch), a quantity must be entered and Add/Upd button can be used to add or update the item with the quantity.

If the warehouse is using bin locations, or the item is serial/batch, the bin locations and the serial/batch has to be defined in the next screen.

*Price/Account: a user query has to be defined with the name *bxmobilewh9_goodsreceipt_pricing*.

Parameters	Result
[%1] Employee ID	Price (BXITPRC)
[%2] Warehouse	Currency (BXITCURR)
[%3] ItemCode	Account number (BXITACCN)
	Distribution Rule (BXITDSTR)

Example query:

```
SELECT OITM.AVGPrice as BXITPRC. '$' as BXITCURR FROM OITM WHERE
ItemCode=[%3]
```

On the Good Receipt - bin, serial/batches screen, it is possible to define bin locations and quantities for the items. If the item is batch numbered, batch and quantity has to be entered, for serial type items, serial number have to be entered. If warehouse is non-bin warehouse, the bin location field will not be visible.

The image displays two side-by-side screenshots of the SAP Goods Receipt mobile application interface. Both screens are titled 'Goods Receipt' and feature standard mobile UI icons at the top.


Left Screenshot:

- Item: B1001SD * Batch Paper
- Bin Loc.: 02-DOCKS
- Batch: BN0523 (with a 'New' button)
- UoM: Carton (with a dropdown arrow)
- Quantity: 15 (with 'Add' and 'Upd' buttons)
- A list view shows '02-DOCKS' and 'Batch: BN0001' with '15 Carton'.
- Buttons at the bottom: 'Print', 'Qty 15 of 25 Carton', 'Done', and 'Cancel'.

Right Screenshot:

- Item: S1000S * Serial Paper
- Bin Loc.: 02-DOCKS
- Serial No.: (with a 'New' button)
- A list view shows '02-DOCKS' and 'Serial No.: SN12345'.
- Buttons at the bottom: 'Print', 'Delete', 'Qt 1 of 10', 'Done', and 'Cancel'.

7.2. Goods Issue



The SAP Goods Issue document is supported on the mobile device.

The image displays two screenshots of the 'Goods Issue' application interface. The left screenshot shows the 'Goods Issue' screen with fields for Remarks, Doc Date (05/05/17), and a list of items with a total of 2 lines. The right screenshot shows the 'Goods Issue' screen with fields for Warehouse (02), Item (S1000S * Serial Paper), Price/Acc., UoM (Pack), and Quantity. It also shows a list of items with quantities: Item: A1000 * Normal Paper (15) and Item: B1001SD * Batch Paper (5).

It is allowed to input: comment, it has a separate main menu item. Support batches, serial numbers, location.

On the Goods Issue (list) screen you can start creating a new Goods Issue document by pressing the New button. (If you fill the Remarks and change the Doc Date it will be used in the new Goods Issue.) This will take you to the Goods Issue (lines) screen, where you can add items.

After the items have been added, you can create the Goods Issue document in SBO with the Post button. It is also possible to resume an earlier started work with the Resume button.

On the Good Issue (lines) screen it is possible to add new items for the to-be-created Goods Issue. You have to select the Warehouse (default: empty, or last warehouse in the same document), then select an item (scan item code or barcode).

If there are multiple UoMs for the item, you can select a different UoM than the default. Default: inventory/base uom.

If the warehouse is non-bin warehouse (and item is not serial/batch), a quantity must be entered and Add/Upd button can be used to add or update the item with the quantity.

If the warehouse is using bin locations, or the item is serial/batch, the bin locations and the serial/batch has to be defined in the next screen.

*Price/Account: a user query has to be defined with the name *bxmobilwh9_goodsissue_pricing*.

Parameters	Result
[%1] Employee ID	Price (BXITPRC)
[%2] Warehouse	Currency (BXITCURR)
[%3] ItemCode	Account number (BXITACCN)
	Distribution Rule (BXITDSTR)

Example query:

```
SELECT OITM.AVGPrice as BXITPRC, '$' as BXITCURR FROM OITM WHERE
ItemCode=[%3]
```

7.3. Inventory Counting

Produmex Scan offers the following processes to perform an inventory counting:

- **Counting:** No inventory information is displayed during the counting.
- **Quick Counting:** During the counting, the inventory of the bin location/warehouse is displayed.
- **Guided Counting:** During the counting, the bin locations and the items from the inventory counting document are listed on the screen as a task list. Only the items that are listed on the document can be counted.

The counting is performed based on an SBO Inventory Counting document.

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code	Items per Unit
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0011	75.000	<input type="checkbox"/>		0.000	0.000		
2	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0012	30.000	<input type="checkbox"/>		0.000	0.000		
3	B2000	B2 batch paper - int	<input type="checkbox"/>	01	01-ST-P0012	15.000	<input type="checkbox"/>		0.000	0.000	Manual	
4	S1000	S1 serialized paper	<input type="checkbox"/>	01	01-ST-P0012	10.000	<input type="checkbox"/>		0.000	0.000	Manual	
5			<input type="checkbox"/>			0.000	<input type="checkbox"/>		0.000	0.000		
						130.000						

If the 'Real-time Stock Counting' option is disabled on [Produmex Scan General tab](#), the counting result will be stored in a user table. Synchronize the Inventory counting document in order to update it with the counting results. Synchronization can be initiated from right click menu on the SBO Inventory Counting document.

If you work with SAP BO 9.1 the inventory counting will be updated in a real-time. By the other hand, if you work with SAP BO 9.0, the stock data you entered will be saved in a user table of the Produmex Scan add-on that you can export to an excel file. To do that you have to open the Inventory Counting document, right click on an empty area and select 'Export mobile inventory counting data to Excel'. It will create two separate files: one for normal and batch items and one

for serial numbered items (it means you have to specify two files). Then you have to start Add Items>Import Items:

Inventory Counting

Count Date: 12/14/17 Time: 2:00PM No.: Primary 31
 Counting Type: Single Counter Status: Open
 Inventory Counter: User manager Ref. 2

General

Find Item No. Warehouses << >>

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	200.000	<input type="checkbox"/>		0.000	0.000	
2	B2000	B2 batch paper - int	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	10.000	<input type="checkbox"/>		0.000	0.000	Manual
3	B3000	Batch Paper B3	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	45.000	<input type="checkbox"/>		0.000	0.000	Manual
4	S1000	S1 serialized paper	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	60.000	<input type="checkbox"/>		0.000	0.000	Manual
5			<input type="checkbox"/>			0.000	<input type="checkbox"/>		0.000	0.000	
						315.000					

Remarks

OK Cancel Add Items Select Items Import Items Adjust Counted Quantities Copy to Inventory Posting

After that you have to define the structure of the file from which you import. It should be like this for the batch and normal file:

Import from Excel

Data Type to Import

Inventory Counting

File to Import

ents\Produmex Scan\batch.txt

...

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item Code
B	Item Description
C	Warehouse Code
D	Counted Quantity
E	Bin Location Code
F	UoM Code
G	Batch Number
H	
I	
J	
K	
L	
M	

Import Method

☒ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

Mapping

Use Data Template

...

Save as Template

Clear Mapping

☐ Check Import File for Errors

Import

Cancel

and for the serial numbers file:

Import from Excel

Data Type to Import: Inventory Counting

File to Import: nents\Produmex Scan\serial.txt

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item Code
B	Item Description
C	Warehouse Code
D	Counted Quantity
E	Bin Location Code
F	UoM Code
G	Serial Number
H	
I	
J	
K	
L	
M	

Import Method

☒ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

Mapping

Use Data Template

Save as Template

Clear Mapping

☐ Check Import File for Errors

Import Cancel

We recommend that you save the template with *Save As* for later use. You have to specify the file that was created by the add-on for SAP BO, and then it will be imported.

Note:

You have to update the inventory counting document. You cannot have the same item on the same bin location twice in the inventory posting document. So if you reimport your inventory counting, it is advisable to delete the existing lines. You have to import both files generated by the add-on.

7.3.1. Stock Counting

Press the 'Reload' button to load the Inventory Counting documents. Every open Inventory counting document is listed. It is possible to filter the documents with the following fields:

- Inventory counting document number
- Count Date
- Counter user/employee

Press the 'Reload' button to apply the filter(s).

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the inventory counting document then press the 'Count Items' button to start the counting.

Stock Counting

Doc. No.

Count Date

Inv. Counter

#16 (1)	Cntr: John Doe (2)	Date: 11/22/17 (3)	Single (5)	Remarks: Comment (4)
#17	Cntr: John Doe	Date: 11/22/17	Single	Remarks:

Reload

Count Items Back

On the next screen scan/enter the bin location code you would like to count.

If the warehouse to count does not have bin locations, add the warehouse to the field. The warehouse can also be selected from a list. Press the '...' button. Please note: Only non bin managed warehouses can be selected from the list.

Press the 'Count' button to proceed.

Stock Counting

Doc. No. 16

Remarks Comment

WH / Bin 01-ST-P0012

Count Back

On the next screen scan the item then specify the UoM and the batch number. Enter the quantity to the Quantity field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button. To remove the added quantity, press the 'Delete' button.

Serial numbered items can be counted by scanning the serial numbers.

Already counted goods are listed on the screen.

If the 'Show all Stock Counting data on scanners' option is disabled on [Produmex Scan General tab](#), only the number of the counting records is displayed on the screen.

Stock Counting

Bin Loc. 01-ST-P0012

Item B2000 * Batch paper

Batch No. B1171122

UoM

Quantity 10 Add Upd

A1000 * Normal paper 30 pcs

B2000 * Batch paper 5

S1000 * Serial paper 1

Delete

Finish Back

Stock Counting

Bin Loc. 01-ST-P0012

Item S1000 * Serial paper

Serial No. SN2212

UoM

Quantity Add Upd

Counted 3

Finish Back

Press the 'Back' button to go back to the previous screen. The system will keep the counting results, but the results will not be synchronized with SBO.

Press the 'Finish' button to finish the counting of the given bin location. The Inventory Counting

document will be updated with the counting result.

- If there is an item on stock on the location that was not counted, the quantity of the item will be set to zero on the location.
- If there is an item that is not on stock on the location, but was counted during the counting, the quantity of the item will be set to the counted quantity on the location.

Example:

Bin Location content:

- A1000 - 75pcs
- A3000 - 200pcs
- B1000 - 20pcs
- B2000 - 25pcs

Inventory Counting document: Count A1000 and A3000 on the location.


The screenshot shows the SAP Inventory Counting interface. The top section is titled 'Inventory Counting' and contains fields for Count Date (12/04/17), Time (3:33PM), No. (Primary), Status (Open), and Ref. 2. Below this is a 'General' tab with a table showing the counting process. The table has columns for Item No., Item Description, Freeze, Whse, Bin Location, In-Whse Qty, Counted, UoM, Counted Qty, Variance, UoM Code, and Items per... The table shows three rows of data: A1000 (Normal Paper A1 00) with a counted quantity of 75.000, A3000 (Normal Paper A3 00) with a counted quantity of 200.000, and B1000 (Normal Paper B1 00) with a counted quantity of 0.000. Below the table is a 'Bin Location Content List' section with a 'Report View' dropdown set to 'List'. This section shows a table with columns for Select, Bin Location, Item No., Item Qty, CCD No., Customer, Delivery Date, and Reason. The table shows four rows of data: 01-ST-P0011 with Item No. A1000 and Item Qty 75, 01-ST-P0011 with Item No. A3000 and Item Qty 200, 01-ST-P0011 with Item No. B1000 and Item Qty 20, and 01-ST-P0011 with Item No. B2000 and Item Qty 25. The total Item Qty is 320. At the bottom of the interface are buttons for 'OK', 'Inventory Posting List', 'Inventory Transfer', and 'Set as Default Bin Loc.'.

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00		01	01-ST-P0011	75.000			0.000	0.000		
2	A3000	Normal Paper A3 00		01	01-ST-P0011	200.000			0.000	0.000		
3						0.000			0.000	0.000		
4												

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

The user counts 75pcs for A1000 and presses the Finish button.

In SAP Business One, the counted quantity is set to zero for A3000. B1000 and B2000 are added to the Inventory Counting document with zero counted quantity.



Stock Counting

Bin Loc. 01-ST-P0011

Item

BN/SN

UoM


Quantity

Add Upd

A1000 * Normal paper 75 pcs

Delete

Finish Back



Inventory Counting

Count Date 12/04/17 Time 3:33PM No. Primary 129

Counting Type Single Counter Status Open

Inventory Counter User manager Ref. 2

General

Find Item No. Warehouses

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00		01	01-ST-P0011	75.000	✓		75.000	75.000	0.000	pcs	
2	A3000	Normal Paper A3 00		01	01-ST-P0011	200.000	✓			0.000	-200.000		
3	B1000	B1 batch paper		01	01-ST-P0011	20.000	✓			0.000	-20.000	Manual	
4	B2000	B2 batch paper - int		01	01-ST-P0011	25.000	✓			0.000	-25.000	Manual	
5						0.000				0.000	0.000		
6													

Bin Location Content List

Report View List

☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK **Inventory Posting List** **Inventory Transfer** **Set as Default Bin Loc.**

7.3.2. Quick Counting

If the Guided Quick Counting option is disabled on the [Produmex Scan General](#) tab of Produmex Scan Settings, the Quick Counting option is available in the Inventory section of the Main Menu.

Press the 'Reload' button to load the Inventory Counting documents. Every open Inventory Counting

document is listed. It is possible to filter the documents with the following fields:

- Inventory counting document number
- Count Date
- Counter user/employee

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the Inventory counting document and press the 'Count Items' button.

Doc. No.	Count Date	Inv. Counter
#16 (1)	11/22/17 (3)	Single (5)
Cntr: John Doe (2)		
Remarks: Comment (4)		
#17	11/22/17	Single
Cntr: John Doe		
Remarks:		

Reload Count Items Back

On the next screen scan or enter the bin location.

If the warehouse to count does not have bin locations, enter the warehouse code into the WH/Bin field. The warehouse can also be selected from a list. Press the '...' button. Please note: Only non bin managed warehouses can be selected from the list.

Already counted bin locations and warehouses are listed on the grid and are marked with a green check mark.

If the 'Display all sheet bin locations for Quick Counting' option is enabled on the [Produmex Scan General tab](#), every bin location from the Inventory counting document is listed on this screen. The already counted locations are marked with a green check mark.

The image displays two side-by-side screenshots of the 'Quick Counting' application interface. Both screens show a 'Doc. No.' field with '16', a 'Remarks' field with 'Comment', and a 'WH / Bin' field. The left screen shows a list with '01-ST-P0012' selected and '01-ST-P0011' with a green checkmark. The right screen shows '01-ST-P0011' selected with a green checkmark. Both screens have 'Count' and 'Back' buttons at the bottom.

On the next screen every item from the location/warehouse is listed with the on stock quantity. Items with different batch or serial number are listed on separate lines. Displayed information:

1. Item Code * Item Description
2. BN: Batch number
3. Status:
 - Green check mark: completely packed
 - Orange check mark: not packed/partially packed
4. Counted quantity/Quantity on stock UoM
5. SN: Serial number

Scan the item, then specify the UoM and the batch number. Enter the quantity to the Quantity field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button. To remove the added quantity, press the 'Delete' button.

Serial numbered items can be counted by scanning the serial numbers.

Add the next item or press the 'Finish' button to finish the counting and send the result of the counting to SBO.

Press the 'Back' button to go back.

For more information please see: *Stock Counting*

The image displays two side-by-side screenshots of the 'Quick Counting' application interface. Both windows have a title bar with standard icons and the text 'Quick Counting'.
The left window shows the following fields: Bin Loc. (01-ST-P0012), Item (B2000 * TESTB2), Batch No. (B1172211), UoM (empty), and Quantity (10). Below these fields are buttons for 'Add' and 'Upd'. A list of items is shown below, including 'B2000 * Batch paper' (5 / 5), 'B2000 * Batch paper (1)' (0 / 10), and 'S1000 * Serial paper' (1 / 1). At the bottom are 'Finish' and 'Back' buttons.
The right window shows: Bin Loc. (01-ST-P0012), Item (S1000 *), Serial No. (SN2214), and a list of items including 'S1000 * Serial paper' (1 / 1), 'S1000 * Serial paper' (1 / 1), 'S1000 * Serial paper (5)' (0 / 1), and 'S1000 * Serial paper' (0 / 1). It also has 'Finish' and 'Back' buttons at the bottom.

7.3.3. Guided Counting

If the Guided Quick Counting option is enabled on the [Produmex Scan General tab](#) of Produmex Scan Settings, the Guided Counting option is available on the Inventory section of the Main Menu.

Make sure that the 'Display all sheet bin locations for Quick Counting' option on the [Produmex Scan General tab](#) of Produmex Scan settings is enabled.

Press the Reload button to load the Inventory Counting documents. Every open Inventory Counting document is listed. It is possible to filter the documents with the following:

- Inventory counting document number
- Count Date
- Counter user/employee

Press the 'Reload' button to apply the filter(s).

Select the inventory counting document then press the 'Count Items' button to start the counting.

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the inventory counting document then press the 'Count Items' button to start the counting.

Doc. No.	Count Date	Inv. Counter
#16 (1)	Cntr: John Doe (2)	Date: 11/22/17 (3) Single (5)
Remarks: Comment (4)		
#17	Cntr: John Doe	Date: 11/22/17 Single
Remarks:		

Reload


Count Items Back


On the next screen every bin location/warehouse from the Inventory Counting document are listed in alphabetical order.

Already counted locations are marked with a green checkmark.

Scan or select the bin location and press the 'Count' button.

If the "Restricted zone handling in Quick Counting" option is enabled on the [Produmex Scan General tab](#) of Produmex Scan settings, only bin locations that are listed on the screen can be scanned or selected, otherwise the following error message is displayed:





On the next screen every item that was selected on the inventory counting document are listed with the current quantity on stock. Even items from the list that are not available on stock can be scanned for counting, but only strictly the items from the inventory counting document.

Items with different batch or serial number are listed on separate lines.


Displayed information:

1. Item Code * Item Description
2. BN: Batch number
3. Status:
 - Green check mark: completely packed
 - Orange check mark: not packed/partially packed
4. Counted quantity/Quantity on stock UoM
5. SN: Serial number

Scan the item then specify the UoM and batch number if needed.

Serial numbered items can be counted by scanning the serial numbers.

Only items listed on the screen can be scanned otherwise the following error message is displayed:



Add the next item or press the 'Finish' button to finish the counting and send the counting results to SBO. Only the stock of the items that are listed on the Inventory Counting document is updated.

If there is an item on stock on the given location that is not listed on the Inventory Counting document, the user cannot register counting data for that item. When the Inventory Counting document is updated with the counting data, the item will not be added to it with zero quantity.

Example:

Bin Location content:

- A1000 - 75pcs
- A3000 - 200pcs
- B1000 - 20pcs
- B2000 - 25pcs

Inventory Counting document: Count A1000 and A3000 on the location.

Inventory Counting

Count Date: 12/04/17 Time: 3:33PM
Counting Type: Single Counter
Inventory Counter: User manager

No.: Primary 29
Status: Open
Ref. 2:

General

Find: Item No. Warehouses: << >>

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00		01	01-ST-P0011	75.000			0.000	0.000		
2	A3000	Normal Paper A3 00		01	01-ST-P0011	200.000			0.000	0.000		
3						0.000			0.000	0.000		
4												

Bin Location Content List

Report View: List ☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK
Inventory Posting List
Inventory Transfer
Set as Default Bin Loc.

The user counts 75pcs for A1000 and presses the Finish button.

In SAP Business One, the counted quantity is set to zero for A3000. Because B1000 and B2000 are not included in the Inventory Counting document, the system does not take them into account when it updates the Inventory Counting document.

Guided Counting

Bin Loc.: 01-ST-P0011
Item:
UoM:
Quantity: Add Upd

A1000 * Normal paper 75 / 75 pcs ✓
A3000 * Normal paper 0 / 200 pcs ✓

Delete

Finish Back

Inventory Counting

Count Date

12/04/17

Time

3:39PM

No.

Primary

30

Counting Type

Single Counter

Status

Open

Inventory Counter

User

manager

Ref. 2

General

Find

Item No.

Warehouses

<<

>>

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0011	75.000	<input checked="" type="checkbox"/>		75.000	75.000	0.000	pcs	
2	A3000	Normal Paper A3 00	<input type="checkbox"/>	01	01-ST-P0011	200.000	<input checked="" type="checkbox"/>			0.000	-200.000		
3			<input type="checkbox"/>			0.000	<input type="checkbox"/>			0.000	0.000		

Bin Location Content List

Report View

List

☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK

Inventory Posting List

Inventory Transfer

Set as Default Bin Loc.

8. Other

8.1. Query Stocks

You can get stock information with the function Query Stocks. You can filter according to Warehouse, Bin location, Item code and Batch/Serial Number.

Query Stocks

WH / Bin: 02

Item:

BN/SN:

UoM:

A1000 * Normal Paper
02-SYSTEM-BIN-LOC 105

B1001SD * Batch Paper
02-SYSTEM-BIN-LOC 108

Print Ser./Bat. Tot. 213

Reload Back

Query Stocks

Item: B1001SD

Bin Loc.: 02-SYSTEM-BIN-LOCATION

BN0001	98
BN0011	10

Print Total Quantity 108

Reload Back

After setting the filters tap Reload and the grid will be populated with the stock data found based on the criteria. The Tot. field shows the total quantity of the queried stock data. With Print you can print the stock labels for the selected items/batches.

If you select a line in the grid and tap Ser./Bat. button, you will get a list of the serial/batch numbers belonging to the selected line.

If you tap Reload, the data will be refreshed. If you tap Back, the query stock filter form shows up again.

8.2. Print labels

With this function you can print labels for the bin locations. You can enter the bin code for which you want to print the labels, the number of labels you want to print in the Labels field, and select the printer (the default printer will be prefilled):

Print Labels

Location Labels

Bin Code: 02-SYSTEM-BIN-LOCATION

Labels will be printed for 1 bin locations

Labels: 1

Printer: Backup Zebra

Print Back

Printers

Name: Backup Zebra

Choose Cancel

Tap Print to print the labels, tap Back to go back to the main menu. You can choose the printer to print by tapping ... beside the Printer field.

Select the printer you want to use and tap Choose to use it or tap Cancel to close the printer selection screen without changing the assigned printer.

8.3. Bin Locking

To lock a storage location, press the 'Bin Locking' button.

On the next screen add the bin location code. The *Status* of the location will be automatically populated.

Bin Locking	
Bin Loc.	02-STORAGE
Status	Unlocked
<div>Lock Back</div>	

Bin Locking	
Bin Loc.	02-STORAGE
Status	Locked
<div>Unlock Back</div>	

Press the 'Unlock' button to unlock the bin location.

Press the 'Lock' button to lock the bin location. A bin location cannot be locked if there are open inventory counting documents or the bin location contains positive/negative inventory.

The locked bin locations will be marked as 'Inactive' on the Bin Location Master Data.

8.4. Bin Attributes

Use this function to check and modify the attributes of a bin. *Please note: Customization is required in order to use this function.*

8.4.1. Customization

Add custom fields

By default only the Bin Loc. field is displayed on the screen. In order to display bin attributes, add definition lines for them in the [Customization Fields user table](#).

- To add a Bin Location Master Data standard field, add the DI API field name with the "BO_" prefix. Use the SAP B1 SDK help file to find out the possible fields.
- To add a Bin Location Master Data user defined field, add the field title with the 'BO_U_' prefix.

Example:

In the example we will add the standard Description field and a Customer user field. We add the following entries to the Customization Fields user table:

Field Name	Field Type	Label	Module	Screen	Read Only
BO_Description	String	Description	BXMobileWH9	BinAttributesScreen	No
BO_U_PMXCUS	String	Customer	BXMobileWH9	BinAttributesScreen	No

Add a custom query

Add the following query to automatically populate the custom fields with the current values after the bin location is scanned.

Query name: 'BXMobileWH9_BinAttributesScreen_TextBinLocation_validate_after'

Example:

```
IF(LEN($[BO_Description]) < 1 AND LEN($[BO_U_PMXCUS]) < 1)
SELECT Descr AS BO_Description, U_PMXCUS AS BO_U_PMXCUS
FROM OBIN WHERE BinCode = $[TextBinLocation]
```

8.4.2. Using the Bin Attributes function


Scan the bin location. The custom fields will be automatically populated with their current value.

Enter a new value.

The image shows three sequential screenshots of the 'Bin Attributes' dialog box. In the first screenshot, the 'Bin Loc.' field is empty. In the second screenshot, 'Bin Loc.' is populated with '01-ST-P0013', 'Description' is 'Empty', and 'Customer' is 'Not assigned'. In the third screenshot, 'Description' is updated to 'Pick loc AA123' and 'Customer' is updated to 'MSLLC'. The 'Update' button in the third screenshot is highlighted with a red box.

Press the 'Update' button.

The following message is displayed:



In SAP Business One, the master data of the given bin location is updated with the entered values.

9. Managing UoM Groups

UoM – Unit of Measure is the quantitation (or pack size) in which an item can be counted. Some items can be counted in different UoMs, for example it can be counted separately or in a bundle of six. For this mechanism, SAP BO Business One has UoM Groups, where these pack sizes can be pre-defined. For example how many ‘pieces’ are in a ‘box’. This can be set in the Item Master Data form.

When dealing with an item with a pre-defined UoM group, the user will be able to select any applicable UoM in the Warehouse system. All quantities in the Warehouse system will be handled in the UoM specified and will be booked to SAP BO in the UoM defined in the Item Master Data’s relevant setting.

9.1 Example: Goods Receipt

To present the business logic through an example, several [goods receipt](#) will be shown in different

UoM-s. The logic of handling UoMs is the same in other tasks.

In this simple example 5 'pallet' of white printer paper was ordered. It is being delivered in different quantities for example a man can reasonable carry a few 'boxes' or a 'pallet' that is the default payload of a trolley.

Tapping the options button in line with the UoM field opens up the options for UoMs. These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. A 'box' can be divided into two 'packs' or 24 'boxes' can be combined into one 'carton', etc.

In this example the 'carton' was chosen. Next 6 'cartons' will be added to the goods receipt. The bin location will be specified.

As it can be seen, 6 'cartons' have been received for the first order. At first there were 5 'pallets' in the order, it was converted to 10 'cartons'. Hence 6 / 10 cartons can be read in the first order.

Further in this example, if 10 'boxes' are added to the first order, the system will correctly calculate: The already reported quantity 6 'cartons' = 6*24 'boxes' = 144 'boxes'. Adding 10 will give 154 'boxes'.

The full order is 5 'pallets' = 5*48 'boxes' = 240 'boxes'.

So 144/240 'boxes' can be read in the goods receipt form.

9.2 Example: Deliveries picking

When [picking for deliveries](#), the user can specify the quantities in the UoM of his choice. Tapping the options button in line with the UoM field opens up the options for UoMs.

The image shows two side-by-side screenshots of SAP mobile application screens. The left screen is titled 'Picking' and contains the following fields: Pick List (3 * 05/05/17), Customer (C00001 * Customer 01), Item (R00001), Open Qty (1 Carton), Rec. Bin (02-SYSTEM-BIN-LOCATION), Bin Loc. (empty), UoM (Box), and Quantity (empty). There is a 'Find Stocks' button and 'Post' and 'Back' buttons at the bottom. The right screen is titled 'UoM Selection' and shows the Item (R00001 * Printer Paper) and UoM Group (Box). It contains a list of UoM options: 1 Box = 1 Box, 2 Pack = 1 Box, 1 Carton = 24 Box, and 1 Pallet = 48 Box. There are 'Choose' and 'Cancel' buttons at the bottom.

These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. For example one 'box' is worth 2 'packs'. In this example 'box' was chosen.

The logic is the same as before. Next to the quantity field the current UoM can be viewed.

9.3 Example: Stock counting

When [counting stocks](#), the user can specify the quantities in the UoM of his choice. Tapping the options button in line with the UoM field opens up the options for UoMs. These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. For example one 'pallet' is worth 48 'boxes'. In this example 'pallet' was chosen.

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

Delete

Finish Back

UoM Selection

Item

UoM Group

1	Box	= 1 Box
2	Pack	= 1 Box
1	Carton	= 24 Box
1	Pallet	= 48 Box

Choose Cancel

Continuing the example one 'pallet' has been counted and now can be seen in the list. Further 24 'boxes' were added to the counting. It can be seen, the system handles both UoMs in one list.

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

R00001 * Printer Paper 1 Pallet

Delete

Finish Back

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

R00001 * Printer Paper 1 Pallet

R00001 * Printer Paper 24 Box

Delete

Finish Back

10. Multiple Branches


10.1. Setup

During the setup of a multiple branch managed company on the Service Manager, make sure that the defined SBO user is enabled for all company branches. This way the Service Broker will be able to perform transactions for each branch.

10.2. On the mobile device

If the company has branches enabled, an additional 'branch' field is displayed on the Login screen.

- If the employee is not assigned to a branch, specify the branch on this field. Press the '...' button to select the branch from a list.
- If the employee is assigned to a branch this field is automatically populated.



Client version: 17.04.06001.18920

On the main menu header, the branch is also displayed next to the company name and the employee.



After the branch has been selected, all transactions are applied with that branch.

A warehouse/bin location can only be selected if the warehouse is assigned to the branch or the warehouse is not assigned to any branch. Only stock stored in warehouses assigned to the branch/assigned to no branch are listed.

The employee will only be able to see documents assigned to the branch. In the case of inventory transfer documents, the employee will only be able to see the documents where the source warehouse is assigned to the branch.

Transactions can only be created for the business partner assigned to the selected branch.

Documents created from the mobile device will be assigned to the selected branch.

11. Administrative Functions

As described above when you create bookings in the mobile devices a so called mobile transaction data will be generated in the SAP BO company database to store your data before you tap Post. It is also possible to check these mobile transactions in the Produmex Scan add-on. You can even cancel or book them from SAP BO.

You can find the mobile transaction administration at Inventory>Inventory Transactions>Mobile Transactions. You have two menus here: Search Mobile Transactions and Mobile Transactions. With Search Mobile Transactions you can filter for them, with Mobile Transactions you can simply browse the existing transactions.

11.1. Search Mobile Transactions

When you start the menu you will get a filter window which you can fill in according to your needs:

Mobile Transactions - Selection Criteria	
Employee → 1 Doe, John	Head Code
Items Group Code	Doc Type
Item → A1000 Normal Paper	Doc Number
Batch Number	Base Doc Type
Bin Code	Base Doc Number
Date From	Include Under Preparation <input checked="" type="checkbox"/>
Date To	Include Pending <input checked="" type="checkbox"/>
	Include Processed <input type="checkbox"/>
	Include Cancelled <input type="checkbox"/>
OK Cancel	

You can filter according to every master data that you can enter at a mobile transaction in the mobile device, and you can select among four statuses: Include Under Preparation, Include Pending, Include Processed and Include Cancelled.

- Include Under Preparation means that you want to see the mobile transaction data whose creation has been already started but no post booking happened (the SAP BO document has not been generated yet).
- Include Pending is for the mobile transaction data where the post already happened but because of a problem the SAP BO document could not be created. In this case you can check the cause and solve it, then process the mobile transaction data again, or you can cancel the mobile transaction data and book the transaction manually in SAP BO.
- Include Processed will list all the mobile transaction data that are already processed (the SAP BO document has already been created).
- Include Cancelled will show you the mobile transaction data that have been cancelled.

After you filled out the form with the relevant data, click on button Update and the relevant mobile transaction data will be listed.

In the list of Mobile Transactions window you can choose the mobile transaction data which you want to open, double click the line and the mobile transaction will be opened:

Here if you right click an empty area you can choose Process or Cancel from the context menu. If you

choose Process, the add-on will try to create the relevant SBO documents again, if you click Cancel, the mobile transaction data will be cancelled and you have to create the SBO documents manually based on the mobile transaction data (or you can make the document again from the mobile device).

11.2. Mobile Transactions

The window Mobile Transactions is exactly the same as the last window from above. Here you can browse the mobile transaction data with the arrow keys and if you found the one you were looking for you can cancel or process from the right click context menu.

From:

<http://wiki.produmex.name/> -

Permanent link:

<http://wiki.produmex.name/doku.php?id=implementation:scan:functionalguide>



Last update: **2017/09/01 13:13**