

Produmex Scan Functional Guide

1. Introduction

This document describes the functionality of Produmex Scan. Produmex Scan is a mobile application for SAP Business One 9 to manage stock transactions.

The architecture of the solution supports even dozens of warehouse workers to perform tens of thousands of inventory transactions in conjunction with the company warehouse database. All major SAP Business One 9 inventory transactions are supported including pick-lists, stock counting, bin locations, serial/batch numbers as well as deliveries and goods receipts.

The client component is a native Windows CE/Mobile application for ultimate speed, while the server component is a scalable, robust, high performing business logic transaction engine.

It is worthwhile to understand the structure of the system first, so the workflow of each function can be seen in context.

The mobile devices require a constant connection to the system. This communication is facilitated by the Service Broker. Each mobile device's data is saved to a temporal database. This makes it possible to use multiple devices at the same time on a task (for example two employees unloading the same shipment). Each employee can see the changes made by his co-worker in real time, so they can work parallel. This also makes sure, that if the mobile device's connection is lost (network error, low battery, etc.) the work done so far is not lost.

The user can review all the changes before committing to the SAP Company Database. We call the procedure when changes are made to the company database Posting. This step suits the typical workflow of company's well, the employee in charge of the operation can verify the results at the end.

When you use the Produmex Scan application and you prepare your inventory data to create SBO documents from it, this data will be sent to the Service Broker each time you tap the Done button (so practically for each material line). The Service Broker will save this data in a so called mobile transaction. This mobile transaction data will contain all necessary information to create the appropriate booking, and when you tap the trigger button to create the document (usually the Post button), this mobile transaction will be processed and the relevant SBO document will be created with DI API based on the data.

This logic ensures that if you already created a long list of transactions and you have a failure for example in the network connection to the mobile device, you won't have to start the whole process again. In the Produmex Scan Add-on there are functions to handle those mobile transaction data. You will find more information on that at the end of the document.

Note, that while no posting is made, the changes can not be seen from the SAP BO Client.

Prerequisites

Before using the Produmex Scan application, you should have set up correctly the necessary master data (employees, printers, authorizations, settings, etc.) Please refer to the Produmex Scan [Installation](#) and [Configuration Guide](#) for instructions regarding setup and configuration.


2. Client Functionalities

2.1. Logging in

After the set up if you start the mobile application, the login screen will appear.

If the Pin code is set in the [employee master data](#) (Employee Master Data form > User-defined fields > Mobile password), then you can either enter it at the User field or you can use the SAP BO employee code. After leaving the user field, the application will automatically fill the User Name field.


The user can also select a printer to work with by clicking on the ... button beside the Printer field. Tapping Exit will close the mobile application. Tapping Login the user will be navigated to the main menu or his last active screen.



The user will see all the menu entries for which he has rights (the rights can be set in the [employee master data](#)). Note, that the user will always see the Query Stocks and Print Labels menu. By tapping the entries in the Main Menu the user can begin the indicated processes. Each process will be explained in the following sections.

2.2. Goods Receipt PO

2.2.1. GRPO



2.2.1.1. Selecting Purchase Orders

From the Main Menu the GR PO entry leads to the form that can create a goods receipt PO in SAP BO. First the user will be prompted a list of the existing purchase orders in the SAP BO database. Filters can be used to find relevant purchase orders quickly. The user can set the filters and then tap the Reload button to load the relevant data from the database. The grid below the filter fields will be filled with the available purchase order entries.

The screenshot displays the 'GR PO' form with the following fields and data:

Field	Value
Doc. No.	
Supplier	MSLLC * Mega Supplier LLC
Due Date	
Item	

The list of purchase orders is as follows:

PO #	Supplier	Due Date	Recv
PO #18	MSLLC * Mega Sup	Due: 11/29/17	0 / 3

The 'Reload' button is highlighted in red. The bottom of the form contains 'Receive' and 'Cancel' buttons.

In one entry the user can see the document number of the purchase order, the name and description of the supplier, the due date and the already received full purchase order lines/all lines. In this example two orders were filtered, both have zero lines already filled out.

If the user taps Cancel, he will be navigated back to the Main Menu.

The user can select an entry and then tap Receive to enter the items and quantities for the Goods

receipt PO.

2.2.1.2. Receiving Items

At the beginning of the entry the user can also see the purchase order line status. Only open purchase order lines are listed here. If the user enters the item number in the Item field and leave the field, the line containing the item will be automatically selected. Alternatively the user can select a line manually in the grid. The user cannot add items that are not in the purchase order.

Once the item line is selected, the user can enter the quantity he wants to receive in the Quantity field and then click on Add or Upd. If the user clicks on Add, the quantity entered will be added to the already set quantity. If the user clicks on Upd, the already set quantity will be overwritten with the new quantity. To cancel an entry, the user can update a quantity to zero.

The image shows three sequential screenshots of the GRPO (Goods Receipt PO) interface, illustrating the process of adding and updating quantities for different items.

Screenshot 1 (Left): The 'Purch.Ord.' field is set to '18 * Mega Supplier LLC'. The 'Item Filter' is 'A1000 * Normal paper'. The 'UoM' is 'pcs'. The 'Quantity' field is '5', and the 'Add' button is highlighted. The grid shows three items: #1 A1000 * Normal paper (0 / 10 pcs), #2 B1000 * TESTB1 (10 / 10), and #3 S1000 * Serial paper (10 / 10). The 'OK' button is at the bottom.

Screenshot 2 (Middle): The 'Item' field is 'A1000 * Normal paper'. The 'Bin Loc.' is '1-SYSTEM-BIN-LOCATION'. The 'UoM' is 'pcs'. The 'Quantity' field is '3', and the 'Add' button is highlighted. The grid shows one item: 01-RECEIVING-BIN-LOCATION (2 pcs). The 'Print' button is at the bottom, with a 'Qty' field showing '2 of 5 pcs'.

Screenshot 3 (Right): The 'Purch.Ord.' field is '18 * Mega Supplier LLC'. The 'Item Filter' is empty. The 'UoM' is 'pcs'. The 'Quantity' field is empty, and the 'Add' button is highlighted. The grid shows three items: #1 A1000 * Normal paper (5 / 10 pcs), #2 B1000 * TESTB1 (10 / 10), and #3 S1000 * Serial paper (10 / 10). The 'OK' button is at the bottom.

2.2.1.3. Printing Lables

Tapping Print will navigate the user to the Goods receipt PO print label making form. Here the user can review the contents of the label, can change the [unit of measure \(UoM\)](#) of the products, can change the number of labels printed and can specify the [printer device](#) to be used.

Tapping the Print button will start the printing process. In the following example a printed label can be seen. Typically this label is printed on a sticker paper, ready to be attached to the product. These labels contain for example barcode to be scanned later. Each company can have its own, specific layout. For now, press Back to return to the GR PO screen.

Print Labels

Remarks: A1000 * Normal paper

Quantity: 5 pcs

UoM: pcs

Labels: 1

Printer: Mobile Zebra 01

Print Back

After setting the quantities in the GR PO screen the user can tap Done to progress.

2.2.1.4. Posting the Goods Receipt PO

If the warehouse uses bin locations the user will be prompted the bin location selection form to enter the bin location(s) to which the item will be received. If the warehouse has no bins or the items are normal (not a batched or serialized items) the window will not be prompted.

In most of the scenarios the bin location and batch/serial selection form will be presented as a professional company relies heavily on these features. This is explained in the next section.

In this example the bin location selection form is not prompted as the 'A1000 Normal Paper' is a normal item and the warehouse '02' does not use bin locations.

In this simple example the user will be taken back to the main GR PO screen. It can be seen below, that an order has been already received and a new option is available, to post some or all received orders. The user can tap Post to go to the GRPO Post screen, where he can specify which orders to post. Posted orders will become bookings in the SAP BO system.

After selecting the entries in the GRPO Post screen the user can tap Cancel to abandon the posting or Post to book the orders. A message will be prompted to confirm a successful posting. Tap Ok to return to the main GR PO screen.

The image shows two side-by-side SAP windows. The left window is titled 'GR PO' and contains fields for 'Doc. No.', 'Supplier', 'Due Date', and 'Item'. Below these is a list of items, with 'PO #18' selected. The right window is titled 'GR PO Post' and contains a list of documents to post, also with 'PO #18' selected. The 'Post' button in the GR PO window is highlighted with a red box.

2.2.1.5. Dealing with Batched or Serialized Items and Bin Locations

As mentioned before, after for example adding the quantity of an item in the goods receipt PO there may be extra steps involved. If the warehouse uses bin locations or the item is a batched or serialized item the user will be prompted the bin location and batch / serial selection form.

Bin Location

First the Bin Location can be specified. If set, the bin location must exist in SAP BO or else, the user will receive an error message. The user cannot enter bin locations that are in a different warehouse than the warehouse in the related SAP BO document line. The Bin Location can be left empty, indicating that no bin location is used. If the 'Receiving Bin Locations' setting is enabled in SAP BO, the system will automatically choose a bin location.

Batch

If the item is managed by batches, the user can enter the batch numbers. It is possible to create an user query for generating the batch automatically. Press the New button to generate the batch number. For more information please see: [Batch number generation](#)

Then specify the unit of measure (UoM). For more information please see: [Managing UoM Groups](#)

It is possible to divide the stock among the bin locations. The functionality of the Add and Upd buttons are the same as before.

Serial

If the item is managed by 'On every transaction' serial numbers, then the user has to add the quantity by scanning the serial numbers. To remove a serial number, select its line and press the 'Delete' button. It is possible to create an user query for generating serial numbers automatically. Press the New button to generate the serial numbers automatically. For more information please see: [Serial number generation](#)


If the item is managed by 'On release only' serial numbers, then simply enter the quantity. The system automatically creates empty (placeholder) serial number records.

Press the Done button to proceed. The system goes back to the previous screen and saves the entered data. The received quantity in the line of the purchase order is updated with the newly created quantity. The total quantity of batch/serials must be equal to the quantity entered on the GRPO screen.

To go back without saving the changes, press the Cancel button.

The image shows three screenshots of the GRPO screen in a Windows-style application. Each screenshot has a title bar with 'GRPO' and standard window controls. The first screenshot shows the 'Item' field with 'B1000 * TESTB1', 'Bin Loc.' with '1-RECEIVING-BIN-LOCATION', 'Batch' with 'BN112911' (highlighted with a red box and a 'New' button), 'UoM' with a dropdown arrow, and 'Quantity' with '5' and 'Add'/'Upd' buttons. Below is a list with one entry: '01-RECEIVING-BIN-LOCATION Batch: BN112910 5'. The second screenshot shows 'Item' as 'S1000 * Serial paper', 'Bin Loc.' as '1-RECEIVING-BIN-LOCATION', 'Serial No.' with 'SN112918' (highlighted with a red box and a 'New' button'), and a list of four entries with serial numbers SN112914 through SN112917. The third screenshot shows 'Item' as 'S2000 * Serialized paper', 'Bin Loc.' as '01-ST-P0011 * Pick location', 'Quantity' as '5' with an 'Add' button, and a list with one entry: '01-RECEIVING-BIN-LOCATION Quantity: 5'. All screenshots have 'Print', 'Qty', and 'Update'/'Cancel' buttons at the bottom.

2.2.2. Free GRPO



To receive stock without a purchase order, press the 'Free GR PO' button.

Press the 'Reload' button to see the list of the preliminary goods receipt documents. It is possible to filter the preliminary documents based on the supplier. Enter the supplier code to the *Supplier* field or select it after pressing the '...' button.


To create a new *Goods Receipt PO* document, select the supplier then press the 'New' button. If there are preliminary Goods receipt documents, two additional buttons are displayed:

- Resume
- Post

To modify the list of items to receive, select the documents then press the 'Resume' button. To create the *Goods Receipt PO* document in SAP Business One, press the 'Post' button.

Displayed information:

1. Code of the preliminary document
2. Supplier code * Supplier name
3. Number of document lines



On the next screen add the warehouse. To select the warehouse from a list, press the '...' button. Then add the item code to the *Item* field and specify the [UoM code](#).

To select the item from a list, press the '...' button. Enter the quantity to the *Quantity* field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button.

Create GR PO

Supplier: V00002 * Vendor 02

Warehouse: ...

Item: ...

UoM: Box

Quantity: Add Upd

Item: B1002B * Batch Paper B1002B
WH: 02 10 Box

Item: S1000S * Serial Paper
WH: 02 10 Pack

Back

If the destination warehouse has bin locations and/or the product is managed by batches or serial numbers, the system will prompt the user to a screen where the batch/serial number(s) and the bin location can be added.

Products can be received into different bin locations from the same warehouse.

It is also possible to adjust the UoM of the product. For more information please see: [Managing Unit of Measure Groups](#).

Products with different batch numbers can be received. It is possible to create an user query for generating the batch automatically. Press the New button to generate the batch number. For more information please see: [Batch number generation](#)

If the item is managed by 'On every transaction' serial numbers, add the quantity by scanning the serial numbers. To remove a serial number, select its line and press the 'Delete' button. It is possible to create an user query for generating serial numbers automatically. Press the New button to generate the serial numbers automatically. For more information please see: [Serial number generation](#)

If the item is managed by 'On release only' serial numbers, add the number of the received items instead of the serial numbers. Enter the quantity to the Quantity field then press the Add button. The system automatically creates empty (placeholder) serial number records.

Create GR PO

Item

B1001SD * Batch Paper

Bin Loc.

02-DOCKS

Batch

New

UoM

Carton

...

Quantity

Add

Upd

02-DOCKS

Batch: BN23456

5 Carton

Print

Qty

5 of 10 Carton

Done

Cancel

Create GR PO

Item

S1000S * Serial Paper

Bin Loc.

02-DOCKS

Serial No.

SN15105

New

02-DOCKS

Serial No.: SN15101

02-DOCKS

Serial No.: SN15102

02-DOCKS

Serial No.: SN15103

02-DOCKS

Serial No.: SN15104

Print

Delete

Qt

4 of 10

Done

Cancel

Create GR PO

Item

S2000 * Serialized paper

Bin Loc.

01-ST-P0011 * Pick location

Quantity

5

Add

01-RECEIVING-BIN-LOCATION

Quantity: 5

Print

Delete

Qt

5 of 10

Update


Cancel

Press the 'Print' button to print the item label of the selected item.

Press the 'Done' button to add the identified products to the list of items to receive or press the 'Cancel' button to go back without adding the products to the list.

2.3. Production

2.3.1. Issue for Production



Select the Issue option in the Main Menu under the Production section.

Issue > Prod

Pr. Ord. No.

Product

Due Date

Warehouse

#4 11/29/17 WH: 01
B3000 * Batch paper Iss: 0 / 3
Remarks:

Reload

Issue **Back**

Issue > Prod

Prod. Order

Item Filter

UoM

Quantity **Add** **Upd**

#1 A3000 * Normal paper
✓ WH: 01 5 / 5 pcs

#2 B2000 * Batch paper
WH: 01 0 / 5

#3 S1000 * Serial paper
WH: 01 0 / 5

OK

Select a Production Order using the filters available then tap 'Issue'. Possible filters:

- Production order number
- Product code
- Due date
- Warehouse

Only 'Released' production orders will be listed.

On the next screen every component from the selected production order with 'Manual' issue method are listed.

Select the item you would like to issue. Enter the quantity then tap 'Add'.

Issue > Prod

Item

Bin Loc.

Batch

UoM

Quantity **Add** **Upd**

01-ST-P0012
Batch: B1170803 2

Find Stocks Qty

Update **Cancel**

Stock Info

WH / Bin

Item

BN/SN

B2000 * Batch paper
01-RECEIVING-BIN-L 105

B2000 * Batch paper
01-ST-P0011 25

B2000 * Batch paper
01-ST-P0012 15

B2000 * Batch paper
01-SYSTEM-BIN-LOC 10

Print **Ser./Bat.** Tot

Select **Back**

If the source warehouse has bin locations, and/or the item is managed by batches/serial numbers, the system proceeds to a screen where the bin location, batch or serial numbers can be added.

- If the warehouse is managed by bin locations, specify the source bin location. It is possible to issue materials from multiple bin locations. Only bin locations from the warehouse that was defined for the material on the production order can be entered.
- If the material is managed by batches, specify the batch number. It is possible to issue stock from multiple batches.
- If the material is managed by serial numbers, scan the serial numbers to issue.

To select the stock from a list, tap the Find Stocks button. On the following screen you can see all the items on stock. Select the stock on the list then press the 'Select' button.

After you are finished, tap the 'Update' button.

The system will automatically select the next line with open quantity to issue. If the 'Keep focus on prepared line (all processes)' option is set to true on the [Produmex Scan General tab](#) of Produmex Scan settings, then the last issued line will be selected.


Issue the next material or press the 'OK' button to finish the process.

Issue > Prod			
Prod. Order	4 * 11/29/17		
Item Filter			
UoM			
Quantity			
Add Upd			
#1	A3000 * Normal paper	WH: 01	5 / 5 pcs
#2	B2000 * Batch paper	WH: 01	5 / 5
#3	S1000 * Serial paper	WH: 01	0 / 5
OK			

Issue > Prod			
Pr. Ord. No.			
Product			
Due Date	11/29/17		
Warehouse	01		
#4	11/29/17	WH: 01	B3000 * Batch paper
		Iss: 2 / 3	Remarks:
Reload Post			
Issue		Back	

Back to the issue screen, you can select your constructed issue for production transaction. Press the 'Post' button to generate the *Issue For Production* document in SAP Business One.

2.3.2. Return Components



Select the Return option in the Main Menu under the Production section.

The image shows two screenshots of the 'Return Comp' application interface. The left screenshot displays the main form with fields for 'Pr. Ord. No.', 'Product', 'Due Date', and 'Warehouse'. Below these fields is a table with columns for item number, date, warehouse, and return quantity. The right screenshot shows the same form with the 'Prod. Order' field set to '1 * 05/05/17'. The table below shows two items: '#1 A1000 * Normal Paper' and '#2 B1001SD * Batch Paper'. Both items have a warehouse of '02' and a return quantity of '0 / 2'. The bottom of the interface features buttons for 'Reload', 'Return', 'Back', 'Done', and 'Add'.

Select a Production Order using the filters available then tap Return.

In the following screen you can see all the items associated with the Production Orders, for which some quantity has already been issued and can therefore be returned. Select an item, type in a quantity, then tap Add.


You can plan that which items to which bin should be selected to return. You can add items with the Add button. If the material is managed by batches, enter the batches as well. If the material is managed by serial numbers, scan the serial numbers to return.

The image displays two side-by-side screenshots of the 'Return Comp' (Return Components) screen in SAP. The left screenshot shows the 'Item' field populated with 'A1000 * Normal Paper', 'Bin Loc.' with '02-DOCKS', and 'Quantity' with '1'. Below these fields are buttons for 'Add', 'Upd', 'Print', 'Done', and 'Cancel'. The right screenshot shows the 'Pr. Ord. No.', 'Product', 'Due Date', and 'Warehouse' fields. Below these is a list of items with a green header row: '#1 05/05/17 WH: 02 S1000S * Serial Paper Ret: 1 / 2'. At the bottom of the right screenshot are buttons for 'Reload', 'Post', 'Return', and 'Back'.

Continue constructing the return from production in the manner explained. When you are finished, tap Done.

Back to the return components screen, you can select your constructed return from production and tap Post, to generate the Return From Production document in SAP BO.

2.3.3. Receipt for Production



Select a Production Order using the filters available then tap Receive.

#	Date	WH	Product	Recv
#4	11/29/17	WH: 01	B3000 * Batch paper	Recv: 0 / 5

On the next screen specify the received quantity. If you have a flawed product, check the Rejected checkbox while adding the product.

If the warehouse has bin locations, add the destination bin location to the Bin Loc. field. The set bin location must exist in SAP BO.

If the product is managed by batches, enter the batch number to the Batch field. The received products can be split into multiple batches. The total entered quantity must be equal to the received quantity. It is possible to create a user query for generating the batch automatically. Press the New button to generate the batch number. For more information please see: [Batch number generation](#)

If the product is managed by 'On every transaction' serial numbers, scan the received serial numbers. The number of the serial numbers must be equal to the received quantity. It is possible to create a user query for generating the serial numbers automatically. Press the New button to generate the batch number. For more information see [Serial number generation](#).

If the product is managed by 'On release only' serial numbers, enter the received quantity. The system automatically creates empty (placeholder) serial number records.

on the Receipt from Production screen select the order and tap Post to generate the Receipt From Production document in SAP B1.

Receipt < Prod

Item: B3000 * Batch paper
Bin Loc.: 1-RECEIVING-BIN-LOCATION
Batch: BN291111 [New]
UoM: [...]
Rejected: ☐
Quantity: 3 [Add] [Upd]

01-RECEIVING-BIN-LO Rejected: No
Batch: BN291110 2

[Print] Qty 2 of 5 [Update] [Cancel]

Receipt < Prod

Item: A1000 * Normal paper
Warehouse: 02
UoM: pcs [...]
Rejected: ☒
Quantity: [Add] [Upd]

WH: 02 Rejected: No 1 pcs
WH: 02 Rejected: Yes 1 pcs

[Print] Qty 2 of 3 pcs [Update] [Cancel]

In the Receipt from Production screen select the order and tap Post to generate the Receipt From Production document in SAP B1.

Receipt < Prod


Pr. Ord. No.: [...]
Product: [...]
Due Date: [...]
Warehouse: [...]

#4 11/29/17 WH: 01
B3000 * Batch paper Recv: 5 / 5
Remarks:

#5 11/29/17 WH: 02
A1000 * Normal paper Recv: 0 / 3 pi
Remarks:

[Reload] [Post]
[Receive] [Back]

2.3.4. By-product



To receive by-products from a production, press the 'By-Products' button.

On the next screen press the 'Reload' button to load the production orders. Every released production order that contains a by-product will be listed on the screen.

The production orders can be filtered with the following fields:

- Pr.Ord.No.: Filter down the list to the production order with the added production order number.
- Product: Filter the list based on the main product.
- Due date: Filter down the list to production orders with the selected due date.
- Warehouse: Filter the list based on the warehouse.

Press the 'Reload' button to apply the filters.

Select a production order and press the 'Receive' button to receive the by-product(s). Press the 'Back' button to go back to the Main Menu.

Pr. Ord. No.	Product	Due Date	Warehouse
#3	B1001SD * Batch Paper	05/10/17	WH: 02

Recv: 0 / 1

Remarks:

The system will proceed to the next screen where the by-products from the production order are listed. Scan or select the item then enter the quantity. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button.

By-Products			
Prod. Order	3 * 05/10/17		
Item Filter			
UoM	Box		
Quantity			
	Add Upd		
#2	B1002B * Batch Paper B1002B	WH: 01	0 / 10 Box
#3	R00001 * Printer Paper	WH: 01	0 / 10 Box
Done			

It is also possible to adjust the UoM of the by-product. For more information please see: [Managing Unit of Measure Groups](#).

If the destination warehouse for the main product has bin locations and/or the by-product is managed by batches or serial numbers, the system will prompt the user to a screen where the batch/serial number(s) and the bin location can be added.

- It is possible to receive by-products with different batch numbers. By-products can be received into different bin locations.
- If the item is managed by 'On every transaction' serial numbers, add the quantity by scanning the serial numbers. To remove a serial number, select its line and press the 'Delete' button.
- If the item is managed by 'On release only' serial numbers, simply enter the received quantity. The system automatically creates empty (placeholder) serial number records.

The screenshot shows the 'By-Products' screen with the following fields and controls:

- Item:** B1002B * Batch Paper
- Bin Loc.:** 02-SYSTEM-BIN-LOCATION
- Batch:** (empty) **New**
- UoM:** Box ...
- Quantity:** (empty) **Add** **Upd**
- Table:**

02-DOCKS	Batch: BN0001	5 Box
02-SYSTEM-BIN-LOCATION	Batch: BN0005	2 Box
- Print** **Qty** 7 of 10 Box
- Done** **Cancel**

To go back to the list of by-products press the 'Done' button. To print the product label, select the line then press the 'Print' button. On the next screen select the printer and add the number of labels to print. Press the 'Print' button to [print the label](#) or press the 'Back' button to go back without printing.

After the total quantity has been added the system will automatically go back to the list of by-products. Press the 'Done' button to go back to the list of production orders.

The screenshot shows the 'By-Products' screen with the following fields and controls:

- Prod. Order:** 3 * 05/10/17
- Item Filter:** (empty)
- UoM:** Box ...
- Quantity:** (empty) **Add** **Upd**
- Table:**

#2	B1002B * Batch Paper B1002B	10 / 10 Box
#3	R00001 * Printer Paper	0 / 10 Box
- Done**


After the total quantity has been added, the system goes back to the previous screen. Select the next by-product or press the 'Done' button to finish the reception.

To create the *Receipt from production* document, select the line of the production order then press the 'Post' button. The 'Post' button is only active if there are already identified by-products for the production order.

2.4. Deliveries

2.4.1. Sales Orders

From the Main Menu the Sales Order entry leads to the form that can create a sales order in SAP BO. First the user will be prompted a list of the existing sales orders in the SAP BO database. Filters can be used to find relevant sales orders quickly. The user can set the filters and then tap the Reload button to load the relevant data from the database. The grid below the filter fields will be filled with the available sales order entries.



The entry contains the document number of the sales order, the customer's code and its name, the due date and the already delivered full sales order lines/all lines. As you can see in this example no deliveries have done yet for the filtered sales orders. If the user taps Cancel, he will be navigated back to the Main Menu.

The user can select an entry and then tap Issue to display the lines of the order. In this example you can see the status for the lines of sales order 2 is open.

Sales Order

Doc. No.

Customer

Due Date

Item

SO #1 C00001 * Customer 01
Due: 05/10/17 Delv: 0 / 2
Remarks:

SO #2 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 3
Remarks:

Reload

Issue **Cancel**

Sales Order

Sales Order 2 * Customer 01

Item Filter

UoM

Quantity **Add** **Upd**

#1 Item: A1000 * Normal Paper
Open WH: 01 0 / 5

#2 Item: B1001SD * Batch Paper
Open WH: 01 0 / 10

#3 Item: ITEM01 * Item 01
Open WH: 01 0 / 10

Done

There are two possibilities to select a line, you can use the read the barcode, or you can add it manually from the list. Once you have added a line, the bin location and the quantity is required.

Please note: Assembly BoM's are not supported in this function.

If the sales order contains a Sales BoM item, the Sales BoM item and its components are listed on the screen. Issue only the components.

Batch

If the item is managed by batches, scan/enter the batch number and the quantity to deliver from that batch.

Serial number

If the item is managed by serial numbers, scan the serial numbers to deliver.

The total quantity must be equal to the quantity entered on the previous screen in order to proceed.

With the Find Stock function, the user has the opportunity to look for further information about the related item in the warehouse.

The image shows two screenshots of the 'Sales Order' application. The left screenshot shows the 'Item' field with 'B1001SD * Batch Paper' and the 'Bin' field highlighted with a red rectangle. The right screenshot shows the 'Sales Order' list with three items: '#2 Item: B1001SD * Batch Paper' (5/10), '#3 Item: ITEM01 * Item 01' (0/10), and '#1 Item: A1000 * Normal Paper' (5/5). The 'Bin' field in the left window and the 'Post' button in the right window are highlighted with red rectangles.

After to press the Done button, you can see that 5 cartons from the 10 ordered will be delivered. Repeat this step as much as it is necessary. After that you have selected and add the item to be delivered, you can proceed to post it. If the transaction was successfully posted, you will receive a confirmation.

The image shows a screenshot of the 'Sales Order' application. It displays a list of sales orders with columns for 'SO #', 'Customer', 'Due Date', and 'Delv'. The 'Post' button is highlighted with a red rectangle.

2.4.2. BN Create SO

With the 'BN Create SO' function a sales order can be created based on the batch from the mobile device.

First add the customer to the 'Customer' field. To select the customer from a list, press the '...' button. To create a new sales order press the 'New' button


To see the list of the preliminary sales orders, press the 'Reload' button. Please note: *The preliminary sales orders do not exist in SAP Business One.*



On the next screen scan the batch/serial number. Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.


To remove a product from the list, select its line then press the 'Delete' button.

Scan the next batch number or press the 'Done' button to create the preliminary sales order.




The system will return to the list of the preliminary sales orders.

- Press the 'Reload' button to reload the screen.
- Press the 'Resume' button to adjust the selected preliminary order.
- Press the 'Post' button to create the sales order from the selected preliminary order. The sales order will be created in SAP Business One.



2.4.3. Picking



After a pick list is created in SAP Business One, it can be picked on the shopfloor with the Picking function.

Produmex Scan supports the following base documents for pick lists:

- Sales order
- Production order
- Inventory Transfer Requests
- A/R Reserve Invoice

Please note: Pick list with mixed base document type are not supported.

Pick List

Pick Number: 31
 Pick Date: 04/03/18
 User: manager
 Picker: manager
 Status: Released

Remarks:

#	Trans. T...	Doc. No.	BP Code	Number	UoM Code	UoM Name	Items per Unit	Whse	Whse...	Bin Location	Released	Picked	Avail. to ...	Mobile Serial Batch
1	OR	43	PCO1234	A1000	box	box	25	01	General	01-RECEIVING-B1 10			201	
2	OR	43	PCO1234	B3000	Manual		1	01	General	01-RECEIVING-B1 5			14	
3	OR	43	PCO1234	B3000	Manual		1	01	General	01-SYSTEM-BIN-L 5			45	
4	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
5	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
6	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
7	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
8	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
9	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
10	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
11	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
12	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	
13	OR	43	PCO1234	S1000	Manual		1	01	General	01-SYSTEM-BIN-L 1			1	

OK Cancel Create Pick All Clear All

On the first screen select the pick lists to pick. Press the 'Reload' button to list the open pick list. It is possible to filter the list with the following criteria:

- Pick List No: The Pick Number of the pick list.
- Customer: The customer card code.
- Due Date: The Pick Date of the pick list.
- Item: The item code. Only pick lists that contain the given item will be listed.
- Warehouse: The warehouse code. Only pick lists from the given warehouse will be listed.

Press the 'Reload' button to apply the filters.

If the 'Allow working on already taken Pick Lists' setting is disabled on the [Produmex Scan Picking tab](#) of Produmex Scan Settings, then pick lists started by another user are not listed. The user who started a pick list is stored in the OPKL.U_BXPEmpID field. You can empty this value to unassign a pick list from the user.

Displayed information:

1. Pick Number of the pick list
2. Pick Date of the pick list
3. Remarks of the pick list
4. Number of open lines on the pick list

Picking

Pick List No

Customer PCO12345 * Paper Company

Due Date

Item

Warehouse

PickList #27 Open Lines: 2
Date: 03/27/18
Remarks:

PickList #31 Open Lines: 13
Date: 04/03/18
Remarks: Test remark

Reload

Pick Back

Select a pick list then press the 'Pick' button to start the picking.

On the next screen the open pick list lines are listed. Pick list lines for serial managed items are consolidated if the item code, the base document and the source bin location is identical.

The stock list can be filtered based on the bin location. Add the bin location code to the Bin/Item field. If the bin location appear only once on the list, the given stock line will be automatically selected.

Please note: Assembly BoM's are not supported in Produmex Scan.

The lines are sorted by:

1. Line Status
2. Alternative Sort Code of the Bin Location
3. Bin Location code
4. Item code

Displayed information:

1. Pick List Line Number
2. Line Status. Possible values:
 - Open
 - Picked
 - Closed
3. Base document type. Possible values:
 - SO: Sales order
 - TR: Inventory Transfer Request
 - PW: Production order
 - IN: A/R Reserve Invoice
4. Item code and description
5. Bin Location
6. Picked quantity/Quantity to pick
7. Batch number

Scan the item or select the stock line and press the Pick button to start the picking.

On the next screen add the quantity to pick. The quantity to pick cannot exceed to open quantity on the pick list line.

- If the warehouse has bin locations, an additional 'Bin Loc.' field is displayed and instead of the Warehouse field, the 'Rec.Bin' field is displayed. Add the source bin location to the 'Bin Loc.' field.
- If the item is managed by batches, additional 'Rec.Batch' and 'Batch No.' fields are displayed. Add the batch number to the 'Batch No.' field.
- If the item is managed by serial numbers, an additional 'Serial No.' field is displayed. Add the picked quantity by scanning the serial numbers one-by-one.
- If the item has UoM groups, select the UoM before entering the quantity by pressing the '...' button next to the UoM field. For more information please see: [Managing UoM Groups](#)

If the 'Allow changing bin/batch/serial allocations for Picking' setting is not enabled on the [Produmex Scan Picking tab](#) of Produmex Scan Settings, only the stock allocated on the pick list can be picked, otherwise it is possible to pick from a different bin location or to pick a different batch/serial number.

Press the 'Find Stocks' button to select the stock to pick from a list.

On the next screen the available stock is listed. Select the stock from the list and press the 'Select' button.

- If the item is managed by batches, press the 'Ser./Bat.' button to select the batch number. If the Bin Location field was filled on the Picking screen, the list is filtered by the bin location. If the Batch field was filled on the Picking screen, the list is filtered by the selected batch.
- If the item is managed by serials, press the 'Ser./Bat.' button to see the list of available serial numbers.

After the stock is selected, the Bin Location and the Batch/Serial field will be automatically filled.

Press the Post button to save the entered data. When the total quantity is picked, the status of the

pick list line is changed to 'Picked'.

If the 'Real-Time Picking' option is enabled on the [Produex Scan Picking](#) tab of Produex Scan Settings, the picked quantity is automatically added to the SBO Pick List after the 'Post' button is pressed.

Then you can continue the picking of the item on the same location or go back to the pick list lines screen by pressing the 'Back'/'Cancel' button.

It is possible to speed up the picking by enabling various settings on the [Produex Scan Picking](#) tab of Produex Scan Settings.

- If the *Speed Picking* option is enabled, the system automatically jumps back to the Pick List lines screen after the 'Post' button is pressed. The next open pick list line is automatically selected on the Pick List Lines screen.
- If the *Sequential Picking* option is also enabled, the next open pick list line is opened on the Picking Line Details screen after the 'Post' button is pressed. The control only jumps back to the Pick List Lines screen when the last line has been picked.

Produex Scan also offers a mode designed especially for *Point of Sale* terminals. Enable the 'Streamlined Picking' option. If this option is enabled, then scanning the item code automatically adds one to the picked quantity.

Please note: Streamlined picking works only if the item is not managed by batches or serial numbers and the warehouse has no bin locations. If the item is managed by batches/serials, the batch/serial number must be added during picking. If the warehouse has bin locations, the source bin must be entered during the picking.

Back on the picking screen you can finish the picking or clear the entered data.


If there is already picked stock for the selected line, an additional 'Clear Line' button is displayed.

Press this button to delete the prepared quantities for the selected line. The picked quantity is set to zero.

Base document: Sales order and A/R Reserve Invoice

Press the 'Deliver' button to deliver the picked stocks. Produmex Scan closes the pick list line and creates the delivery document with the picked quantities. If the delivery can be created, you will get a message with the delivery number.


The system automatically closes the pick list line(s) of the delivered items, even if the total ordered quantity was not picked for the item.



Base document: Production order

If the base document of the pick list is a production order, an 'Issue' button is displayed instead of the 'Deliver' button. Press the 'Issue' button to create the Issue for production document for the already picked stock. If the document can be created, a message containing the Issue for production document number is displayed.

The system automatically closes the pick list line(s) of the issued items, even if the total ordered quantity was not picked for the item.




Base document: Inventory Transfer Request

If the base document of the pick list is an Inventory Transfer Request, a 'Transfer' button is displayed instead of the 'Deliver' button. Press the 'Transfer' button to create the Inventory Transfer document for the already picked stock. On the next screen enter the destination bin location or the warehouse. The warehouse can also be selected from a list after pressing the '...' button.

If the document can be created, a message containing the Inventory Transfer document number is displayed.

The system automatically closes the pick list line(s) of the transferred items, even if the total ordered quantity was not picked for the item.



2.4.4. Cash & Carry

With this function you can create "cash & carry" delivery for a customer and pick the items you want

to deliver.

You can create a new delivery or proceed with an already started one.

- To create a new delivery, add the customer code to the Customer field and press the 'New' button.
- To proceed with a started delivery, press the 'Refresh' button and select the delivery from the list. The list can be filtered based on the customer.
- To post a delivery, select it from the list and press the 'Post' button.

On the next screen scan or select the following:

- Warehouse
- Item code. Please note: *Only 'Inventory' items can be scanned or selected.*
- UoM

Then add the quantity you would like to deliver and press the 'Add' or 'Upd.' button.

If the warehouse has bin locations, and/or the item is managed by batches/serial numbers, a new screen opens.

If the warehouse has bin locations, add the bin location. It is possible to deliver stock from multiple bin locations. The total quantity must equal to the quantity added on the previous screen.

If the item is managed by batches, enter the batch number. It is possible to deliver stock from multiple batches. The total quantity must equal to the quantity added on the previous screen.

If the item is managed by serials, scan the serial numbers. Even if the item is managed by 'On release only' serial numbers, the serial number have to be defined. The number of the scanned serial numbers must equal to the quantity added on the previous screen.

You can check the actual stock with button Find Stocks, then enter the bin location and tap Add or Upd.

The stocks you entered will be listed in the grid. Tap Done if you are finished adding the stock to deliver. You will return to the item selection screen, where you can tap Post to create the delivery in

SAP BO.

The image displays two side-by-side screenshots of the 'Create Delivery' application window. Both windows have a title bar with the text 'Create Delivery' and standard mobile UI icons. The left window shows input fields for 'Customer' (C00001 * Customer 01), 'Warehouse', 'Item', 'UoM', and 'Quantity'. Below these fields is a list of items, with the first item being 'Item: A1000 * Normal Paper' and 'WH: 01' with a quantity of '2'. The right window shows the same form, but the 'Quantity' field is empty. Instead, it shows a list of delivery lines with a single entry: '#00000044 C00001 * Customer 01' with 'Deliv: 05/04/17' and 'Lines: 1'. Both windows have a 'Back' button at the bottom.


If the delivery can be created, you will get a message with the document number of the new delivery.

If you tap Back instead of Post, the delivery lines will be added to the mobile transaction data, but the delivery will not be created. You can come back later on, and enter the customer code tap Reload then select your delivery and tap Resume. This way you can continue working on the same delivery without posting it.


2.4.5. Packing (Delivery)

The Packing function can be started from the Warehouse main menu.

On the Packing (list of deliveries) screen, you can select from a list or it is possible to input a Delivery number and press Reload to filter to only that delivery document number. After selecting the Delivery document, press the Pack button to start Packing that order.



On the next screen, you can see the Packing data for the Delivery. First the list of packages will be empty (unless it has been already defined in SAP). You have to enter a package number (eg. 1) then press Pack to start packing into that package.



Optionally, the New button can be used to automatically generate a package number with the customizable user query ***bx_mobile_wh9_get_new_delivery_packagenumber***.

- The name of the result column: BXDLPKNM
- The type of the result column: nvarchar
- Parameters that can be used in the query:
 - [%1] empID
 - [%2] docEntry

The Pack button will take you to the Packing - Package contents screen where the list of not-

yetpacked items is displayed. You can select a line from the list or you can scan an Item code in the appropriate field. After a line is selected, you can enter a quantity and press Add / Upd button to set that quantity packed.

Delivery

Customer: C00001
 Name: Customer 01
 Contact Person: [dropdown]
 Customer Ref. No.: [field]
 Local Currency: [dropdown]

No. Primary: 3
 Status: Open
 Posting Date: 05/04/17
 Delivery Date: 05/04/17
 Document Date: 05/04/17

Packing Slip

Existing Packages

#	Package No.	Type	Total Weight	Units
1	1			Ounce
1				Ounce

Available Items

Find: [field]

#	Item Number	Available	Selected
1	B1001SD	5	

Package Contents 1

#	Item Number	Quantity	UoM Name
1	A1000	10	

Buttons: OK, Cancel, Update, Cancel

It is also possible to select one or multiple lines from the list and press 'Pack selected'. This will set all of the line item quantity to be packaged into the package. When you press the Done button, packing data is recorded into SAP.

2.4.6. BN Delivery

With the 'BN Delivery' function items can be picked and delivered based on their batch and a sales order created from the 'BN Create SO' function.

Press the 'Reload' button to see the list of sales orders. Every sales order that contains at least one open line with an allocated batch will be listed. It is possible to filter the list with the following values:

- Doc. No.
- Customer
- Due Date
- Item

Press again the 'Reload' button to apply the filter(s).

Please note: This function is only meaningful for sales order created with the 'BN Create SO' function. It is not recommended to create the delivery for sales orders not created with the 'BN Create SO' function.

BN Delivery

Doc. No.

Customer

Due Date

Item

SO #2 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 2
Remarks:

SO #4 C00001 * Customer 01
Due: 05/08/17 Delv: 0 / 1
Remarks:

Reload

Issue **Cancel**

Select the sales order then press the 'Issue' button.

On the next screen batches allocated for the sales order are listed. Scan the batch number to pick the items. Already scanned batch numbers are marked with a green tick icon.

Displayed information:

1. Sales order number*Customer name
2. Batch number
3. First bin location
4. Number of picked sales order lines/Number of sales order lines with the batch allocated

The screenshot shows the 'BN Delivery' application window. At the top, there's a title bar with a Windows logo and standard icons. Below the title bar, there are two input fields: 'Sales Order' with the value '16 * Customer 02 (1)' and 'Batch No.' which is empty. A list of stock items is displayed below these fields. The first item is highlighted in green: 'PN0015 (2)' with a red '(4)' in the right margin and '02-SYSTEM-BIN-LOC(3)' with a red '(4)' in the right margin and '0 / 3' below it. The second item is 'PN0030' with '02-SYSTEM-BIN-LOC' and '0 / 1'. At the bottom of the screen, there are two buttons: 'Done' and 'Details'.

Sales Order	Batch No.
16 * Customer 02 (1)	

Item	Location	Quantity
PN0015 (2)	02-SYSTEM-BIN-LOC(3)	0 / 3
PN0030	02-SYSTEM-BIN-LOC	0 / 1

Done Details

Press the 'Details' button to see the details of the picked stock on the selected line. On the next screen the stock to pick is listed. Different items and stocks stored on different locations are displayed on separate lines.

Press the 'Delete' button to remove an entry from the list. Press the 'Done' button to go back to the previous screen.

Scan the next batch number or press the 'Done' button to finish the picking. The system will return to the list of sales orders.

The screenshot shows the 'Batch Details' application window. At the top, there's a title bar with a Windows logo and standard icons. Below the title bar, there are two input fields: 'Sales Order' with the value '16 * Customer 02' and 'Batch No.' with the value 'PN0015'. A list of stock items is displayed below these fields. The first item is highlighted in green: '02-SYSTEM-BIN-LO' with 'PN25100-G1 * Pin' and '5'. The second item is '02-SYSTEM-BIN-LO' with 'PN25100-G2 * Pin' and '5'. The third item is '02-SYSTEM-BIN-LO' with 'PN25100-G3 * Pin' and '5'. The fourth item is '02-DOCKS' with 'PN25100-G1 * Pin' and '5'. The fifth item is '02-DOCKS' with 'PN25100-G2 * Pin' and '5'. At the bottom of the screen, there are two buttons: 'Delete' and 'Done'.

Sales Order	Batch No.
16 * Customer 02	PN0015

Item	Location	Quantity
02-SYSTEM-BIN-LO	PN25100-G1 * Pin	5
02-SYSTEM-BIN-LO	PN25100-G2 * Pin	5
02-SYSTEM-BIN-LO	PN25100-G3 * Pin	5
02-DOCKS	PN25100-G1 * Pin	5
02-DOCKS	PN25100-G2 * Pin	5

Delete Done

Select the sales order and press the 'Post' button to create the delivery document. The *Delivery* document will be created in SAP Business One.

BN Delivery

Doc. No.

Customer

Due Date

Item

SO #16 C00002 * Customer 02
Due: 05/18/17 Delv: 3 / 3
Remarks:

Reload Post
Issue Cancel

2.4.7. Sales Return

The Sales Return process uses a Delivery document as an input. The result is a Sales Return document.

To receive returned items, select the Sales Return option from the Main Menu.

Please note that deliveries that are already invoiced are closed, and therefore cannot be selected in the Sales Return process. Invoiced deliveries can be returned with the Credit Note function.

On the next screen enter the filters and press the 'Reload' button to list the Delivery documents.

The following filters can be added:

- Delivery: The delivery document number
- Customer: The customer code
- Due date: The due date of the delivery
- Item: The item code of the item to return

Displayed information:

1. Delivery document number
2. Customer code and description
3. Due date
4. Returned document lines/Open delivery document lines
5. Remarks

Sales Return

Delivery:

Customer:

Due Date:

Item: A1000 * Normal Paper A1 00

#19 1 PCO12345 * Paper Comp 2
Due: 01/09/18 3 Ret: 0 / 1 4
Remarks: Based On Sales Orders 6. 5

#29 PCO12345 * Paper Comp
Due: 03/30/18 Ret: 0 / 3
Remarks:

6 / 6 (12)

Reload

Return **Cancel**

Select the delivery from the list and press the 'Return' button to start the return.

On the next screen every open line from the Delivery document is listed.

Scan or select the item to receive then add the quantity and press the 'Add' or 'Upd.' button. The maximum amount is limited by the Delivery document line quantities. If the item has UoM groups, specify the UoM group as well.

Please note: Assembly BoM's are not supported.

Sales Return

Delivery: 29 * Paper Company

Item Filter:

UoM: box

Quantity: **Add** **Upd**

#1 A1000 * Normal Paper A1 000
Open WH: 01
0 / 5 box

#2 B1000 * B1 batch paper
Open WH: 01
0 / 5

#3 S1000 * S1 serialized paper
Open WH: 01
0 / 5

Done

If the warehouse has bin locations and/or the items is managed by batch or serial numbers, an additional screen is prompted.

- Specify the bin location on this screen. It is possible to receive the item into multiple bin locations, but the total quantity received into the bin locations must be equal to the quantity added on the

previous screen.

- If the item is managed by batches, add the batch number, enter the quantity then press 'Add' or 'Upd.'. Only items with the same batch number as the in the Delivery document can be received as a return.
- If the item is managed by serial numbers, add the quantity by scanning the serial numbers. Only items with the same serial numbers as in the Delivery document can be received as a return.

The image shows two side-by-side screenshots of the 'Sales Return' form. The left form is for 'B1000 * B1 batch paper' and includes fields for 'Original Bin' (01-SYSTEM-BIN-LOCATION), 'Bin Loc.' (01-ST-P0011 * Pick location), 'Batch' (BN93121), 'UoM' (empty), and 'Quantity' (5). It has 'Add' and 'Upd' buttons next to the quantity field. The right form is for 'S1000 * S1 serialized paper' and includes fields for 'Original Bin' (01-RECEIVING-BIN-LOCATION), 'Bin Loc.' (01-ST-P0011 * Pick location), and 'Serial No.' (S11213010). It has a list of serial numbers: '01-ST-P0011 Serial No.: S11213008' and '01-ST-P0011 Serial No.: S11213009'. Both forms have 'Print', 'Done', and 'Cancel' buttons at the bottom.

The image shows two side-by-side error messages from the 'Produmex Scan' window. The left message has a red 'X' icon and says 'Batch number must be the same as in the Delivery: B1170803'. The right message has a red 'X' icon and says 'Serial number must be the same as in the Delivery: SN66721, SN66722'. Both messages have an 'OK' button at the bottom right.

Press the 'Print' button to print the item label.

Press the 'Done' button to save the entered data and to go back to the previous screen.

Press the 'Cancel' button to go back without saving.

Continue with the next item or press the 'Done' button to finish the receipt and to go back to the previous screen.

To create the Return document, select the line of the delivery and press 'Post'.

2.4.8. Credit Note

The Credit Note process is similar to the Sales Return process on the mobile. The input is an A/R Invoice document and the result is an A/R Credit Memo document.

Press the 'Credit Note' icon from the Main Menu.

On the next screen enter the filters and press the 'Reload' button to list the A/R Invoice documents. The following filters can be added:

- A/R Invoice: The A/R Invoice document number
- Customer: The customer code
- Due date: The due date of the delivery
- Item: The item code of the item to return

Displayed information:

1. A/R Invoice document number
2. Customer code and description
3. Due date
4. Returned document lines/Open delivery document lines
5. Remarks

Credit Note

A/R Invoice

Customer

Due Date

Item

#9 PCO12345 * Paper Comp

Due: 04/13/18 Ret: 0 / 4

Remarks: Based On Sales Orders 56.

2 / 2 (3)

Reload

Return Cancel

Select the invoice from the list and press the 'Return' button to start the return.

On the next screen every open line from the invoice is listed.

Scan or select the item to receive then add the quantity and press the 'Add' or 'Upd.' button. The maximum amount is limited by the invoice line quantities. If the item has UoM groups, specify the UoM group as well.

Please note: Assembly BoM's are not supported.

Credit Note

A/R Invoice: 9 * Paper Company

Item Filter:

UoM: pcs

Quantity:

Add Upd

#1	A1000 * Normal Paper A1 000	Open	WH: 01	0 / 10 pcs
#2	B3000 * Batch Paper B3	Open	WH: 01	0 / 10
#3	S1000 * S1 serialized paper	Open	WH: 01	0 / 10

Done

If the warehouse has bin locations and/or the items is managed by batch or serial numbers, an additional screen is prompted.

- Specify the bin location on this screen. It is possible to receive the item into multiple bin locations, but the total quantity received into the bin locations must be equal to the quantity added on the previous screen.
- If the item is managed by batches, add the batch number, enter the quantity then press 'Add' or 'Upd.'. Only items with the same batch number as the in the Delivery document can be received as a return.
- If the item is managed by serial numbers, add the quantity by scanning the serial numbers. Only items with the same serial numbers as in the Delivery document can be received as a return.

Credit Note

Item: A1000 * Normal Paper A1

Bin Loc.: 01-ST-P0012 * Input location

UoM: pcs

Quantity: 5

Add Upd

01-ST-P0011	5 pcs
-------------	-------

Print Qty 5 of 10 pcs

Done Cancel

Credit Note

Item: B3000 * Batch Paper B3

Bin Loc.: 01-ST-P0011 * Pick location

Batch: BN7654

UoM:

Quantity: 10

Add Upd

Print Qty 0 of 10

Done Cancel

Credit Note

Item: S1000 * S1 serialized paper


Bin Loc.: 01-ST-P0011 * Pick location

Serial No.: SN39

01-ST-P0011	Serial No.: SN36
01-ST-P0011	Serial No.: SN37
01-ST-P0011	Serial No.: SN38

Print Delete Qt 3 of 10

Done Cancel



Press the 'Print' button to print the item label.

Press the 'Done' button to save the entered data and to go back to the previous screen.

Press the 'Cancel' button to go back without saving.

Continue with the next item or press the 'Done' button to finish the receipt and to go back to the previous screen.

To create the A/R Credit Memo document, select the line of the invoice and press 'Post'.

2.5. Stock Transfers

A transaction started in Produmex Scan must be finished in Produmex Scan. If it is finished in SAP B1, the allocated stock cannot be used for another transaction in Produmex Scan. For more information click [here](#).

2.5.1. Stock Transfer

With the stock transfer function stock can be reallocated from one warehouse/bin location to another. It is possible to move stock between bin locations in different warehouses.

First you can filter the stock to transfer according to the Warehouse/Bin Location, Item Code, Batch/Serial number. Tap the Reload button to load the filtered stock.

Select the stock to move then press the Transfer button.

The image shows two screenshots of the 'Stock Transfer' application window. The left screenshot displays the 'WH / Bin' field set to '02' and a list of items including 'A1000 * Normal Paper' and 'B1001SD * Batch Paper'. The right screenshot shows the 'Item' field set to 'A1000 * Normal Paper' and the 'From Bin' field set to '02-SYSTEM-BIN-LOCATION'. The 'To' field is empty, and the 'Quantity' field is set to '2'. The 'Find Stocks' button is highlighted.

On the next screen enter the target warehouse/bin location and the quantity to transfer. It is possible to transfer stock into multiple warehouses/bin locations.

If the item is a batch item, enter the batch number and batch quantity as well. It is possible to move stock from different batches.

If the item is managed by 'On every transaction' serial numbers, scan the serial numbers to transfer.

If the item is managed by 'On release only' serial numbers, add the quantity to transfer. The system will automatically allocate the serial numbers to move.

The image shows two screenshots of the 'Stock Transfer' application window. The left screenshot displays the 'Item' field set to 'S1000 * Serial paper' and the 'Serial No.' field set to 'SN112912'. The right screenshot shows the 'Item' field set to 'S2000 * Serialized paper' and the 'Quantity' field set to '5'. The 'Find Stocks' button is highlighted.

To delete a line, select the line and press the 'Delete' button.

Press the Find Stocks button to see the list of available stocks for the item. For more information please see: [Query Stocks](#)

Press the Done button to finish. On the next screen add the next item to move or press the Post button to transfer the stock and to create the stock transfer document in SAP BO.

2.5.2. Stock Transfer Request

With this function you can handle inventory transfer request documents. First you have to create the documents in SAP BO and then you can load them on the mobile device. You can filter them according to Request Number, Warehouse from and Warehouse to. If you tap Reload, the existing requests will be loaded into the grid.

The left screenshot shows the 'Stock Transfer' app interface. It has a title bar with a Windows logo and icons for navigation. Below the title bar, there are three input fields: 'Req. No.', 'WH From', and 'WH To'. Below these fields is a list of requests. The first request is 'Req. No.: 1 Due: 05/04/17 Lines: 2 Transferred: 0 Remarks:'. The second request is 'Req. No.: 2 Due: 05/04/17 Lines: 2 Transferred: 0 Remarks:'. Below the list is a 'Reload' button. At the bottom are 'Transfer' and 'Cancel' buttons.

The right screenshot shows the 'Stock Transfer' app interface. It has a title bar with a Windows logo and icons for navigation. Below the title bar, there are three input fields: 'Req. No.', 'Item Filter', and 'UoM'. Below these fields is a 'Quantity' field with the value '2' and 'Add' and 'Upd' buttons. Below these buttons is a list of items. The first item is '#0 Item: A1000 * Normal Paper Open From: 02 To: 02 0 / 10'. The second item is '#1 Item: B1001SD * Batch Paper Open From: 02 To: 02 0 / 10'. Below the list is a 'Done' button.

Here you can select the inventory transfer request that you want to process and tap Transfer. On the next screen you can see a list of the items that are on the request.

The left screenshot shows the 'Stock Transfer' app interface. It has a title bar with a Windows logo and icons for navigation. Below the title bar, there are five input fields: 'Item', 'From Bin', 'To Bin', 'Batch', and 'UoM'. Below these fields is a 'Quantity' field with the value '5' and 'Add' and 'Upd' buttons. Below these buttons is a list of items. The first item is 'From: 02-SYSTEM-BIN-LOCATION To: 02-STORAGE BN: BN0001 5'. Below the list is a 'Find Stocks' button. At the bottom are 'Done' and 'Cancel' buttons.

The right screenshot shows the 'Stock Transfer' app interface. It has a title bar with a Windows logo and icons for navigation. Below the title bar, there are three input fields: 'Req. No.', 'WH From', and 'WH To'. Below these fields is a list of requests. The first request is 'Req. No.: 1 Due: 05/04/17 Lines: 2 Transferred: 0 Remarks:'. The second request is 'Req. No.: 2 Due: 05/04/17 Lines: 2 Transferred: 1 Remarks:'. Below the list is a 'Reload' button. At the bottom are 'Transfer' and 'Cancel' buttons.

Scan or select an item to transfer, then enter the quantity and tap Add or Upd.

If the source and/or destination warehouse has bin locations or the item is managed by batches or serial numbers, add the bin location/batch/serial numbers on the next screen. It is possible to transfer stocks from different bin locations.

- If the source warehouse has bin locations, add the source bin location to the 'From Bin' field. If the target warehouse has bin locations, add the target bin location to the 'To Bin' field. It is possible to transfer stocks into different bin locations.
- If the item is managed by batches, enter the batch number as well. It is possible to transfer stock with different batches.
- If the item is managed by 'On every transaction' serial numbers, add the quantity by scanning the serial numbers.
- If the item is managed by 'On release only' serial numbers, add the quantity to transfer. The system will automatically allocate the serial numbers to move.

The total quantity must be equal to the quantity entered on the previous screen. Press the Find Stocks button to check the existing stocks.

If you tap Done, you will get back to the previous screen and your entered data will be taken over to there. If you tap Cancel, your changes will be lost, and you get back to the previous screen.


Here if you tap Post, the stock transfer document will be created in SAP BO based on the inventory transfer request document. If you tap Cancel, you will get back to the main menu without creating the stock transfer. You can come back any time, load your request and continue working on it.

2.5.3. Mass Transfer

This function allows you to move all stocks from one bin location to another (or one warehouse to another, if the warehouse is non-bin location warehouse).

First you must input the WH / Bin From, after leaving this field you will see all the current stocks on that location in the list. There is no option to select only partial quantities. Next the WH / Bin To field


must be entered, and after pressing Transfer, a Stock Transfer document is created in SAP Business One.



2.5.4. BN Transfer

With the 'BN Transfer' function stock can be moved based on a batch number. *Please note: Only sales items can be moved with the BN Transfer function.*

Scan the destination bin location and the first batch to move.



Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.

To remove a product from the list, select its line then press the 'Delete' button.

Displayed information:

1. Bin location
2. Item code*Item name
3. Batch number
4. Quantity on stock

Bin To	Item Code	Item Name	Quantity
02-SYSTEM-BIN-LO	PN25100-G1	* Pin	5
PN0015			
02-SYSTEM-BIN-LO	PN25100-G2	* Pin	5
PN0015			
02-SYSTEM-BIN-LO	PN25100-G3	* Pin	5
PN0015			
02-DOCKS	PN25100-G1	* Pin	5
PN0015			
02-DOCKS	PN25100-G2	* Pin	5
PN0015			

Press the 'Done' button to transfer the stock. An *Inventory Transfer* document will be created in SAP Business One.

2.5.5. BN SO Transfer

With the 'BN SO Transfer' function stock can be moved based on the sales order and the batch number. During the process the base sales order can be modified.

Select the sales order from the list. Every sales order that contains at least one open line with an allocated batch will be listed. Please note: *The BN SO Transfer function is only meaningful for sales orders created from the BN Create SO function. It is not advised to move stock with this function based on a sales order not created with the BN Create SO function.*

It is possible to filter the sales orders with the following:

- Doc. No.
- Customer
- Due Date
- Item

Press the 'Reload' button to apply the filter.

Select the sales order then press the 'Transfer' button to transfer the items.

Batch SO Transfer

Doc. No.

Customer

Due Date

Item

SO #13 C00002 * Customer 02

Due: 05/17/17 Trfd: 0 / 3

Remarks:

Reload

Transfer Cancel

Scan the destination bin location then scan the first batch.

Stock with the scanned batch number will be listed on the screen. Different items and stocks stored in different bin locations are listed on separate lines.

Scan the batch number to pick the items.

It is possible to scan a batch number not allocated for the sales order. In this case the stock with the scanned batch number will be added to the sales order.

Information displayed on the screen:

1. Document line number
2. Item code*Item name
3. Bin location
4. Batch number
5. Picked quantity
6. Picked quantity/Ordered quantity

Doc. No.	13
Bin To	
Batch No.	
#3(1)	Item: PN25100-G3 * Pine 25x10(2)
Open	First Bin: 02-SYSTEM-BIN-LOC(3)
✓	PN0011(4) (5) 5
#1	Item: PN25100-G1 * Pine 25x10
Open	First Bin: 02-SYSTEM-BIN-LOC
✓	PN0001 (6) 5 / 5
#2	Item: PN25100-G2 * Pine 25x10
Open	First Bin: 02-SYSTEM-BIN-LOC
✓	PN0001 5 / 5

Find Stocks Details Delete

Done Cancel

Press the 'Find Stocks' button to open the 'Stock Info' screen. On this screen the warehouse, the item code and the batch number is displayed. Press the 'Ser./Bat.' button to see the batch number. Press the 'Print' button to print the item label. For more information about printing please see: [Print labels](#)

WH / Bin	02
Item	PN25100-G1 * Pine 25x100 G1
BN/SN	PN0001
PN25100-G1 * Pine 25x100 G1 02-SYSTEM-BIN-LOC 5	

Print Ser./Bat. Tot 5 Reload Back

Item	PN25100-G1
Bin Loc.	02-SYSTEM-BIN-LOCATION
PN0001 5	

Print Total Quantity 5 Reload Back

Press the 'Details' button to see the details of the selected stock. The 'Batch Details' screen will open.

Batch Details

Sales Order: 13 * Customer 02

Batch No.: PN0001

02-SYSTEM-BIN-LO PN25100-G1 * Pin
Batch: PN0001 5

Delete

Done Cancel

Press the 'Delete' button to unpick the selected stock.

- If the stock line is from the original sales order, the stock line will remain on the screen and the picked quantity will be set to zero.
- If the stock line is added by scanning a batch, it will be removed from the screen and will not be added to the sales order.

Batch SO Transfer

Doc. No.:

Customer: ...

Due Date:

Item: ...

SO #13 C00002 * Customer 02
Due: 05/17/17 Trfd: 3 / 3
Remarks:


Reload Post

Transfer Cancel

Scan the next batch number or press the 'Done' button to finish the picking. The system will return to the list of sales orders. In order to transfer the picked stock, select the sales order then press the 'Post' button. An *Inventory Transfer* document will be created in SAP Business One.


2.6. Recommendations

For further information about this topic, please see the documentation: [Strategies in Produmex Scan](#).



2.7. Inventory Transactions

2.7.1. Goods Receipt



Select the Goods Receipt option on the Main Menu under the Inventory Transactions section. On the next screen create a new Goods Receipt document or proceed with an already started one.

- To start a new Goods Receipt, add the Doc. Date and tap the New button. To add a remark, enter the text to the Remarks field.
- To proceed with a started preliminary document, press the Reload button to load the already started orders. Select the document and tap on the Resume button.
- To create the Goods Receipt, select the preliminary order and press the Post button.

The image displays two side-by-side screenshots of a mobile application titled "Goods Receipt".

Left Screenshot:

- Header: "Goods Receipt" with navigation icons.
- Fields: Remarks (empty), Doc Date (05/05/17).
- Item List: A green header bar shows "#00000052" and "Date: 05/05/17 Lines: 2". Below it is a large empty grey area.
- Buttons: "Reload", "Resume", "Post" at the bottom.
- Footer: "New" and "Back" buttons.

Right Screenshot:

- Header: "Goods Receipt" with navigation icons.
- Fields: Warehouse (02), Item (empty), Price/Acc. (empty), UoM (Carton), Quantity (empty).
- Buttons: "Add" and "Upd" next to the Quantity field.
- Item List: A list of items with a green header bar showing "Item: A1000 * Normal Paper" and "WH: 02 10 Carton". Below it is a green bar showing "Item: B1001SD * Batch Paper" and "WH: 02 15 Carton". Below that is a large empty grey area.
- Buttons: "Back" at the bottom.

On the Goods Receipt (list) screen add the warehouse to the Warehouse field. By default the warehouse is empty or it is the last warehouse in the same document. Scan the item or enter the item code to the Item field. Enter the quantity and press the Add or Upd. button to add the item.

If there are multiple UoMs for the item, you can select a different UoM than the default. Default: inventory/base UoM.

On the grid already added items are listed.

If the warehouse has bin locations, and/or the item is managed by batches/serial numbers, the system proceeds to a screen where the bin location, batch and serial numbers can be added.

- If the warehouse has bin locations, add the bin location. It is possible to receive the stock into multiple bin locations.
- If the item is a batch item, add the batch number. It is possible to receive multiple batches.
- If the item is managed by 'On every transaction' serial numbers, scan the serial numbers. To remove a serial number, select the serial number and tap on the Delete button.
- If the item is managed by 'On release only' serial numbers, enter the quantity. The system automatically creates empty (placeholder) serial number records.

The image shows three screenshots of the 'Goods Receipt' screen. Each screen has a header bar with the title 'Goods Receipt' and navigation icons. The first screen shows Item 'B1001SD * Batch Paper', Bin Loc. '02-DOCKS', Batch 'BN0523', UoM 'Carton', and Quantity '15'. The second screen shows Item 'S1000S * Serial Paper', Bin Loc. '02-DOCKS', and Serial No. 'SN12345'. The third screen shows Item 'S2000 * Serialized paper', Bin Loc. '01-ST-P0011 * Pick location', and Quantity '3'. Each screen has a 'Print' button and a 'Qty' field showing the current quantity.

The total quantity must be equal to the quantity entered on the previous screen in order to proceed.

Press the Print button to print the item label.

Press the Done button to proceed. The system goes back to the previous screen and saves the entered data.

Press the Cancel button to go back without saving the data.


*Price/Account: a user query has to be defined with the name *bx_mobile_wh9_goodsreceipt_pricing*.

Parameters	Result
[%1] Employee ID	Price (BXITPRC)
[%2] Warehouse	Currency (BXITCURR)
[%3] ItemCode	Account number (BXITACCN)
	Distribution Rule (BXITDSTR)

Example query:

```
SELECT OITM.AVGPrice as BXITPRC, '$' as BXITCURR FROM OITM WHERE
ItemCode=[%3]
```

2.7.2. Goods Issue



Select the Goods Issue option on the Main Menu under the Inventory Transactions section.

On the next screen create a new Goods Issue document or proceed with a started one.

- To start a new Goods Issue, add the Doc. Date and tap the New button. To add a remark, enter the text to the Remarks field.
- To proceed with a started preliminary document, press the Reload button to load the already started orders. Select the document and tap on the Resume button.
- To create the Goods Receipt, select the preliminary order and press the Post button.

On the Goods Issue (list) screen add the warehouse to the Warehouse field. By default the warehouse is empty or it is the last warehouse in the same document. Scan the item or enter the item code to the Item field. Only inventory items can be scanned or selected. Enter the quantity and press the Add or Upd. button to add the item.

If there are multiple UoMs for the item, you can select a different UoM than the default. Default: inventory/base UoM.

On the grid already added items are listed.

If the warehouse has bin locations, and/or the item is managed by batches/serial numbers, the system

proceeds to a screen where the bin location, batch and serial numbers can be added.

- If the warehouse has bin locations, add the bin location. It is possible to receive the stock into multiple bin locations.
- If the item is a batch item, add the batch number. It is possible to receive multiple batches.
- If the item is managed by 'On every transaction' or 'On release only' serial numbers, scan the serial numbers. To remove a serial number, select the serial number and tap on the Delete button.

The total quantity must be equal to the quantity entered on the previous screen in order to proceed.

Press the Print button to print the item label.

Press the Done button to proceed. The system goes back to the previous screen and saves the entered data.

Press the Cancel button to go back without saving the data.

Price/Account: a user query has to be defined with the name *bx_mobile_wh9_goodsissue_pricing*.

Parameters	Result
[%1] Employee ID	Price (BXITPRC)
[%2] Warehouse	Currency (BXITCURR)
[%3] ItemCode	Account number (BXITACCN)
	Distribution Rule (BXITDSTR)

Example query:

```
SELECT
  "OITM"."AVGPrice" as "BXITPRC",
  '$' as "BXITCURR",
  (select "AcctCode" from "OACT" where "FormatCode" =
  replace('11100000-01-001-01', '-', ' ')) as "BXITACCN"
FROM
  "OITM" WHERE "ItemCode" = [%3]
```

2.7.3. Inventory Counting

Produmex Scan offers the following processes to perform an inventory counting:

- **Counting**: No inventory information is displayed during the counting.
- **Quick Counting**: During the counting, the inventory of the bin location/warehouse is displayed.
- **Guided Counting**: During the counting, the bin locations and the items from the inventory counting document are listed on the screen as a task list. Only the items that are listed on the document can be counted.

The counting is performed based on an SBO Inventory Counting document.

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code	Items per Unit
1	A1000	Normal Paper A1 00		01	01-ST-P0011	75.000			0.000	0.000		
2	A1000	Normal Paper A1 00		01	01-ST-P0012	30.000			0.000	0.000		
3	B2000	B2 batch paper - int		01	01-ST-P0012	15.000			0.000	0.000	Manual	
4	S1000	S1 serialized paper		01	01-ST-P0012	10.000			0.000	0.000	Manual	
5						0.000			0.000	0.000		
						130.000						

Offline counting

If the *Real-time Stock Counting* setting is disabled on [Produmex Scan General tab](#), the counting result will be stored in a user table. Synchronize the Inventory counting document in order to update it with the counting results. Synchronization can be initiated from right click menu on the SBO Inventory Counting document.

The synchronization works if the following conditions are met:

- the counter employee is linked to the SAP user account and
- the Finish button is pressed to finish the counting.

Multiple Counters

Produmex Scan supports multiple counters' inventory counting scenarios as well. Depending on SAP BO document settings, you are able to do:

- Individual counting where individual counters conduct independent counting of an item at a storage location. You can select a maximum of 5 individual counters.
- Team counting where a group of counters' counting results of an item at a storage location add up to its total quantity. You can select a maximum of 10 team counters.

Before you start with the counting, in the inventory counting document you have to select the counting type and you have to add the users names to this document.

Inventory Counting

Count Date: 05/05/17 Time:
 Counting Type: Multiple Counters
 No. of Individual Counters: 1
 No. of Team Counters: 0

General

Find Item No. Warehouse

#	Item No.	Item Description	Freeze	Whse	Bin Location
1			<input type="checkbox"/>		

Select Individual Counters

#	Counter Type	User Name/Employee Name
1	User	manager
2	User	

Select Team Counters

#	Counter Type	User Name/Employee Name
1	User	

If you work with SAP BO 9.1 the inventory counting will be updated in a real-time. By the other hand, if you work with SAP BO 9.0, the stock data you entered will be saved in a user table of the Produmex Scan add-on that you can export to an excel file. To do that you have to open the Inventory Counting document, right click on an empty area and select '*Export mobile inventory counting data to Excel*'. It will create two separate files: one for normal and batch items and one for serial numbered items (it means you have to specify two files). Then you have to start Add Items>Import Items:

Inventory Counting

Count Date: 12/14/17 Time: 2:00PM
 Counting Type: Single Counter
 Inventory Counter: User manager

No. Primary 31
 Status Open
 Ref. 2

General

Find Item No. Warehouses

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	200.000	<input type="checkbox"/>		0.000	0.000	
2	B2000	B2 batch paper - int	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	10.000	<input type="checkbox"/>		0.000	0.000	Manual
3	B3000	Batch Paper B3	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	45.000	<input type="checkbox"/>		0.000	0.000	Manual
4	S1000	S1 serialized paper	<input type="checkbox"/>	01	01-SYSTEM-BIN-LOCA	60.000	<input type="checkbox"/>		0.000	0.000	Manual
5			<input type="checkbox"/>			0.000	<input type="checkbox"/>		0.000	0.000	
						315.000					

Remarks

OK Cancel

Add Items
 Select Items
 Import Items

Adjust Counted Quantities
 Copy to Inventory Posting

After that you have to define the structure of the file from which you import. It should be like this for the batch and normal file:

Import from Excel

Data Type to Import

Inventory Counting

File to Import

ents\Produmex Scan\batch.txt

...

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item Code
B	Item Description
C	Warehouse Code
D	Counted Quantity
E	Bin Location Code
F	UoM Code
G	Batch Number
H	
I	
J	
K	
L	
M	

Import Method

☒ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

Mapping

Use Data Template

...

Save as Template

Clear Mapping

☐ Check Import File for Errors

Import

Cancel

and for the serial numbers file:

Import from Excel

Data Type to Import: Inventory Counting

File to Import: nents\Produmex Scan\serial.txt ...

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item Code
B	Item Description
C	Warehouse Code
D	Counted Quantity
E	Bin Location Code
F	UoM Code
G	Serial Number
H	
I	
J	
K	
L	
M	

Import Method

☒ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☐ Check Import File for Errors

Mapping

Use Data Template: ...

Save as Template

Clear Mapping

Import Cancel

We recommend that you save the template with *Save As* for later use. You have to specify the file that was created by the add-on for SAP BO, and then it will be imported.

Note:

You have to update the inventory counting document. You cannot have the same item on the same bin location twice in the inventory posting document. So if you reimport your inventory counting, it is advisable to delete the existing lines. You have to import both files generated by the add-on.

2.7.3.1. Stock Counting

Press the 'Reload' button to load the Inventory Counting documents. Every open Inventory counting document is listed. It is possible to filter the documents with the following fields:

- Inventory counting document number
- Count Date
- Counter user/employee

Press the 'Reload' button to apply the filter(s).

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the inventory counting document then press the 'Count Items' button to start the counting.

Doc. No.	Count Date	Inv. Counter
	11/22/17	
#16 (1)	Cntr: John Doe (2)	Date: 11/22/17 (3)
Remarks: Comment (4)		Single (5)
#17	Cntr: John Doe	Date: 11/22/17
Remarks:		Single


Reload

Count Items Back

On the next screen scan/enter the bin location code you would like to count.

If the warehouse to count does not have bin locations, add the warehouse to the field. The warehouse can also be selected from a list. Press the '...' button. Please note: Only non bin managed warehouses can be selected from the list.

Press the 'Count' button to proceed.



Stock Counting

Doc. No. 16

Remarks Comment

WH / Bin 01-ST-P0012

Count Back

On the next screen scan the item then specify the UoM and the batch number. Enter the quantity to the Quantity field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button. To remove the added quantity, press the 'Delete' button.

Items managed by 'On every transaction' serial numbers must be counted by scanning the serial numbers.

Items managed by 'On release only' serial numbers can be counted by adding the counted quantity.

When a positive difference is counted for on release only items, the serial numbers have to be created manually in SAP Business One after the counting process on the mobile devices is completed. Open the 'Serial Number Counting' form from the Inventory Counting document: go to the 'Counted Qty' field on the line of the serial numbers and press CTRL + TAB.

tory Posting

tory Posting

Automatic Creation...

Automatic Creation...

When a negative difference is counted, select the serial numbers to issue manually in SAP Business One after the counting process on the mobile devices is completed. On the 'Serial Number Posting' posting screen every serial number on the counted location is selected. Move the serial numbers you would like to keep to the 'Available Serial Numbers' grid. Create the serial numbers you would like to issue as described above or issue the empty serial numbers. If there are already registered serial numbers on the counted location, you can allocate those serial numbers as well.

Serial Number Posting

Rows from Documents

#	Item No.	Item Description	Whse Code	Quantity	Total Selected	Open Qty	Direction
1	S2000	Serial paper on rele	01	-5	-10	5	Out

Available Serial Numbers

Filter by: Serial Number

Filter:

Find:

#	Serial Number	Bin Location	Allocated

Serial Numbers Difference

#	Serial Number	SCANTEST
1		
2		
3		
4		
5		
6		

Total Selected: -10

Available Quantity:

Display Available SNs: Count Date

OK Cancel Create... Auto Select

Already counted goods are listed on the screen.

If the 'Show all Stock Counting data on scanners' option is disabled on [Produmex Scan General tab](#), only the number of the counting records is displayed on the screen.

The image displays two side-by-side screenshots of a 'Stock Counting' application window. Both windows have a title bar with standard icons and the text 'Stock Counting'.
The left window is in the 'Add' mode. It features input fields for 'Bin Loc.' (01-ST-P0012), 'Item' (B2000 * Batch paper), 'Batch No.' (B1171122), 'UoM' (empty), and 'Quantity' (10). Below these fields is a list of items: 'A1000 * Normal paper' (30 pcs), 'B2000 * Batch paper' (BN/SN: B1170803, 5), and 'S1000 * Serial paper' (BN/SN: SN2211, 1). At the bottom are 'Finish' and 'Back' buttons.
The right window is in the 'Upd' mode. It features input fields for 'Bin Loc.' (01-ST-P0012), 'Item' (S1000 * Serial paper), 'Serial No.' (SN2212), 'UoM' (empty), and 'Quantity' (empty). There is also a 'Counted' field with the value 3. At the bottom are 'Finish' and 'Back' buttons.

Press the Back button to go back to the previous screen. The system will keep the counting results, but the results will not be synchronized with SBO.

Press the Finish button to finish the counting of the given bin location. The Inventory Counting document will be updated with the counting result.

- Items that are stored on the given location but are not listed on the Inventory Counting document will be automatically added to the document.
- If there is an item on stock on the location that was not counted, the quantity of the item will be set to zero on the location.
- If there is an item that is not on stock on the location, but was counted during the counting, the quantity of the item will be set to the counted quantity on the location.
- In case of offline counting, after pressing the Finish button the system informs the add-on that the results of the count can be synchronized.

Example:

Bin Location content:

- A1000 - 75pcs
- A3000 - 200pcs
- B1000 - 20pcs
- B2000 - 25pcs

Inventory Counting document: Count A1000 and A3000 on the location.

Inventory Counting

Count Date: 12/04/17 Time: 3:33PM No.: Primary 29
 Counting Type: Single Counter Status: Open
 Inventory Counter: User manager Ref. 2

General

Find Item No. Warehouses

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0011	75.000	<input type="checkbox"/>			0.000	0.000		
2	A3000	Normal Paper A3 00	<input type="checkbox"/>	01	01-ST-P0011	200.000	<input type="checkbox"/>			0.000	0.000		
3			<input type="checkbox"/>			0.000	<input type="checkbox"/>			0.000	0.000		
4			<input type="checkbox"/>				<input type="checkbox"/>						

Bin Location Content List

Report View: List ☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK Inventory Posting List Inventory Transfer Set as Default Bin Loc.

The user counts 75pcs for A1000 and presses the Finish button.

In SAP Business One, the counted quantity is set to zero for A3000. B1000 and B2000 are added to the Inventory Counting document with zero counted quantity.

Stock Counting

Bin Loc. 01-ST-P0011

Item

BN/SN

UoM

Quantity Add Upd

A1000 * Normal paper 75 pcs

Delete

Finish Back

Inventory Counting

Count Date

12/04/17

Time

3:33PM

Counting Type

Single Counter

Inventory Counter

User manager

No.

Primary

29

Status

Open

Ref. 2

General

Find

Item No.

Warehouses

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0011	75.000	<input checked="" type="checkbox"/>	75.000	75.000	0.000	pcs	
2	A3000	Normal Paper A3 00	<input type="checkbox"/>	01	01-ST-P0011	200.000	<input checked="" type="checkbox"/>		0.000	-200.000		
3	B1000	B1 batch paper	<input type="checkbox"/>	01	01-ST-P0011	20.000	<input checked="" type="checkbox"/>		0.000	-20.000	Manual	
4	B2000	B2 batch paper - int	<input type="checkbox"/>	01	01-ST-P0011	25.000	<input checked="" type="checkbox"/>		0.000	-25.000	Manual	
5			<input type="checkbox"/>			0.000	<input type="checkbox"/>		0.000	0.000		
6			<input type="checkbox"/>									

Bin Location Content List

Report View

List

Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				


OK

Inventory Posting List

Inventory Transfer

Set as Default Bin Loc.

2.7.3.2. Quick Counting



If the Guided Quick Counting option is disabled on the [Produmex Scan General tab](#) of Produmex Scan Settings, the Quick Counting option is available in the Inventory section of the Main Menu.

Press the 'Reload' button to load the Inventory Counting documents. Every open Inventory Counting document is listed. It is possible to filter the documents with the following fields:

- Inventory counting document number
- Count Date

- Counter user/employee

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the Inventory counting document and press the 'Count Items' button.

Doc. No.	Count Date	Inv. Counter
#16 (1)	11/22/17 (3)	Cntr: John Doe (2)
Remarks: Comment (4)		
Single (5)		
#17	11/22/17	Cntr: John Doe
Remarks:		
Single		

Reload

Count Items Back

On the next screen scan or enter the bin location.

If the warehouse to count does not have bin locations, enter the warehouse code into the WH/Bin field. The warehouse can also be selected from a list. Press the '...' button. Please note: Only non bin managed warehouses can be selected from the list.

Already counted bin locations and warehouses are listed on the grid and are marked with a green check mark.

If the 'Display all sheet bin locations for Quick Counting' option is enabled on the [Produmex Scan General tab](#), every bin location from the Inventory counting document is listed on this screen. The already counted locations are marked with a green check mark.

The image displays two side-by-side screenshots of the 'Quick Counting' mobile application interface. Both screens show a 'Doc. No.' field with the value '16' and a 'Remarks' field with the placeholder 'Comment'. Below these is a 'WH / Bin' field with a dropdown arrow. The main list area shows two items: '01-ST-P0012' and '01-ST-P0011'. In the left screenshot, '01-ST-P0011' has a green checkmark. In the right screenshot, '01-ST-P0011' has a green checkmark and a green checkmark icon to its right. At the bottom of each screen are 'Count' and 'Back' buttons.

On the next screen every item from the location/warehouse is listed with the on stock quantity. Items with different batch or serial number are listed on separate lines. Displayed information:

1. Item Code * Item Description
2. BN: Batch number
3. Status:
 - Green check mark: completely packed
 - Orange check mark: not packed/partially packed
4. Counted quantity/Quantity on stock UoM
5. SN: Serial number

Scan the item, then specify the UoM and the batch number. Enter the quantity to the Quantity field. To increase the current value with the entered value, press the 'Add' button. To replace the current value with the entered value, press the 'Upd.' button. To remove the added quantity, press the 'Delete' button.

Items managed by 'On every transaction' serial numbers can be counted by scanning the serial numbers.

Items managed by 'On release only' serial numbers can be counted by adding the counted quantity.

When a positive difference is counted for on release only items, the serial numbers have to be created manually in SAP Business One after the counting process on the mobile devices is completed. Open the 'Serial Number Counting' form from the Inventory Counting document: go to the 'Counted Qty' field on the line of the serial numbers and press CTRL + TAB.

Inventory Counting

Count Date: 03/26/18 Time: 11:36AM No.: Primary 36
 Counting Type: Single Counter Status: Open
 Inventory Counter: User manager Ref. 2

General

Find Item No. Warehouses << >>

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM Counted Qty	Counted Qty	Variance	UoM Code
1	S2000	Serial paper on rele	<input type="checkbox"/>	01	01-ST-P0012	0.000	<input checked="" type="checkbox"/>		15.000	15.000	Manual
2											

Serial Number Counting

Rows from Documents

#	Item No.	Item Description	Whse Code	Quantity	Total Selected	Open Qty	Bin Location
1	S2000	Serial paper on rele	01	15		15	01-ST-P0012

Available Serial Numbers

Filter by: Serial Number
 Filter:
 Find:

#	Serial Number	Bin Location	Allocated

Counted Serial Numbers

#	Serial Number	SCANTEST

Available Quantity:
 Display Available SNs: Count Date

OK Cancel Create... Auto Select

On the 'Serial Number Counting' form click on the 'Create...' button.

Serial Numbers - Setup

Rows from Documents

#	Doc. No.	Item Number	Item Description	Whse Code	Whse ...	Total Needed	Total Created	Open Qty
1	36	S2000	Serial paper on rele	01	Genera	15		15

Created Serial Numbers

#	Mfr Serial No.	Serial Number	Lot Number	Expiration Date	Mfr Date	Admission Date	Mfr ...
1						03/26/18	

Total Created:

OK Cancel Automatic Creation...

Enter the serial numbers to the 'Serial number' field or create them automatically after pressing the 'Automatic Creation...' button. *Please note: It is not possible to create empty serial numbers.*

When a negative difference is counted, select the serial numbers to issue manually in SAP Business One after the counting process on the mobile devices is completed. On the 'Serial Number Posting' posting screen every serial number on the counted location is selected. Move the serial numbers you would like to keep to the 'Available Serial Numbers' grid. Create the serial numbers you would like to issue as described above or issue the empty serial numbers. If there are already registered serial numbers on the counted location, you can allocate those serial numbers as well.

Serial Number Posting

Rows from Documents

#	Item No.	Item Description	Whse Code	Quantity	Total Selected	Open Qty	Direction
1	S2000	Serial paper on rele	01	-5	-10	5	Out

Available Serial Numbers

Filter by: Serial Number
Filter:
Find:

#	Serial Number	Bin Location	Allocated
---	---------------	--------------	-----------

Available Quantity:
Display Available SNs: Count Date

Serial Numbers Difference

#	Serial Number	SCANTEST
1		
2		
3		
4		
5		
6		

Total Selected: -10

Add the next item or press the 'Finish' button to finish the counting and send the result of the counting to SBO.

Press the 'Back' button to go back.

For more information please see: [Stock Counting](#)

2.7.3.3. Guided Counting

If the Guided Quick Counting option is enabled on the [Produmex Scan General tab](#) of Produmex Scan Settings, the Guided Counting option is available on the Inventory section of the Main Menu.

Make sure that the 'Display all sheet bin locations for Quick Counting' option on the [Produmex Scan General tab](#) of Produmex Scan settings is enabled.

Press the Reload button to load the Inventory Counting documents. Every open Inventory Counting document is listed. It is possible to filter the documents with the following:

- Inventory counting document number
- Count Date
- Counter user/employee

Press the 'Reload' button to apply the filter(s).

Select the inventory counting document then press the 'Count Items' button to start the counting.

Displayed information:

1. Document Number
2. Counter
3. Count Date
4. Remarks from the Inventory Counting document
5. Counting type

Select the inventory counting document then press the 'Count Items' button to start the counting.

Doc. No.	Count Date	Inv. Counter
#16 (1)	Cntr: John Doe (2)	Date: 11/22/17 (3) Single (5)
Remarks: Comment (4)		
#17	Cntr: John Doe	Date: 11/22/17 Single
Remarks:		

Reload


Count Items Back


On the next screen every bin location from the Inventory Counting document is listed in alphabetical order.

Already counted locations are marked with a green checkmark.

Scan the bin location/warehouse and press the 'Count' button.

If the 'Restricted zone handling in Quick Counting' option is enabled on the [Produmex Scan General tab](#) of Produmex Scan settings, only bin locations that are listed on the screen can be scanned or selected, otherwise the following error message is displayed:





On the next screen every item that was selected on the inventory counting document are listed with the current quantity on stock in alphabetical order. Even items from the list that are not available on stock can be scanned for counting, but only strictly the items from the inventory counting document.

Items with different batch or serial number are listed on separate lines.


Displayed information:

1. Item Code * Item Description
2. BN: Batch number
3. Status:
 - Green check mark: completely packed
 - Orange check mark: not packed/partially packed
4. Counted quantity/Quantity on stock UoM
5. SN: Serial number

Scan the item then specify the UoM and batch number if needed.

Items managed by 'On every transaction' serial numbers can be counted by scanning the serial numbers.

Only items listed on the screen can be scanned otherwise the following error message is displayed:



Quick Counting

Bin Loc. 01-ST-P0012

Item B2000 * TESTB2

Batch No. B1172211

UoM

Quantity 10 **Add Upd**

B2000 * Batch paper	✓	
BN: B1170803	5 / 5	
B2000 * Batch paper (1)	✓ (3)	
BN: B1172211 (2)	0 / 10 (4)	
S1000 * Serial paper	✓	
SN: SN2211	1 / 1	

Delete

Finish Back

Quick Counting

Bin Loc. 01-ST-P0012

Item S1000 *

Serial No. SN2214

S1000 * Serial paper	✓	1 / 1
SN: SN2212		
S1000 * Serial paper	✓	1 / 1
SN: SN2213		
S1000 * Serial paper	✓ (5)	0 / 1
SN: SN2214		
S1000 * Serial paper	✓	0 / 1
SN: SN2215		

Delete

Finish Back

Add the next item or press the 'Finish' button to finish the counting and send the counting results to SBO. Only the stock of the items that are listed on the Inventory Counting document is updated.

If there is an item on stock on the given location that is not listed on the Inventory Counting document, the user cannot register counting data for that item. When the Inventory Counting document is updated with the counting data, the item will not be added to it with zero quantity.

Example:

Bin Location content:

- A1000 - 75pcs
- A3000 - 200pcs
- B1000 - 20pcs
- B2000 - 25pcs

Inventory Counting document: Count A1000 and A3000 on the location.

Inventory Counting

Count Date: 12/04/17 Time: 3:33PM No.: Primary 29
 Counting Type: Single Counter Status: Open
 Inventory Counter: User manager Ref. 2

General

Find Item No. Warehouses

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00		01	01-ST-P0011	75.000				0.000	0.000		
2	A3000	Normal Paper A3 00		01	01-ST-P0011	200.000				0.000	0.000		
3						0.000				0.000	0.000		
4													

Bin Location Content List

Report View: List ☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK Inventory Posting List Inventory Transfer Set as Default Bin Loc.

The user counts 75pcs for A1000 and presses the Finish button.

In SAP Business One, the counted quantity is set to zero for A3000. Because B1000 and B2000 are not included in the Inventory Counting document, the system does not take them into account when it updates the Inventory Counting document.

Guided Counting

Bin Loc.: 01-ST-P0011

Item: ...

UoM: ...

Quantity: Add Upd

A1000 * Normal paper 75 / 75 pcs ✓

A3000 * Normal paper 0 / 200 pcs ✓

Delete

Finish Back

Inventory Counting

Count Date: 12/04/17 Time: 3:39PM
Counting Type: Single Counter
Inventory Counter: User manager

No.: Primary 30
Status: Open
Ref. 2:

General

Find: Item No. Warehouses: << >>

#	Item No.	Item Description	Freeze	Whse	Bin Location	In-Whse Qty ...	Counted	UoM	Counted Qty	Counted Qty	Variance	UoM Code	Items pe...
1	A1000	Normal Paper A1 00	<input type="checkbox"/>	01	01-ST-P0011	75.000	<input checked="" type="checkbox"/>		75.000	75.000	0.000	pcs	
2	A3000	Normal Paper A3 00	<input type="checkbox"/>	01	01-ST-P0011	200.000	<input checked="" type="checkbox"/>			0.000	-200.000		
3			<input type="checkbox"/>			0.000	<input type="checkbox"/>			0.000	0.000		

Bin Location Content List

Report View: List ☐ Display Batch/Serial Numbers

#	Select	Bin Location	Item No.	Item Qty	CCD No.	Customer	Delivery Date	Reason
1	<input type="checkbox"/>	01-ST-P0011	A1000	75				
2	<input type="checkbox"/>	01-ST-P0011	A3000	200				
3	<input type="checkbox"/>	01-ST-P0011	B1000	20				
4	<input type="checkbox"/>	01-ST-P0011	B2000	25				
				320				

OK
Inventory Posting List
Inventory Transfer
Set as Default Bin Loc.

2.8. Other

2.8.1. Query Stocks

You can get stock information with the function Query Stocks. You can filter according to the following:

- Warehouse or Bin location
- Item code *Please note: No result will be returned for non-inventory items.*
- Batch/Serial Number

After setting the filters tap 'Reload' and the grid will be populated with the stock data found based on the criteria. The Tot. field shows the total quantity of the queried stock data. With 'Print' you can print the stock labels for the selected items.

Query Stocks

WH / Bin: 01
 Item: B1000 * B1 batch paper
 BN/SN:
 UoM:

B1000 * B1 batch paper	01-RECEIVING-BIN-L	10
B1000 * B1 batch paper	01-ST-P0011	10
B1000 * B1 batch paper	01-ST-P0012	5
B1000 * B1 batch paper	01-SYSTEM-BIN-LOC	42

Print Ser./Bat. Tot. 67

Reload Back

Query Stocks

Item: B1000
 Bin Loc.: 01-ST-P0011

BN89712	5
BN89655	5

Print Total Quantity 10

Reload Back

If the item on the selected line is managed by serials or batches, an additional 'Ser./Bat.' button is displayed. Tap this button to see the list of the serial/batch numbers belonging to the selected line. To print the label for a serial/batch, select its line and press the 'Print' button.

Tap 'Reload' to refresh the data.

Press 'Back' to go back to the query stock filter form.

The query stocks function can be reached from other functions by pressing the 'Find stocks' button. When reaching Stock Info from another function, the filter fields are prefilled and non-editable. Instead of the 'Reload' button, a 'Select' button is displayed. Press this button to add the stock on the selected line and to go back to the previous screen.

Stock Info

WH / Bin: 01
 Item: B1000 * B1 batch paper
 BN/SN:

B1000 * B1 batch paper	01-RECEIVING-BIN-L	10
B1000 * B1 batch paper	01-ST-P0011	10
B1000 * B1 batch paper	01-ST-P0012	5
B1000 * B1 batch paper	01-SYSTEM-BIN-LOC	42

Print Ser./Bat. Tot. 67

Select Back

Query Stocks

Item: B1000
 Bin Loc.: 01-ST-P0011


BN89712	5
BN89655	5

Print Total Quantity 10

Select Back

2.8.2. Print labels

With this function you can print labels for the bin locations. You can enter the bin code for which you want to print the labels, the number of labels you want to print in the Labels field, and select the printer (the default printer will be prefilled):



Tap Print to print the labels, tap Back to go back to the main menu. You can choose the printer to print by tapping ... beside the Printer field.

Select the printer you want to use and tap Choose to use it or tap Cancel to close the printer selection screen without changing the assigned printer.

2.8.3. Bin Locking

To lock a storage location, press the 'Bin Locking' button.

On the next screen add the bin location code. The *Status* of the location will be automatically populated.

Bin Locking	
Bin Loc.	02-STORAGE
Status	Unlocked
Lock Back	

Bin Locking	
Bin Loc.	02-STORAGE
Status	Locked
Unlock Back	

Press the 'Unlock' button to unlock the bin location.

Press the 'Lock' button to lock the bin location. A bin location cannot be locked if there are open inventory counting documents or the bin location contains positive/negative inventory.

The locked bin locations will be marked as 'Inactive' on the Bin Location Master Data.

Bin Location Master Data

Warehouse: 02 Sublevel: 1
Bin Location Code: 02-STORAGE

Bin Location Properties

☒ Inactive

Receiving Bin Location: ☐ Exclude from Auto. Alloc. on Issue: ☐

Description:
Item Weight:
No. of Items:
Alternative Sort Code:
Minimum Qty:
Maximum Weight:
Item Qty:
No. of Batches/Serials:
Bar Code:
Maximum Qty:
Item Restrictions: None
UoM Restrictions: None
Batch Restrictions: None
Transaction Restrictions: None
Last Updated On:
Reason:

OK **Cancel** **Manage Bin Locations** **Modify Bin Location Codes**

2.8.4. Bin Attributes

Use this function to check and modify the attributes of a bin. *Please note: Customization is required in order to use this function.*

2.8.4.1. Customization

Add custom fields

By default only the Bin Loc. field is displayed on the screen. In order to display bin attributes, add definition lines for them in the [Customization Fields user table](#).

- To add a Bin Location Master Data standard field, add the DI API field name with the “BO_” prefix. Use the SAP B1 SDK help file to find out the possible fields.
- To add a Bin Location Master Data user defined field, add the field title with the ‘BO_U_’ prefix.

Example:

In the example we will add the standard Description field and a Customer user field.
We add the following entries to the Customization Fields user table:

Field Name	Field Type	Label	Module	Screen	Read Only
BO_Description	String	Description	BXMobileWH9	BinAttributesScreen	No
BO_U_PMXCUS	String	Customer	BXMobileWH9	BinAttributesScreen	No

Add a custom query

Add the following query to automatically populate the custom fields with the current values after the bin location is scanned.

Query name: 'BXMobileWH9_BinAttributesScreen_TextBinLocation_validate_after'

Example:

```
IF(LEN($[BO_Description]) < 1 AND LEN($[BO_U_PMXCUS]) < 1)
SELECT Descr AS BO_Description, U_PMXCUS AS BO_U_PMXCUS
FROM OBIN WHERE BinCode = $[TextBinLocation]
```

2.8.4.2. Using the Bin Attributes function

Scan the bin location. The custom fields will be automatically populated with their current value.

Enter a new value.


Bin Attributes	
Bin Loc.	
Description	
Customer	
Update Back	

Bin Attributes	
Bin Loc.	01-ST-P0013
Description	Empty
Customer	Not assigned
Update Back	

Bin Attributes	
Bin Loc.	01-ST-P0013
Description	Pick loc AA123
Customer	MSLLC
Update Back	

Press the 'Update' button.

The following message is displayed:



In SAP Business One, the master data of the given bin location is updated with the entered values.

Bin Location Master Data	
Warehouse	Sublevel 1
01	ST-P0013
Bin Location Code	01-ST-P0013
Bin Location Properties	
Inactive	<input type="checkbox"/>
Receiving Bin Location	<input type="checkbox"/>
Exclude from Auto. Alloc. on Issue	<input type="checkbox"/>
Description	Pick loc AA123
Item Weight	
No. of Items	
Alternative Sort Code	
Minimum Qty	
Maximum Weight	
Item Qty	
No. of Batches/Serials	
Bar Code	
Maximum Qty	
Item Restrictions	None
UoM Restrictions	None
Batch Restrictions	None
Transaction Restrictions	None
Last Updated On	
Reason	
OK Cancel Manage Bin Locations Modify Bin Location Codes	

General	
Customer	MSLLC

3. Administrative Functions

As described above when you create bookings in the mobile devices a so called mobile transaction data will be generated in the SAP BO company database to store your data before you tap Post. It is also possible to check these mobile transactions in the Produmex Scan add-on. You can even cancel or book them from SAP BO.

You can find the mobile transaction administration at Inventory>Inventory Transactions>Mobile Transactions. You have two menus here: Search Mobile Transactions and Mobile Transactions. With Search Mobile Transactions you can filter for them, with Mobile Transactions you can simply browse the existing transactions.

3.1. Search Mobile Transactions

When you start the menu you will get a filter window which you can fill in according to your needs:

Mobile Transactions - Selection Criteria	
Employee → 1 Doe, John	Head Code
Items Group Code	Doc Type
Item → A1000 Normal Paper	Doc Number
Batch Number	Base Doc Type
Bin Code	Base Doc Number
Date From	Include Under Preparation <input checked="" type="checkbox"/>
Date To	Include Pending <input checked="" type="checkbox"/>
	Include Processed <input type="checkbox"/>
	Include Cancelled <input type="checkbox"/>
OK Cancel	

You can filter according to every master data that you can enter at a mobile transaction in the mobile device, and you can select among four statuses: Include Under Preparation, Include Pending, Include Processed and Include Cancelled.

- Include Under Preparation means that you want to see the mobile transaction data whose creation has been already started but no post booking happened (the SAP BO document has not been generated yet).
- Include Pending is for the mobile transaction data where the post already happened but because of a problem the SAP BO document could not be created. In this case you can check the cause and solve it, then process the mobile transaction data again, or you can cancel the mobile transaction data and book the transaction manually in SAP BO.
- Include Processed will list all the mobile transaction data that are already processed (the SAP BO document has already been created).
- Include Cancelled will show you the mobile transaction data that have been cancelled.

After you filled out the form with the relevant data, click on button Update and the relevant mobile transaction data will be listed.

the mobile transaction data will be cancelled and you have to create the SBO documents manually based on the mobile transaction data (or you can make the document again from the mobile device).

3.2. Mobile Transactions

The window Mobile Transactions is exactly the same as the last window from above. Here you can browse the mobile transaction data with the arrow keys and if you found the one you were looking for you can cancel or process from the right click context menu.

4. Working with Different SAP B1 Settings

4.1. Managing UoM Groups

UoM – Unit of Measure is the quantitation (or pack size) in which an item can be counted. Some items can be counted in different UoMs, for example it can be counted separately or in a bundle of six. For this mechanism, SAP BO Business One has UoM Groups, where these pack sizes can be pre-defined. For example how many ‘pieces’ are in a ‘box’. This can be set in the Item Master Data form.

The screenshot shows two SAP windows. The left window is 'Item Master Data' for item R00001, 'Printer Paper'. The 'UoM Group' is set to 'Box'. The right window is 'Group Definition - Box - Setup', which defines the relationship between alternative units of measure and the base unit of measure (Box).

#	Alt. Qty	Alt. UoM	=	Base Qty	Base UoM
1	1	Box	=	1	Box
2	2	Pack	=	1	Box
3	1	Carton	=	24	Box
4	1	Pallet	=	48	Box
5	0.000		=		Box

When dealing with an item with a pre-defined UoM group, the user will be able to select any applicable UoM in the Warehouse system. All quantities in the Warehouse system will be handled in the UoM specified and will be booked to SAP BO in the UoM defined in the Item Master Data’s relevant setting.

4.1.1. Example: Goods Receipt

To present the business logic through an example, several [goods receipt](#) will be shown in different UoM-s. The logic of handling UoMs is the same in other tasks.

In this simple example 5 ‘pallet’ of white printer paper was ordered. It is being delivered in different quantities for example a man can reasonable carry a few ‘boxes’ or a ‘pallet’ that is the default

payload of a trolley.

Tapping the options button in line with the UoM field opens up the options for UoMs. These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. A 'box' can be divided into two 'packs' or 24 'boxes' can be combined into one 'carton', etc.

GR PO

Purch.Ord. 4 * Vendor 01

Item Filter

UoM Pallet

Quantity Add Upd

#1 R00001 * Printer Paper
Open WH: 01
0 / 5 Pallet

Done

UoM Selection

Item R00001 * Printer Paper

UoM Group Box

1	Box	= 1 Box
2	Pack	= 1 Box
1	Carton	= 24 Box
1	Pallet	= 48 Box

Choose Cancel

In this example the 'carton' was chosen. Next 6 'cartons' will be added to the goods receipt. The bin location will be specified.

As it can be seen, 6 'cartons' have been received for the first order. At first there were 5 'pallets' in the order, it was converted to 10 'cartons'. Hence 6 / 10 cartons can be read in the first order.

GR PO

Item R00001 * Printer Paper

Bin Loc. 02-DOCKS

UoM Carton

Quantity 6 Add Upd

Print Qty 0 of 6 Carton

Done Cancel

GR PO

Purch.Ord. 6 * Vendor 01

Item Filter

UoM Carton

Quantity Add Upd

#1 R00001 * Printer Paper
Open WH: 02
6 / 10 Carton

Done

Further in this example, if 10 'boxes' are added to the first order, the system will correctly calculate: The already reported quantity 6 'cartons' = 6*24 'boxes' = 144 'boxes'. Adding 10 will give 154 'boxes'.

The full order is 5 'pallets' = 5*48 'boxes' = 240 'boxes'.
So 144/240 'boxes' can be read in the goods receipt form.

4.1.2. Example: Deliveries picking

When [picking for deliveries](#), the user can specify the quantities in the UoM of his choice. Tapping the options button in line with the UoM field opens up the options for UoMs.

The image shows two side-by-side screenshots of a mobile application interface. The left screen is titled 'Picking' and contains the following fields: 'Pick List' (3 * 05/05/17), 'Customer' (C00001 * Customer 01), 'Item' (R00001), 'Open Qty' (1 Carton), 'Rec. Bin' (02-SYSTEM-BIN-LOCATION), 'Bin Loc.' (empty), 'UoM' (Box), and 'Quantity' (empty). There is a 'Find Stocks' button at the bottom. The right screen is titled 'UoM Selection' and shows 'Item' (R00001 * Printer Paper) and 'UoM Group' (Box). Below these is a list of options: '1 Box = 1 Box' (highlighted), '2 Pack = 1 Box', '1 Carton = 24 Box', and '1 Pallet = 48 Box'. At the bottom are 'Choose' and 'Cancel' buttons.

These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. For example one 'box' is worth 2 'packs'. In this example 'box' was chosen. The logic is the same as before. Next to the quantity field the current UoM can be viewed.

4.1.3. Example: Stock counting

When [counting stocks](#), the user can specify the quantities in the UoM of his choice. Tapping the options button in line with the UoM field opens up the options for UoMs. These were defined in SAP BO, with the UoM Group. In this example 'box' is the base quantity. For example one 'pallet' is worth 48 'boxes'. In this example 'pallet' was chosen.

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

Delete

Finish Back

UoM Selection

Item

UoM Group

1	Box	= 1 Box
2	Pack	= 1 Box
1	Carton	= 24 Box
1	Pallet	= 48 Box

Choose Cancel

Continuing the example one 'pallet' has been counted and now can be seen in the list. Further 24 'boxes' were added to the counting. It can be seen, the system handles both UoMs in one list.

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

R00001 * Printer Paper 1 Pallet

Delete

Finish Back

Stock Counting

Bin Loc.

Item

BN/SN

UoM

Quantity Add Upd

R00001 * Printer Paper 1 Pallet

R00001 * Printer Paper 24 Box

Delete

Finish Back

4.2. Multiple Branches


4.2.1. Setup

During the setup of a multiple branch managed company on the Service Manager, make sure that the defined SBO user is enabled for all company branches. This way the Service Broker will be able to perform transactions for each branch.

4.2.2. On the mobile device

If the company has branches enabled, an additional 'branch' field is displayed on the Login screen.

- If the employee is not assigned to a branch, specify the branch on this field. Press the '...' button to select the branch from a list.
- If the employee is assigned to a branch this field is automatically populated.



On the main menu header, the branch is also displayed next to the company name and the employee.



After the branch has been selected, all transactions are applied with that branch.

A warehouse/bin location can only be selected if the warehouse is assigned to the branch or the warehouse is not assigned to any branch. Only stock stored in warehouses assigned to the branch/assigned to no branch are listed.

The employee will only be able to see documents assigned to the branch. In the case of inventory transfer documents, the employee will only be able to see the documents where the source warehouse is assigned to the branch.

Transactions can only be created for the business partner assigned to the selected branch.

Documents created from the mobile device will be assigned to the selected branch.

4.3. How to work with serial managed items

4.3.1. On every transaction management method

If an item is managed by 'On every transaction' serial numbers, after the item quantity is added, the system proceeds to a screen where the serial numbers can be scanned.

Scan the serial numbers.

If the warehouse is managed by bin locations, enter the bin location first. It is possible to add the serial numbers into different bin locations.

The total number of the scanned serial numbers must equal to the quantity added on the previous screen.

4.3.2. On release only management method

Produmex only supports serial numbered items with 'on release only' management method when the 'Automatic Serial Number Creation on Receipt' option is enabled.

When this option is enabled, SAP B1 creates 'blank' serial numbers when receiving stocks without entering serial numbers. When creating outbound transactions, Produmex first checks if there are already existing 'real' serial numbers. If not, the system updates the "blank" serial numbers in SAP B1 with the serial numbers that will be issued and the transaction will be booked with these updated serial numbers.

Depending on the process, the quantity can be added by entering the quantity or by scanning the serial numbers.

4.3.3. Examples

Goods Receipt

When receiving items managed by serial numbers, after the quantity to receive was added or updated on the Good Receipt PO lines screen, the system automatically prompts the user to the Goods Receipt Serial Quantities screen.

- If the item is managed by 'On every transaction' serial numbers, scan the received serial numbers. To delete a serial number, select its line and press the Delete button. It is possible to configure automatic serial number creation. For more information please see: [Serial number generation](#). To automatically create the serial number, press the New button.
- If the item is managed by 'On release only' serial numbers, simply add the received quantity to the Quantity field and press the Add button. The system automatically creates empty (placeholder) serial number records.

Press the Update button to save the changes and to go back the previous screen. The quantity of the scanned/added serial numbers must be equal to the quantity added on the Good Receipt PO lines screen.

The image displays two side-by-side screenshots of the GRPO (Goods Receipt/Production Order) software interface. Both windows have a title bar with the text 'GR PO' and standard window controls. The left window shows the 'Item' field with 'S1000 * Serial paper', 'Bin Loc.' with '1-RECEIVING-BIN-LOCATION', and 'Serial No.' with 'SN112918'. A red rectangle highlights the 'Serial No.' field and the 'New' button. Below these fields is a list of serial numbers: '01-RECEIVING-BIN-LOCATION Serial No.: SN112914', '01-RECEIVING-BIN-LOCATION Serial No.: SN112915', '01-RECEIVING-BIN-LOCATION Serial No.: SN112916', and '01-RECEIVING-BIN-LOCATION Serial No.: SN112917'. At the bottom are buttons for 'Print', 'Delete', 'Qt' (8 of 10), 'Update', and 'Cancel'. The right window shows the 'Item' field with 'S2000 * Serialized paper', 'Bin Loc.' with '01-ST-P0011 * Pick location', and 'Quantity' with '5'. A blue rectangle highlights the 'Quantity' field and the 'Add' button. Below these fields is a list with '01-RECEIVING-BIN-LOCATION Quantity: 5'. At the bottom are buttons for 'Print', 'Delete', 'Qt' (5 of 10), 'Update', and 'Cancel'.

Sales orders

When delivering items managed by serial numbers with the Sales orders function, after the quantity to issue was added on the Sales Issue Lines screen, the system automatically prompts the user to the Sales Issue Quantities Serial screen. Scan the serial numbers you would like to issue. The total number of the scanned serial numbers must be equal to the quantity to issue that was added on the Sales Issue Lines screen.

- If the item is managed by 'On every transaction' serial numbers, only serial numbers that are in stock in the warehouse/bin location can be scanned.
- If the item is managed by 'On release only' serial numbers, the number of the scanned new serial numbers cannot exceed the blank serial numbers on stock in the warehouse/bin location. After a new serial number is scanned, the blank serial number is updated with the scanned new serial number. If the user scans a serial number that exists on the bin location, no blank serial number will be updated.

Press the Done button to save the changes and to go back the previous screen. The quantity of the scanned serial numbers must be equal to the quantity added on the Sales Issue Lines screen.

The screenshot shows the 'Sales Order' screen. At the top, there are icons for navigation and a close button. Below the title bar, there are input fields for 'Item' (S2000 * Serialized paper), 'Bin Loc.' (01-RECEIVING-BIN-LOCATION), and 'Serial No.'. A list box below these fields displays '01-RECEIVING-BIN-LOCATION' and 'Serial No.: SN66721'. At the bottom, there are buttons for 'Find Stoc', 'Delete', 'Qt' (1 of 5), 'Done', and 'Cancel'.

Stock transfer

When transferring items managed by serial numbers, after the item was selected on the Transfer Stocks Screen, the system automatically prompts the user to the Transfer Stocks Quantities Serial screen.

- If the item is managed by 'On every transaction' serial numbers, scan the serial numbers to transfer. Only serial numbers are on stock in the warehouse/bin location can be scanned.
- If the item is managed by 'On release only' serial numbers, enter the quantity to transfer to the Quantity field and press the Add button. The system automatically allocates the blank serial numbers that will be transferred. The system automatically allocates the serial numbers to be transferred based on the serial number sequence.

The image shows two side-by-side screenshots of the 'Stock Transfer' screen. The left screenshot shows the 'Item' (S1000 * Serial paper), 'From Bin' (01-RECEIVING-BIN-LOCATION), 'To' (01-ST-P0012 * Input location), and 'Serial No.' (SN112912). The right screenshot shows the 'Item' (S2000 * Serialized paper), 'From Bin' (01-RECEIVING-BIN-LOCATION), 'To' (01-ST-P0012 * Input location), and 'Quantity' (5). Both screens have a list box below the input fields showing the transfer details. The left screen shows 'SN: SN112911' and 'From: 01-RECEIVING-BIN-LOCATION To: 01-ST-P0012'. The right screen shows 'Quantity: 2' and 'From: 01-RECEIVING-BIN-LOCATION To: 01-ST-P0011'. Both screens have buttons for 'Find Stocks', 'Delete', 'Trf' (1 of 20 and 2 of 10), 'Done', and 'Cancel'.

From:
<http://wiki.produmex.name/> -

Permanent link:
<http://wiki.produmex.name/doku.php?id=implementation:scan:functionalguide>



Last update: **2020/01/13 14:23**