

# Beas Manufacturing Integration

## Overview

From product version 19.4, Produmex WMS adds support to the logistical needs of Beas Manufacturing 9.3 PL03 and later. It is recommended to use Beas Manufacturing for production transactions and to use Produmex WMS for stock transactions.

Available features in Produmex WMS:

- Beas-type production lines can be created in the Organizational Structure.
- The [Picking for Production](#) and [Picklist for Production](#) flows can be used to pick the components of Beas work orders.
- Supporting version control items (I-version) in reception:
  - Reception: No PO Flow
  - Reception: Order Flow
  - Reception: Container
  - Bulk Reception: No PO Flow
  - Bulk Reception: Order Flow
  - ASN Reception Flow (Mobile Client & Open ASN Lines window)
  - Goods Receipt PO window

Additional documentation:

- [Beas - WMS integration documentation](#)
- [Beas Manufacturing documentation](#)
- [Beas Manufacturing release notes](#)
- [Beas Manufacturing: version control items](#)

## Installation

### Produmex WMS

The standards installation process applies to the add-on and the Produmex SB1 Notification Listener must be installed and started as well (see documentation [here](#)).

When Beas Manufacturing is installed, Produmex WMS automatically identifies the Beas tables in the database.

### Beas Manufacturing

The standard installation process applies to the add-on and the Common Interface must be running (Beas Manage Server > Common Interface). See documentation [here](#).

### Important

If you first install Beas Manufacturing and then Produmex WMS and you insert the Produmex Logex

Addon Code to the dbo.SBO\_SP\_TransactionNotification stored procedure manually, make sure that you insert the Produmex code **ABOVE** the Beas Manufacturing code.

```
ALTER proc [dbo].[SBO_SP_TransactionNotification]
@object_type nvarchar(30),          -- SBO Object Type
@transaction_type nchar(1),        -- [A]dd, [U]pdate, [D]elete, [C]ancel, [L]oss
@num_of_cols_in_key int,
@list_of_key_cols_tab_del nvarchar(255),
@list_of_cols_val_tab_del nvarchar(255)
AS
begin
-- Return values
declare @error int                 -- Result (0 for no error)
declare @error_message nvarchar (200) -- Error string to be displayed
select @error = 0
select @error_message = N'Ok'

-----

IF @error = 0 BEGIN
    BEGIN TRY
        EXEC [dbo].[PMX_SP_TransactionNotification]
            @object_type,
            @transaction_type,
            @num_of_cols_in_key,
            @list_of_key_cols_tab_del,
            @list_of_cols_val_tab_del,
            @error = @error OUTPUT,
            @error_message = @error_message OUTPUT
    END TRY
    BEGIN CATCH
        SET @error = ERROR_NUMBER()
        SET @error_message = ERROR_MESSAGE()
        DECLARE @msg as NVARCHAR(255)
        SET @msg = SUBSTRING('PMX_SP: sql error ' + CAST(ERROR_NUMBER() AS NVARCHAR) + ' : ' + ERROR_MESSAGE()
            + ISNULL(' line ' + CAST(ERROR_LINE() AS NVARCHAR), '') + ISNULL(' in ' + ERROR_PROCEDURE(), ''),1,255)
        EXEC xp_logevent 999999, @msg, ERROR
    END CATCH;
END

-----

-- Select the return values
-- beasarea
EXECUTE [dbo].[beas_SP_TransactionNotification] @object_type, @transaction_type, @num_of_cols_in_key, @list_of_key_cols_tab_del,
@list_of_cols_val_tab_del, @error OUTPUT, @error_message OUTPUT
-- /beasarea
select @error, @error_message

end
```

**1. Produmex code inserted above the Beas Manufacturing code**

**2. Beas Manufacturing code**

## Produmex Notification Listener Service

Make sure that you check the configuration file of the Notification Listener Service.

Path: C:\Program Files\Produmex\Produmex SB1 Notification Listener (...)\ File name:  
Produmex.Foundation.SboNotification.ServiceHost.exe.config

The file must contain the line highlighted in red (see screenshot below). If it is not present in the file, make sure that you add it.


```
<action senderType="BEAS_Request" objectType="*" transactionType="*"
logic="Produmex.Sbo.Logex.SboNotification.Actions.BeasRequests,
Produmex.Sbo.Logex.SboNotification.Actions" />
```

```
<configuration>
  <configSections>
    <section name="log4net" type="System.Configuration.IgnoreSectionHandler" />
    <section name="sboNotificationSettings" type="System.Configuration.IgnoreSectionHandler" />
  </configSections>
  <appSettings>
    <add key="TransactionIsolation" value="ReadCommitted" />
    <add key="TransactionTimeout" value="00:10:00" />
  </appSettings>
  <connectionStrings>
    <add name="SboConnectionString" connectionString="Server=..." />
  </connectionStrings>
  <log4net>
    <appender name="RollingLogFileAppender" type="log4net.Appender.RollingFileAppender">
      <filter type="log4net.Filter.LevelRangeFilter">
        <levelMin value="DEBUG" />
        <levelMax value="FATAL" />
      </filter>
      <file type="log4net.Util.PatternString" value="C:\Produmex\Log\Produmex.Foundation.SboNotification.ServiceHost.exe.%property{LogSuffix}.log" />
      <appendToFile value="true" />
      <rollingStyle value="Size" />
      <maxSizeRollBackups value="4" />
      <maximumFileSize value="10MB" />
      <layout type="log4net.Layout.PatternLayout">
        <conversionPattern value="%date [%thread] %-5level %logger [%property{NDC}] - %message%newline" />
      </layout>
    </appender>
    <root>
      <appender-ref ref="RollingLogFileAppender" />
    </root>
  </log4net>
  <sboNotificationSettings>
    <service nameSuffix="SboConnectionString" />
    <action senderType="BEAS_Request" objectType="" transactionType="" logic="Produmex.Sbo.Logex.SboNotification.Actions.BeasRequests, Produmex.Sbo.Logex.SboNotification.Actions" />
  </sboNotificationSettings>
</configuration>
```

## Prerequisites

### 1. Creating a Beas-type production line

1. Create a new production line in the Organizational Structure.
2. Select *Beas* in the *Type* drop-down menu.



3. Fill in the *Code* and *Name* fields and configure the production line on the *General* tab.

#### **Pick to Location field** (optional)

The Pick to Location is the location where the components can be picked to if they are not ready to be used for production and they first must be weighed.

- If the field is filled in, the components are first picked to this location and then they must be moved to the Input Location with the [Component Weighing Production flow](#).
- If the *Pick to Location* field is not filled in, the system uses the Input Location.

#### **Lock Items Picked to this Location?**


If the setting is enabled, the system locks the components on the Pick to Location.

#### **Input Location field** (mandatory)


The Input Location is the location where the components are picked to or moved to from the Pick to Location. When the components are in the Input Location, they can be moved to the production line with the [Move to Production Line flow](#).

#### **Active**

Check in the checkbox if the production line is active. A production line can only be active if the Input Location field is filled in.



4. Click OK and the Beas-type production line appears in the Organizational Structure.



## 2. Selecting an active Beas-type production line

1. Open the (Beas) Work Order Position window.
2. On the Assembly tab select the Extended tab.
3. In the WMS Production Line drop-down menu select the necessary Beas-type production line. The drop-down menu lists only those production lines that have an Active status in the Organizational Structure.
4. Click OK

Work Order Pos. A-000015 (9 / 10)

Assembly Bill of Materials Routing Calculation

Position 10 Barcode 000009010 Start Structure 04/24/20

Item ITEM02 Start date

I-Version No Batch no serial no BBD with UOM group Start Time 04/24/20 03:00 pm

Description No Batch no serial no BBD with UOM group End 04/24/20 03:00 pm

Variant Delivery Date 04/24/20

Configuration Status

Qty. to produce 1,000 Piece Cut-Off Quantity 0,000

Master Data Extended Link Documents Journal

Warehouse 02 Account WIA 13200000-01-001-01 Inventory - Work In Progress (HO, USA, GA )

Bin Location Account Variance 52500000-01-001-01 WIP Material Variances (HO, USA, GA )

Branch

Batch

QC Inspection plan

Schema Std

Sales Price

WMS Production Line BPL02

OK Cancel Product Costing Analysis Journal of entries

### 3. Selecting the warehouse for the material item

1. Open the Bill of Materials window.
2. On the General tab navigate to the Warehouse drop-down menu and select the warehouse in which the production line is located.
3. Click OK.

It is important which warehouse is selected as the picking process must be performed in the warehouse where the production line is located in your Organizational Structure.

Production Bill of Materials Item 9 / 10 / 10

Position: 10  
Item: AA1  
Version:   
Description: PMX serial + batch number manual UOM  
Drawing number:

General Extended Cost

Quantity	1,000	Per	1,000	Piece
Fixed quantity surcharge	0,000	Total	1,00	PCS
Calculated Scrap	0,000	Inventory	0,00	PCS
Routing-position		Warehouse	01	
Rounding type	No rounding	Rounding dec.	0	
L	0,000			
W / o.d	0,000			
H / i.d	0,000			
Additional text				

Closed ☐

OK Cancel Journal of entries

## Production picking

The components of Beas work orders can be picked with the [Picking for Production](#) and [Picklist for Production](#) flows. When the components are moved to the Input Location, Produmex WMS sends a notification to Beas Manufacturing.

## Item locking


When an item managed by batch number is reserved for a Beas work order, Produmex WMS converts the Beas reservation into standard locking for the picklist proposal. Then the picklist inherits the locking from the picklist proposal.

## Picking for Production Flow

The [Picking for Production flow](#) identifies Beas work orders if the work order position is linked to a Beas-type production line.

In this case, when the [Picking for Production flow](#) is started on the Mobile Client, the *Select a production order to pick for* screen displays the Beas work orders.






1. Standard SAP B1 production order
2. Beas work order with a sales order  
Displayed values: sales order number and position number (000006/10)
3. Beas work order without sales order  
Displayed values: document entry ID and position number (2/10)

**S** is a status marker indicating that the production has started.

## Picklist for Production Flow

Prerequisite: Before starting the flow, make sure that you generate a picklist proposal in the Pick to Production window of Beas Manufacturing.



Pick to Production

Pre-assign All pre-assign All Mark Pre-assignment Delete Create request Demand Date 02/10/21 Info

#	Document Pos 1	Bill of Item	Planned quantity	Beas requested	Picklist Proposal	Pending request	Picked	Pending picking	Request	Inventory UoM	Warehouse	Warehouse Name	WMS Production Line	Reserved
1	103	10 10 RM	10.00	7.00	7.00	3.00	7.00	0.00	3.00	1,022.00 Pcs	01	General Warehouse	BP_Line	7.00
2	103	10 20 RM_B	10.00	0.00	0.00	10.00	0.00	0.00	10.00	402.00 Pcs	01	General Warehouse	BP_Line	0.00
3	103	10 40 RM	50.00	0.00	0.00	50.00	0.00	0.00	50.00	1,022.00 Pcs	01	General Warehouse	BP_Line	0.00
4	103	10 50 RM001	10.000	0.000	0.000	10.000	0.000	0.000	10.000	200.000 KG	01	General Warehouse	BP_Line	0.000
5	103	20 10 RM	10.00	0.00	0.00	10.00	0.00	0.00	10.00	1,022.00 Pcs	01	General Warehouse	BP_Line_3	0.00
6	103	20 20 RM_B	10.00	0.00	0.00	10.00	0.00	0.00	10.00	402.00 Pcs	01	General Warehouse	BP_Line_3	0.00
7	103	30 10 SFP_B_O	10.00	0.00	0.00	10.00	0.00	0.00	10.00	0.00 Pcs	01	General Warehouse		0.00

#	Picklist ID	Date	WMS Production Line	Requested	Picklist Proposal	Picked	Pending picking UoM	Status	Createdby	Creationd
1	67	02/08/21	BP_Line	3.00	3.00	3.00	0.00 Pcs	Closed	aapi	02/08/21
2	66	02/08/21	BP_Line	4.00	4.00	4.00	0.00 Pcs	Closed	aapi	02/08/21

OK Cancel Reload

The input of the [Picklist for Production flow](#) is a picklist generated from a Beas work order. The flow identifies the picklist generated from the Beas work order.

Produmex Wi... Select Function (1)

Purchase

Sales

Logistics

Production

Produmex Wi... Production: Select Function (1)

Picking for Production

Picklist for Production

Move to Production Line

Receipt from Production

Produmex Wi... Select a Picklist

11-INPUT\_BIN-PROD02 - No Batch no serial no BBD wi... 411

Produmex Wi... Select Item to Pick

→B.0003 #2 PCS ITEM0001 - No Batch no serial no BBD manual UOM

→B.0003 #2 PCS ITEM0002 - No Batch no serial no BBD manual UOM

→B.0003 #3 PCS ITEM0001 - No Batch no serial no BBD manual UOM

Produmex Wi... Select a Picklist

input location

product item


work order number

11-INPUT\_BIN-PROD02 - No Batch no serial no BBD wi... 411

wave number

## Supporting version control items in reception

Produmex WMS supports version control items (I-version) during reception flows including items managed by bath number or serial number. During the flows on the Mobile Client a separate *Select the version number screen* is displayed. In Produmex WMS you cannot create new version numbers, the system uses the version numbers specified in Beas Manufacturing.



When the Good Receipt PO document is generated, you can see the version in Batch Number Transactions Report or Serial Number Transactions Report.

Batch Number Transactions Report

Batches

#	Item No.	Item Description	Batch	Whse	Quantity	Allocated	Batch At...	Details	I-Version	Self produced
1	⇒ BVITEM: Beas Versioned It	⇒ BV1-092309	⇒ 01	5					0001	
					5					

Transactions for Batch:

BV1-092309

#	Document	Doc. ...	Date	Whse	First ...	G/L Acct/BP Na...	Qty	Allocated	Direction
1	⇒ PD 532	1	09/23/21	⇒ 01		⇒ Vendor 1	5		In

☐ Display All Transactions for Selected Batches  
☒ Display Batches with Zero Qty

Whse From

To

OK

#	Serial Number	Lot Number	Expiration Date	Mfr Date	Admission Date	I-Version	Self produced
1	BV2-0923-05				09/23/21	0001	
2	BV2-0923-06				09/23/21	0003	

#	Document	Doc. Row	Date	Allocated
1	PD 531	2	09/23/21	

OK ☐ Display All Transactions for Selected No.

## 1. Reception Flows

The reception flows supporting the version control items are the following:

- Reception: No PO Flow
- Reception: Order Flow
- Reception: Container

Version control items managed by batches:

- After selecting a product, the system asks you to identify batch number and then displays the Select the version number screen.
- If there are other items to be scanned on the logistic unit, you can select the product again and if you identify the same batch number, the system skips the Select the version number screen.
- When the Good Receipt PO document is generated, you can see the version in Batch Number Transactions Report.

Version control items managed by serial numbers:

- After selecting a product, the system displays the Select the version number screen and then you can scan the serial number or define a range. All the serial numbers in the range get the same version number.
- When the Good Receipt PO document is generated, you can see the version in Serial Number Transactions Report.

## 2. Bulk Reception Flows

The bulk reception flows supporting the version control items are the following:

- Bulk Reception: No PO Flow
- Bulk Reception: Order Flow

Version control items managed by batches:

- After selecting a product, the system asks you to identify batch number and then displays the Select the version number screen.
- If there are other items to be scanned on the logistic unit, you can select the product again and if you identify the same batch number, the system skips the Select the version number screen.
- When the Good Receipt PO document is generated, you can see the version in Batch Number Transactions Report.

Version control items managed by serial numbers:


- After selecting a product, the system displays the Select the version number screen and then you can scan the serial number or define a range. All the serial numbers in the range get the same version number.
- When the Good Receipt PO document is generated, you can see the version in Serial Number Transactions Report.

### 3. ASN Reception Flow

From product version 2021.09, the [Interfacing Tool](#) handles the BeasItemVersion column of [ASN files](#).

#### Mobile Client

If the imported ASN file does not contain the item version, the system asks for the version number after selecting the item to receive during the ASN Reception Flow.



If the imported ASN file contains the item version, the system automatically selects the version number and skips the Select the version number screen. The screen is displayed if the wrong item version number has been added to the imported ASN file.

Example of an ASN file with item version number:

```
ObjType;DocNum;LineNum;ItemCode;Quantity;SSCC;MasterSSCC;Batch;Batch2;BBD;SerialNumber;UF1;UF2;UF3;BeasItemVersion
22;65;0;BVITEM1;1;0012345600000000094;;BV1-092304;;;;;0001
22;65;1;BVITEM2;1;0012345600000000094;;;;BV2-0923-05;;;;0001
```

22;65;2;BVITEM1;2;001234560000000094;;BV1-092305;;;0005  
22;65;3;BVITEM2;1;001234560000000094;;;BV2-0923-06;;;0003

When the Good Receipt PO document is generated, you can see the version in the Batch Number Transaction Report or Serial Number Transactions Report.

## Open ASN Lines window

In the Open ASN Lines window a separate Beas Item Version column is displayed. The fields of the column can be filled and saved and in this way the Mobile Client does not ask for the version number.

Open ASN Lines

Group ID:  Filter:

Internal Key	Base Type	Base Entry	Base Line	Group By	Item Code	Quantity	Uom	Uom2	Serial Number	SSCC	ITRI	LUID	Beas Item Version
188	22	33			ITEM15	1,000	PCS			0000000	227	954	
191	22	37			AA_ITEM15	1,000	PCS			0000000	240	964	
64	22	1	0	1	ITEM17	0,000					213		
65	22	1	1	1	ITEM05	0,000					214		
66	22	2	0	1	ITEM02	0,000							
67	22	2	1	1	ITEM02	0,000							
68	22	2	2	1	ITEM02	0,000							
69	22	1	0	2	ITEM17	10,000					213		
70	22	1	1	2	ITEM05	20,000					214		
71	22	2	0	2	ITEM02	25,000							
72	22	2	1	2	ITEM02	25,000							
73	22	2	2	2	ITEM02	25,000							
88	22	31	0	3	ITEM17	10,000				1000000	213	841	
89	22	31	1	3	ITEM05	20,000				1000000	214	842	
90	22	32	0	3	ITEM08	1,000				1000000		843	
142	22	32	1	5	ITEM08	1,000				1000000		893	
143	22	32	2	5	ITEM08	1,000				1000000		894	

OK Cancel Receive Goods Print Delete Rows

When the Good Receipt PO document is generated, you can see the version in the Batch Number Transaction Report or Serial Number Transactions Report.

From:  
<http://wiki.produmex.name/> -

Permanent link:  
[http://wiki.produmex.name/doku.php?id=implementation:wms:beas\\_integration](http://wiki.produmex.name/doku.php?id=implementation:wms:beas_integration)

Last update: **2022/06/25 07:06**